Author Index to Volume 28

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 28, 1990. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abhiraman, A. S. See Wade, B., 1233P

Acar, M. H.

—; Aydogan, A. C.; Yagci, Y.; Endo, T.; Schnable, W.: Studies on the Copolymerization of Cyclic Disulfide Lipoamide with Styrene. II. Laser Flash Photolysis Investigation, 203L

Adachi, H. See Tsukube, H., 437C

Adachi, K. See Ueno, A., 1161C

Advani, S. G. See Ranganathan, S., 2651P

Agarwal, P. K. See Maurer, J. J., 1443P

Aggarwal, S. L.

Review of *Rubber Compounding, Principles, Materials, and Techniques*, 210L

Agrawal, C. M. See Hill, A. J., 387P

Akaike, T. See Cho, C.-S., 89L

Akashi, M.

—; Yashima, E.; Yamashita, T.; Miyauchi, N.; Sugita, S.; Marumo, K.: A Novel Synthetic Procedure of Vinylacetamide and Its Free Radical Polymerization, 3487C

Akcasu, A. Z. See Hess, W., 2233P

Akiyama, S.

—; Komoto, T.; Ando, I.; Sato, H.: Structure of Ultrahigh-Molecular-Weight Polyethylene in the Solid State as Studied by Variable-temperature ^{13}C CP/MAS NMR Spectroscopy, 587P

Aklonis, J. J. See Gandhi, K., 2707P; Zou, D., 1909C

Alamo, R. G.

—; Bello, A.; Fatou, J. G.; Obrador, C.: Solution and Thermal Properties of Poly(1,3-dioxocane), 907P

—; See Chiu, G., 1207P

Alberola, N.

—; Cavaille, J. Y.; Perez, J.: Mechanical Spectrometry of Alpha Relaxations of High-Density Polyethylene, 569P

Al-Diab, S. S. S.

—; Suh, H.-K.; Mark, J. E.; Zimmer, H.: Radical Copolymerization of 3-Tri-*n*-Butylstannylstyrene with Several Vinyl Monomers, 299C

Alexandru, L. See Mahabadi, H.-K., 231C

Al-Ghezawi, N.

—; Küçükyavuz, Z.; Küçükyavuz, S.: Conformational Transition in Poly(*p*-*tert*-Butylstyrene), 111L

Allan, D. S.

—; Thurber, E. L.; Rasmussen, P. G.: Polymers Containing Cyanoimidazole Pendant Groups, 2475C

Allen, N. S. See Catalina, F., 967C

Allen, S. D. See Yang, M., 245P

Allen, S. R. See Chu, B., 227L

Allmér, K.

—; Hilborn, J.; Larsson, P. H.; Hult, A.; Rånby, B.: Surface Modification of Polymers. V. Biomaterial Applications, 173C

Al-Tahou, B. See Pasch, H., 2049C

Alyürük, K. See Yilmaz, O., 341L

Ambrose, R. J.

Review of *Adhesion and Bonding in Composites*, 263L

Anabuki, Y. See Ochiai, H., 233P

Ancelin, H.

—; Hauptman, Z. V.; Banister, A. J.; Yarwood, J.: A Fourier-Transform Infrared Spectroscopic Study of the Surface Hydrolysis of Polythiazyl, 1611P

Ancelle, J. See Attias, A. J., 1661C

Ando, I. See Akiyama, S., 587P

Ando, M.

—; Uryu, T.: Synthesis of Polymer Materials by Low Energy Electron Beam. XIII. Structure and Properties of EB-Cured Polymers of Bifunctional Monomer with Biphenyl Moiety as Mesogenic Group, 2575C

Angeloni, A. S. See Chiellini, E., 3541C

Apkarian, R. P. See Piner, R., 399L

Arad-Yellin, R. See Kahana, N., 3303C; Warshawsky, A., 2885C

Arct, J. See Weir, N. A., 1935C

Ariyapadi, M. V.

—; Nauman, E. B.: Gradient Energy Parameters for Polymer-Polymer-Solvent Systems and Their Application to Spinodal Decomposition in True Ternary Systems, 2395P

Arthur, S. D. See Feiring, A. E., 2809C

Artursson, P.

—; Brown, L.; Dix, J.; Goddard, P.; Petrak, K.: Preparation of Sterically Stabilized Nanoparticles by Desolvation from Graft Copolymers, 2651C

Asada, K. See Nagai, K., 2195C, 2845C

Asanuma, H.

—; Toshima, N.: Chelate Resin–Iron(II) Complex: Adsorption and Desorption of Nitrogen Monoxide at the Dry State, 907C

Asanuma, T. See Chatani, Y., 393L

Asúa, J. M. See de la Cal, J. C., 1011C; Forcada, J., 987C

Attias, A. J.

—; Ancelle, J.; Bloch, B.; Laupretre, F.: Chemical Structure of Networks

Resulting from Curing of *N,N*-Diglycidylaniline-Type Resins with Aromatic Amines. II. Detection and Characterization of Intermolecular Etherification on Model Compounds, 1661C

—; Bloch, B.; Laupretre, F.: Chemical Structure of Networks Resulting from Curing of *N,N*-Diglycidylaniline-Type Resins with Aromatic Amines. IV. Characterization of TGDDM/DDS and TGDDM/DDM Networks by High-Resolution Solid-State ^{13}C-NMR, 3445C

Avadhani, C. V.

—; Wadgaonkar, P. P.; Vernekar, S. P.: Synthesis and Characterization of Oxyethylene Containing Diisocyanates and Polyimides Therefrom, 1681C

Avakian, P.

—; Gardner, K. H.; Matheson, R. R., Jr.: A Comment on Crystallization in PEKK and PEEK Resins, 243L

Axelson, D. E. See Hocking, M. B., 2949C, 2969C, 2983C

Aydogan, A. C. See Acar, M. H., 203L

Babu, S. H. See Balakrishnan, T., 1421C

Back, R. A. See Kotliar, A. M., 1033P

Badran, A. S.

—; Moustafa, A. B.; Yehia, A. A.; Shendy, S. M. M.: Emulsion Polymerization of Vinyl Acetate Initiated by Potassium Persulfate–Cyclohexanone Sodium Bisulfite Redox Pair System, 411C

Bae, Y. H.

—; Okano, T.; Kim, S. W.: Temperature Dependence of Swelling of Crosslinked Poly(*N,N'*-alkyl substituted acrylamides) in Water, 923P

Baek, D. M. See Han, C. D., 315P

Baer, E. See Galeski, A., 1171P; Pan, S. J., 1105P

Baik, D. H.

—; Jo, W. H.: Structure-Property Relationships of Copolyamides. II. Crystal Structure of Drawn Copolyamide Films, 595P

Balakrishnan, T.

—; Babu, S. H.; Perumal, A.: Triphase Catalysis. I. Kinetics and Mechanism of Alkylation of Phenylacetonitrile with Alkyl Halides Catalyzed by Aqueous NaOH and Polymer-Supported Benzyltriethylammonium Chloride, 1421C

Banister, A. J. See Ancelin, H., 1611P

Bao, Y. T.

—; Pitt, C. G.: Polymeric Amines and Their Copper(II) Complexes: Catalysts for the Hydrolysis of Organophosphate Esters, 741C

Barberá, J.

—; Navarro, F.; Oriol, L.; Piñol, M.; Serrano, J. L.: Synthesis and Mesogenic Properties of Four Series of Polyesters Derived from Dicarboxylic and Dihydroxylic Aromatic Monomers, 703C

Barlow, J. W. See Brannock, G. R., 871P

Bar-Sela, G.

—; Warshawsky, A.: Catalytic Hydrogenation Activity of Zerovalent Palladium Dispersed in Functional Porous Polystyrene Matrices, 1303C

Barson, C. A. See Bevington, J. C., 3271C

Barton, T. J. See Ijadi-Maghsoodi, S., 955C

Bastiaansen, C. W. M.

Influence of Initial Polymer Concentration in Solution and Weight-Average Molecular Weight on the Drawing Behavior of Polyethylenes, 1475P

Belfiore, L. A.

—; Lutz, T. J.; Cheng, C.; Bronnimann, C. E.: Solid-State Phase Behavior and Molecular-Level Mixing Phenomena in a Strongly Interacting Polymer Blend, 1261P

Bello, A. See Alamo, R. G., 907P

Belorgey, G. See Cansell, F., 647P

Benicewicz, B. C. See Hoyt, A. E., 3403C, 3417C

Benrashid, R. See Chapman, T. M., 1473C, 3685C

Berry, G. C. See Wei-Berk, C., 1873P

Bevington, J. C.

—; Breuer, S. W.; Huckerby, T. N.; Jones, R. F. D.; Barson, C. A.: The Reactivities of Diarylbutadienes towards the Benzoyloxy Radical: The Cases of 1-(1'-Naphthyl)-4-Phenylbuta-1,3-Diene and 1,4-Di(1'-Naphthyl)buta-1,3-Diene, 3271C

Bhanu, V. A.

—; Kishore, K.: Effects of Coordinately Unsaturated Cobalt Complexes on Radical Polymerization of Vinyl Monomers, 3617C

Bhattacharya, S. K. See Sun, T., 1677P

Bhattacharyya, J.

—; Saha, S. K.; Guhaniyogi, S. C.: Aqueous Polymerization on Clay Surfaces. V. Role of Lattice Substituted Iron in Montmorillonite in Polymerizing Methyl Methacrylate in the Presence of Thiourea, 2249C

Bickford, J. H. See Rao, D. V. G. L. N., 247L

Bidstrup, S. A.

—; Macosko, C. W.: Chemorheology Relations for Epoxy-Amine Crosslinking, 691P

Billingham, N. C.
—; George, G. A.: Chemiluminescence from Oxidation of Polypropylene: Some Comments on a Kinetic Approach, 257P
Biswas, M. See Mitra, P., 3795C
Bloch, B. See Attias, A. J., 1661C, 3445C
Bluhm, T. L. See Ober, C. K., 1047P
Blum, F. D. See Pickup, S., 931C
Boden, E. P. See Kosky, P. G., 1507C
Bodrero, S. See Polednick, C., 261C
Bonner, B. A. See Wilbur, J. M., Jr., 3747C
Borg, R.
—; Winnik, M. A.: Attachment of Fluorescent Dyes to Polyacrylamides in Aqueous Media, 2075C
Bosch, P. See Mateo, J. L., 1445C
Bosio, L. See Pezron, I., 1823P
Bottino, F. See Mamo, A., 2237C
Bourbon, D.
—; Kamiya, Y.; Mizoguchi, K.: Sorption and Dilation Properties of Poly(*p*-phenylene sulfide) Under High-Pressure Carbon Dioxide, 2057P
Bower, D. I.
—; Jackson, R. S.: Vibrational Assignments for the CCl Stretching Region of the Raman Spectrum of Poly(vinyl Chloride), 1589P
—; See Jackson, R. S., 837P
Brady, R. F., Jr. See Sikes, A. M., 2533C
Brannock, G. R.
—; Barlow, J. W.; Paul, D. R.: Blends of Styrene/Acrylic Acid Copolymers and Acrylic Polymers, 871P
Bresee, R. R. See Luo, C., 1755P, 1771P
Breuer, S. W. See Bevington, J. C., 3271C
Brois, S. J. See Schaedeli, U., 1781C
Bronnimann, C. E. See Belfiore, L. A., 1261P
Brown, H. R. See Cho, K., 1699P
Brown, L. See Artursson, P., 2651C
Brown, N. See Huang, Y.-L., 2007P
Bruck, M. See Okada, M., 3251C
Burns, C. M. See Kim, W. N., 1409P
Burns, J.
—; Dubbelday, P. S.; Ting, R. Y.: Dynamic Bulk Modulus of Various Elastomers, 1187P
Butler, G. B. See Zhang, Y.-X., 213L

Cabasso, I. See Yu, Z., 227C
Cain, E. J.
—; Jones, A. A.; Inglefield, P. T.; Jost, R. D.; Liu, X.; Wen, W.-Y.: Relaxation Dynamics of Carbon Dioxide Sorbed in Poly(dimethyl siloxane) Rubber, 1737P
Camp, C. E. See Dekmezian, A. H., 1903P
Campbell, G. A. See Friberg, S. E., 3575C
Cansell, F.
—; Siove, A.; Belorgey, G.: Ethylene-Propylene Copolymerization Initiated with Solubilized Ziegler-Natta Macromolecular Complexes. II. Characterization of [Styrene]-*b*-[Ethylene-*co*-Propylene] Copolymers, 647P
Casinos, I. See Fernandez, M. J., 2275C, 2293C
Cassidy, P. E. See Mores, M., 811C
Catalán, J. See Sastre, R., 3661C
Catalina, F.
—; Peinado, C.; Madruga, E. L.; Sastre, R.; Mateo, J. L.; Allen, N. S.: Radical Copolymerization of 2-Acryloyl Thioxanthone with Methyl Methacrylate, 967C
—; See Diaz, F. R., 3499C; Mateo, J. L., 1445C; Sastre, R., 3661C
Cavaille, J. Y. See Alberola, N., 569P; Varlet, J., 2691P
Chabot, P.
—; Prud'homme, R. E.; Pézolet, M.: Study of Segmental Orientation in Poly (vinyl chloride)/Poly (α-methyl-α-*n*-propyl-β-propiolactone) Blends by Fourier-Transform Infrared Spectroscopy, 1283P
Chaki, T. K. See Mukhopadhyay, S., 25L
Chakraborty, A. K.
—; Davis, H. T.; Tirrell, M.: A Molecular Orbital Study of the Interactions of Acrylic Polymers with Aluminum: Implications for Adhesion, 3185C
Chan, C.-C. See Wei, Y., 219L
Chan, J. H. See Okada, M., 3251C
Chan, W.-C. See Chen, S.-A., 1499P, 1515P
Chang, A. C. See Young, P. R., 3107C
Chang, B. C.
—; Chen, C. D.; Chang, T. C.; Ho, S. Y.: The Effects of Aromatic Solvents on the Photopolymerization Rates of Isoprene, Ethyl Methacrylate, and Styrene, 1539C
Chang, H.-S. See Chen, S.-A., 2547C
Chang, M. See Colvin, M., 2085C
Chang, T. C. See Chang, B. C., 1539C
Chang, T.-C. See Li, C.-H., 3625C
Chanzy, H. See Verlhac, C., 1171C
Chao, H. S.-I.
—; Vallance, M. A.: Synthesis and Evaluation of Photolytically and Thermally Crosslinkable Polyimide Copolymers with Diacetylene Functionality, 1209C
Chapiro, A.
Review of *Organic Radiation Chemistry Handbook*, 207L
Chapman, T. M.
—; Benrashid, R.: Polyurethane Elastomers with Hydrolytic and Thermooxidative

Stability. II. Polyurethanes with *N*-Alkylated Polyurethane Soft Blocks, 3685C
—; Rakiewicz-Nemeth, D. M.; Swestock, J.; Benrashid, R.: Polyurethane Elastomers with Hydrolytic and Thermooxidative Stability. I. Polyurethanes with *N*-Alkylated Polyamide Soft Blocks, 1473C
Chatani, Y.
—; Maruyama, H.; Noguchi, K.; Asanuma, T.; Shiomura, T.: Crystal Structure of the Planar Zigzag Form of Syndiotactic Polypropylene, 393L
Chau, C. C.
—; Raspor, O. C.: Gas Transport and Diffusive Resistance in Highly Oriented High-density Polyethylene, 631P
Chaudhuri, A. K. See Pal, P. K., 3123C
Chen, C. D. See Chang, B. C., 1539C
Chen, J. See Cheng, S. Z. D., 233L
Chen, S.-A.
—; Chan, W.-C.: Polyurethane Cationomers. I. Structure-Property Relationships, 1499P
—; Chan, W.-C.: Polyurethane Cationomers. II. Phase Inversion and Its Effect on Physical Properties, 1515P
—; Chang, H.-S.: Kinetics and Mechanism of Emulsifier-Free Emulsion Polymerization. III. Styrene/Nonionic Comonomer (2-Hydroxyethyl Methacrylate) System, 2547C
—; Wu, K.-W.: Emulsion Polymerization: Determination of the Average Number of Free Radicals per Particle by Use of the Number Average Volume of the Particles, 2857C
Chen, W.-L. See Wang, H.-H., 2403C
Chen, Y. L.
—; Rånby, B.: Photocrosslinking of Polyethylene. III. Thermal Oxidative Stability of Photocrosslinked Polyethylene, 1847C
Chen, Y.-H. See Kiyotsukuri, T., 1197C
Cheng, C. See Belfiore, L. A., 1261P
Cheng, L. M. See Deng, X. M., 411L
Cheng, S. Z. D.
—; Heberer, D. P.; Lien, H.-S.; Harris, F. W.: Glass Transition and Crystal Melting in Semicrystalline Polyimides, 655P
—; Zhang, A.; Chen, J.: Existence of a Transient Nonintegral Folding Lamellar Crystal in a Low Molecular Mass Poly(Ethylene Oxide) Fraction Crystallized from the Melt, 233L
—; See Wu, Z., 2565P
Chern, C.-S.
—; Poehlein, G. W.: Polymerization in Nonuniform Latex Particles. II. Kinetics of Two-Phase Emulsion Polymerization, 3055C
—; Poehlein, G. W.: Polymerization in Nonuniform Latex Particles. III. Kinetics of Grafting in Emulsion Polymerization, 3073C
Chiang, W.-Y.
—; Hu, C.-M.: Studies of Reactions with Polymers. VI. The Modification of PAN with Primary Amines, 1623C
—; See Hu, C.-M., 353C
Chiba, K. See Nagai, K., 2195C
Chidambareswaran, P. K. See Lokhande, H. T., 21L
Chiellini, E.
—; Galli, G.; Angeloni, A. S.; Laus, M.: Chiral Liquid-Crystalline Polymers. XI. Thermotropic Behavior and Chiroptical Properties in Solution of a New Series of Optically Active Poly(ester β-Sulfide)s, 3541C
Chien, J. C. W.
—; Dickinson, L. C.; Vizzini, J.: Magnesium Chloride Supported High Mileage Catalysts for Olefin Polymerization. XX. Solid State NMR, 2321C
—; Gong, B. M.; Mu, X.; Yang, Y.: Control of $Y_1Ba_2Cu_3O_x$ Microstructures by Polymer-Metal-Complex Precursor Synthesis, 1999C
—; Hu, Y.; Vizzini, J. C.: Superactive and Stereospecific Catalysts. IV. Influence of Structure of Esters on $MgCl_2$ Supported Olefin Polymerization Catalysts, 273C
—; Rieger, B.; Herzog, H. M.: Metallocene-Methyl Aluminoxane Catalysts for Olefin Polymerization. VIII. Infrared Spectra of Anisotactic Polypropylene, 2907C
—; Wang, B.-P.: Metallocene–Methylaluminoxane Catalysts for Olefin Polymerization. V. Comparison of Cp_2ZrCl_2 and $CpZrCl_3$, 15C
—; See Zhou, X., 2609C
Chikaoka, S.
—; Takata, T.; Endo, T.: Selective Single Ring-Opening Polymerization of Spiroorthoesters with Aluminium (III) Acetylacetonate, 3101C
Chiu, G.
—; Alamo, R. G.; Mandelkern, L.: Formation of Ringed Spherulites in Polyethylenes, 1207P
Cho, C.-S.
—; Nagata, R.; Yagawa, A.; Takahashi, S.; Kunou, M.; Akaike, T.: Monolayers of Poly(γ-benzyl *L*-glutamate)/polyether Block Copolymers on the Air/Water Interface, 89L
Cho, H.-N. See Gal, Y.-S., 259L

Cho, I.
—; Kim, S.-K.: Exploratory Ring-Opening Polymerization: Ring-Opening Polymerization of Vinylketene Cyclic Acetal, 417L
Cho, K.
—; Brown, H. R.; Miller, D. C.: Effect of a Block Copolymer on the Adhesion Between Incompatible Polymers. I. Symmetric Tests, 1699P
Cho, T. J. See Han, M. J., 2719C
Choi, E-J. See Jin, J.-I., 531P
Choi, H.-S. See Jin, J.-I., 531P
Choi, K. B. See Han, M. J., 2719C
Choi, K.-Y.
—; Jung, J. C.; Yi, M. H.; Lee, B. W.: Synthesis and Properties of Polysulfones Containing Thiophene Links, 3179C
Choi, S.-K. See Gal, Y.-S., 259L
Choi, W. O.
—; Sawamoto, M.; Higashimura, T.: Lifetime of Living Polymers in Cationic Polymerization. II. Living Polymerization of Isobutyl Vinyl Ether Initiated by the Hydrogen Iodide/Zinc Halide Systems, 2923C
—; Sawamoto, M.; Higashimura, T.: Lifetime of Living Polymers in Cationic Polymerization. III. Living Polymerization of Isobutyl Vinyl Ether Initiated by a Cationogen/$EtAlCl_2$ System in the Presence of 1,4-Dioxane as an Added Base, 2937C
Choy, C. L.
—; Leung, W. P.; Nakafuku, C.: Thermal Expansion of Poly(ether-ether-ketone) (PEEK), 1965P
Chu, B.
—; Wu, C.; Li, Y.; Harbison, G. S.; Roche, E. J.; Allen, S. R.; McNulty, T. F.; Phillips, J. C.: Synchrotron X-Ray Diffraction of a Single Filament and a Bundle of Poly (*p*-Phenylene Terephthalamide) Filaments, 227L
Chu, G. See Li, T., 1735C
Chu, S. G. See Han, C. D., 315P
Chujo, Y.
—; Nakamura, T.; Yamashita, Y.: Synthesis of Crown Ether-Terminated Poly(methyl Methacrylate) by Radical Chain Transfer Polymerization, 59C
Chung, S. K. See Colvin, M., 2085C
Chung, T. C. See Lee, D.-C., 505C
Claramunt, R. See Sastre, R., 3661C
Colborn, R. E. See Eddy, V. J., 2417C
Cole, C.-A. See Yang, H. J., 219C
Coleman, M. M. See Hu, J., 149P
Colet, M. C. See Point, J. J., 1275P
Colon, I.
—; Kwiatkowski, G. T.: High Molecular Weight Aromatic Polymers by Nickel Coupling of Aryl Polychlorides, 367C
Colvin, M.
—; Chung, S. K.; Hyson, M. T.; Chang, M.; Rhim, W. K.: A New Method for the Production of Large Spherical Monosized Polymer Particles for Biomedical and Chromatographic Applications, 2085C
Conde, M. See Diaz, F. R., 3499C
Cooper, S. L. See Grady, B. P., 386L
Corfield, G. C.
—; Wheatley, G. W.; Parker, D. G.: Synthesis and Properties of Polyetheretherketone-Polydimethylsiloxane Block Copolymers, 2821C
Cormier, L. See Delfort, B., 2451C
Corriu, R. J. P.
—; Douglas, W. E.; Yang, Z.-X.: Synthesis of Poly(alkynylsilanes) having Various Aromatic Groups in the Backbone, 431L
Cortazar, M. See Gonzalez, J. M., 1533P
Cowie, J. M. G.
—; Cree, S. H.; Ferguson, R.: Alternating Copolymerization of 2,4-Dicyano-but-1-ene and Isoprene. II. Mechanism of Copolymerization, 515C
Cramer, E.
—; Percec, V.: Phase Transfer Pd(O) Catalyzed Polymerization Reactions. III. Polymerization by Cross-Coupling of Alkyl-Boron Compounds and Aromatic Halides Catalyzed by $PdCl_2$ (dppf) and Bases, 3029C
Cree, S. H. See Cowie, J. M. G., 515C
Crissman, J. M.
—; McKenna, G. B.: Physical and Chemical Aging in PMMA and Their Effects on Creep and Creep Rupture Behavior, 1463P
Crist, B.
Radiothermoluminescence with In Situ Electron Irradiation, 1641P
Crivello, J. V.
—; Lee, J. L.: The Synthesis, Characterization, and Photoinitiated Cationic Polymerization of Silicon-Containing Epoxy Resins, 479C
Cuculo, J. A. See Liu, C.-K., 449P

Da, A.-H. See Zhang, Y.-X., 213L
d'Agostino, R.
—; Favia, P.; Fracassi, F.; Illuzzi, F.: The Effect of Power on the Plasma-Assisted Deposition of Fluorinated Monomers, 3387C
Dairanieh, I. S. See Pasch, H., 2049C, 2063C
Dais, P. See Tsiourvas, D., 1263C

Date, H. See Takeichi, T., 1989C, 3377C
Davidson, M. G.
—; Deen, W. M.: Equilibrium Partitioning of Long-Chain Polymers Between Bulk Solution and Pores in the Presence of Short-Range Attractions, 2555P
Davies, G. R. See Green, D. I., 2225P
Davis, D. D. See Tanaka, H., 2183P
Davis, F. J.
—; Gilbert, A.; Mann, J.; Mitchell, G. R.: Liquid Crystal Elastomers: Synthesis and Characterization, 1455C
Davis, H. T. See Chakraborty, A. K., 3185C
Davis, J. R. J. See Young, P. R., 3107C
Davis, R. L.
—; Nalepa, C. J.: Studies of Alkylthio-Substituted Aromatic Diamines as Curatives for Polyurethane Cast Elastomers, 3701C
Davis, T. P. See Piton, M. C., 2097C
De Candia, F.
—; Renzulli, A.; Vittoria, V.; Roviello, A.; Sirigu, A.: Transport Properties of a Thermotropic Liquid-Crystalline Polyester, 203P
—; Russo, R.; Vittoria, V.: Thermal and Dynamic-mechanical Behavior of Syndiotactic Polystyrene—Preliminary Results, 47L
de la Cal, J. C.
—; Urzay, R.; Zamora, A.; Forcada, J.; Asúa, J. M.: Simulation of the Latex Particle Morphology, 1011C
De, S. K. See Mukhopadhyay, S., 25L
De Winter, W. See Leemans, L., 2187C
Decker, C.
—; Moussa, K.: Kinetic Study of the Cationic Photopolymerization of Epoxy Monomers, 3429C
Dedier, J. See Verlhac, C., 1171C
Deen, W. M. See Davidson, M. G., 2555P
Dekmezian, A. H.
—; Morioka, T.; Camp, C. E.: Gel Permeation Chromatograph Interface To Collect Solvent-Free Polymer Fractions for Composition Drift Analysis, 1903P
Delfort, B.
—; Lucotte, G.; Cormier, L.: Ethynyl-Terminated Polyethers from New End-Capping Agents: Synthesis and Characterization, 2451C
Delgado, J.
—; El-Aasser, M. S.; Silebi, C. A.; Vanderhoff, J. W.: Miniemulsion Copolymerization of Vinyl Acetate and Butyl Acrylate. IV. Kinetics of the Copolymerization, 777C
Delvin, A. See Ober, C. K., 1047P
Deng, X. M.
—; Xiong, C. D.; Cheng, L. M.; Xu, R. P.: Synthesis and Characterization of Block Copolymers from D,L-Lactide and Poly(Ethylene Glycol) with Stannous Chloride, 411L
Denney, D. B. See Gorda, K. R., 3513C
Derlich, V. See Zou, D., 1909C
DeRosa, T. F.
—; Jennejahn, R.: Amidation of Esters Using Trimethylsilylamines, 2445C
Deshe, A. See Kahana, N., 3303C; Warshawsky, A., 2885C
Deutscher, K. See Hsiao, B. S., 1571P
Diaz, A.
—; Fenzel-Alexander, D.; Miller, D. C.; Wollmann, D.; Eisenberg, A.: Ionomers as Charge Additives, 75L
Diaz, F. R.
—; Tagle, L. H.; Garcia, F.; Sastre, R.; Conde, M.; Mateo, J. L.; Catalina, F.: Synthesis of Soluble Polymeric Photosensitizers with the 4-Nitro-1-Naphthyl-Carbamoyl as Pendant Group, 3499C
Diaz-Calleja, R.
—; Riande, E.; Guzmán, J.: Effects of Orientation on the Dielectric Glass–Rubber Relaxation of Amorphous Networks, 1551P
Dickerson, C. W. See Mathias, L. J., 175L
Dickie, B. D.
—; Koopmans, R. J.: Long-Chain Branching Determination in Irradiated Linear Low-Density Polyethylene, 193L
Dickinson, L. C. See Chien, J. C. W., 2321C; Ghanem, A. M., 1891P
Dix, J. See Artursson, P., 2651C
Djabourov, M. See Pezron, I., 1823P
Domb, A. J.
—; Laurencin, C. T.; Israeli, O.; Gerhart, T. N.; Langer, R.: The Formation of Propylene Fumarate Oligomers for Use in Bioerodible Bone Cement Composites, 973C
Donaruma, L. G.
Review of *Analytical, Biochemical, and Toxicological Aspects of Sulphur Xenobiochemistry*, 241L
Review of *Biocompatibility—Interactions of Biological and Implantable Materials, Volume 1: Polymers*, 295L
Review of *Drug Carrier Systems—Horizons in Biochemistry and Biophysics, Vol. 9*, 181L
Review of *Fundamentals of General, Organic, and Biological Chemistry (4th edition)*, 296L
Review of *Metabolism of Sulphur Functional Groups*, 241L

Review of *Structure and Function of Biofilms*, 385L

Dondos, A.

A Universal Relation Between the Viscometric Expansion Factor and the Number of Statistical Segments of Different Macromolecular Chains, 2435P

Dorset, D. L. See Zhang, W. P., 1223P

Dosiere, M. See Point, J. J., 1275P

Dotrong, M.

—; Evers, R. C.: Rigid-Rod Benzobisthiazole Polymers with Reactive Fluorene Moieties: Synthesis and Characterization, 3241C

Douglas, W. E. See Corriu, R. J. P., 431L

Dreyfuss, M. P. See Tarshiani, Y., 205C

Dubbelday, P. S. See Burns, J., 1187P

Duroux, J. L. See Moliton, A., 17P

Dušek, K. See Vazquez, A., 2305C

Dust, J. M.

—; Harris, J. M.: The Picryl Ether of Polyethylene Glycol: Preparation, Characterization, and Reaction with *n*-Propylamine, 1875C

Dwivedi, P. C.

—; Srivastava, A.; Rathi, R. S.: Polymerization of Methyl Methacrylate by Charge-Transfer Mechanism with Aliphatic Primary Amines and Carbon Tetrachloride, 3279C

Ebi, G. C.

—; Singh, A.: Some Aspects of Stabilization and Degradation of Nigerian Natural Rubber. I. Photostabilization of Natural Rubber with Bound Di-*tert*-Butyl-4-Hydroxybenzyl Thioglycollate (DBHBT), 3533C

Ebihara, S. See Maeda, H., 2385P

Economy, J.

Review of *Electronic and Photonic Applications of Polymers*, 209L

Eddy, V. J.

—; Hallgren, J. E.; Colborn, R. E.: A New One-Component Anhydride-Cured Epoxy with an Aliphatic Disiloxane Dianhydride and Metal-Coordinated Lewis Bases, 2417C

Egger, N. See Simpson, J. H., 1859P

Eichinger, B. E. See Liao, I-W., 559C

Eirich, F. R.

Review of *Peptide Chemistry—A Practical Textbook*, 210L

Review of *Structure and Reactivity*, 118L

Review of *The Fractal Approach to Heterogeneous Chemistry, Surfaces, Colloids, Polymers*, 208L

Eisenberg, A. See Diaz, A., 75L; Gauthier, M., 1549C; Hird, B., 1665P; Wollmann, D., 1979P; Zhang, X., 1841P

El-Aasser, M. S. See Delgado, J., 777C; Sheu, H. R., 629C, 653C

Encinas, M. V.

—; Majmud, C.; Lissi, E. A.: Polymerization Photoinitiated by Carbonyl Compounds. IX. Methyl Methacrylate Polymerization Photoinitiated by Anthraquinone in Presence of Triethylamine, 2465C

Endo, T.

—; Kameyama, A.; Mambu, Y.; Kashi, Y.; Okawara, M.: Synthesis of Polyethers Containing Viologen Moiety and Their Application to Electron-Transfer Catalyst, 2509C

—; Sugiyama, J.-I.; Yokozawa, T.: Preparation and Radical Polymerization of Spiroorthocarbonate Having 1,3-Dioxolane Skeleton, 3529C

—; See Acar, M. H., 203L; Chikaoka, S., 3101C; Hiraguri, Y., 2881C; Ishikawa, K., 3525C; Kitamura, N., 3137C, 345C; Mizuya, J., 2765C; Sato, T., 2223C; Uno, H., 693C; Yokozawa, T., 279L, 1841C, 3739C

Engelhardt, J. See Kricheldorf, H. R., 2335C

Erman, B. See Ozkul, M. H., 1781P

Errede, L. A.

Polymer Drying. III. Comparison of Molecular Desorption from Poly(styrene-co-Divinylbenzene) in the Gel-State and in the Glass-State, 837C

Polymer Drying. IV. A Molecular Interpretation of Polymer Drying, 857C

Evans, C. H. See Lukáč, I., 595C

Evans, S. B.

—; Mulvaney, J. E.; Hall, H. K., Jr.; Guistina, R. A.: On the Synthesis of Pure (Meth)acrylate Esters and Their Corresponding Homopolymers, 1073C

Evers, R. C. See Dotrong, M., 3241C

Fabrie, Ch. C. M. See Mathot, V. B. F., 2487P, 2509P

Farrell, R. J.

Review of *Batch Process Automation: Theory and Practice*, 267L

Fatou, J. G. See Alamo, R. G., 907P

Favia, P. See d'Agostino, R., 3387C

Favis, B. D.

—; Willis, J. M.: Phase Size/Composition Dependence in Immiscible Blends: Experimental and Theoretical Considerations, 2259P

Fayt, R. See Forte, R., 2233C; Leemans, L., 1255C, 2187C
Feijen, J. See Vulić, I., 1693C
Feiring, A. E.
—; Wonchoba, E. R.; Arthur, S. D.: Fluorinated Poly(ether Sulfone)s, 2809C
—; See Rodenhouse, R., 345L
Feldman, D.
Review of *Activation and Functionalization of Alkanes*, 73L
Review of *Advances in Biochemical Engineering/Biotechnology. 38. Lignocellulosic Materials*, 182L
Review of *Atlas of Polymer Morphology*, 117L
Review of *Droplet Separation*, 316L
Review of *Introduction to Industrial Polymers*, 118L
Review of *Lignin: Properties and Materials*, 184L
Review of *Plastics Extrusion Technology*, 71L
Review of *Polymer Association Structures. Microemulsions and Liquid Crystals*, 156L
Review of *Statistical Mechanics of Chain Molecules*, 31L
Review of *The Chemistry of Enones*, 183L
Review of *The Chemistry of Functional Groups—The Chemistry of Organic Silicon Compounds*, 207L
Fenoglio, D. J.
—; Foster, J. J.: The Effect of the *t*-Butyl Substituent on Polymer Properties in Homopolymer Systems, 2753C
Fenzel-Alexander, D. See Diaz, A., 75L
Ferguson, R. See Cowie, J. M. G., 515C
Fernandez, M. J.
—; Casinos, I.; Guzman, G. M.: A Method for the Extraction of the Unreacted Cellulose from Its Graft Copolymers, 2293C
—; Casinos, I.; Guzman, G. M.: Effect of the Way of Addition of the Reactants in the Graft Copolymerization of a Vinyl Acetate–Methyl Acrylate Mixture onto Cellulose, 2275C
Fickes, G. N. See Miller, R. D., 1397C, 2665C
Fife, W. K. See Ranganathan, P., 2711C
Finocchiaro, P. See Mamo, A., 2237C
Fitzgerald, J. J.
—; Weiss, R. A.: The Effects of Low Molar Mass Diluents on the Microstructure of Ionomers, 1719P
Fleming, G. K.
—; Koros, W. J.: Dilation of Substituted Polycarbonates Caused by High-Pressure Carbon Dioxide Sorption, 1137P
—; See Jordan, S. M., 2305P
Flenniken, C. L. See Tannenbaum, R., 2421P
Florjańczyk, Z.
—; Krawiec, W.; Such, K.: A Study of the Relative Reactivity of Maleic Anhydride and Some Maleimides in Free Radical Copolymerization and Terpolymerization, 795C
Foerch, R.
—; McIntyre, N. S.; Hunter, D. H.: Modification of Polymer Surfaces by Two-Step Plasma Sensitized Reactions, 803C
—; McIntyre, N. S.; Hunter, D. H.: Oxidation of Polyethylene Surfaces by Remote Plasma Discharge: A Comparison Study with Alternative Oxidation Methods, 193C
Forcada, J.
—; Asúa, J. M.: Modeling of Unseeded Emulsion Copolymerization of Styrene and Methyl Methacrylate, 987C
—; See de la Cal, J. C., 1011C
Ford, W. T. See Pickup, S., 931C
Fornes, R. E. See Lonikar, S. V., 759C; Sankar, S. S., 293P
Forte, R.
—; Ouhadi, T.; Fayt, R.; Jérôme, R.; Teyssié, Ph.: Anionic Block Copolymerization of Methyl Methacrylate in the Presence of Alkali and Alkali-Earth Metal Salts, 2233C
Foster, J. J. See Fenoglio, D. J., 2753C
Fracassi, F. See d'Agostino, R., 3387C
Friberg, S. E.
—; Yu, B.; Campbell, G. A.: Molecular Location in a Nonaqueous Lyotropic Liquid Crystal Polymer, 3575C
Frick, T. S.
—; Huang, W. J.; Tirrell, M.; Lodge, T. P.: Probe Diffusion in Polystyrene/Toluene Solutions, 2629P
—; See Lodge, T. P., 2607P
Fried, J. R.
—; Zhang, C.; Liu, H.-C.: Effect of Sorbed Carbon Dioxide on the Impact Strength of Amorphous Glassy Polymers, 7L
Frisch, H. L. See Huang, W., 1807C; Patsis, A. V., 2681P
Frisch, K. C. See Sendijarević, A., 119L, 199L, 3603C
Froyer, G. See Moliton, A., 17P
Frund, Z. N., Jr. See Plazek, D. J., 431P
Frye, J. See Hardee, J. R., 3669C
Fueki, K. See Torikai, A., 3639C
Fukuda, A. See Hasegawa, K., 1L
Fukutomi, T. See Ishizu, K., 1091C; Saito, R., 1793C
Furukawa, J. See Kobayashi, E., 2641C

Gal, Y.-S.
—; Jung, B.; Cho, H.-N.; Lee, W.-C.; Choi, S.-K.: Synthesis and Properties of

Poly(1,6-heptadiyne) Homologue; Poly(dipropargyl sulfone), 259L
Galeski, A.
—; Piorkowska, E.; Koenczoel, L.; Baer, E.: Acoustic Emission During Crystallization of Polymers, 1171P
—; See Pawlak, A., 1813P
Galli, G. See Chiellini, E., 3541C
Gamboa, C. I. See Ríos, H. E., 505P
Gancheva, V. B. See Velichkova, R. S., 3145C
Gandhi, K.
—; Park, M.; Sun, L.; Zou, D.; Li, C. X.; Lee, Y. D.; Aklonis, J. J.; Salovey, R.: Model-Filled Polymers. II. Stability of Polystyrene Beads in a Polystyrene Matrix, 2707P
—; See Zou, D., 1909C
Garcia, F. See Diaz, F. R., 3499C
Gardner, K. H. See Avakian, P., 243L
Garton, A. See Henry, J. L., 945C
Gauthier, M.
—; Eisenberg, A.: Alkylated Styrene Ionomers with Variable Length Spacers. I. Synthesis, 1549C
Gaztelumendi, M. See Jurado, M. J., 1015P
Gedde, U. W.
Review of *Handbook of Plastics Test Methods, Third Edition*, 155L
Geetha, R. See Torikai, A., 3639C
George, B. K.
—; Pillai, V. N. R.: Polymeric Oxidizing Reagents Based on Polyacrylamides: Effect of the Nature and Extent of Crosslinking on Reactivity, 2585C
George, G. A. See Billingham, N. C., 257P
Gerhart, T. N. See Domb, A. J., 973C
Gert, E. V.
—; Shishonok, M. V.; Torgashov, V. I.; Kaputskii, F. N.: Crystallization of Amorphous Cellulose in the Form of Inclusion Compounds, 163L
Ghanem, A. M.
—; Dickinson, L. C.; Porter, R. S.; Zachariades, A. E.: On the Melting Behavior of a Thermotropic Rigid Random Copolyester Based on Terephthalic Acid and Substituted Hydroquinones, 1891P
Gheorghiu, M. See Salajka, Z., 1651C
Giddings, J. C. See Schimpf, M. E., 2673P
Gilbert, A. See Davis, F. J., 1455C; Mitchell, G. R., 423L
Gilbert, R. D.
Review of *Carbon Disulphide in Organic Chemistry*, 447L
—; See Lonikar, S. V., 759C; Sankar, S. S., 293P
Gitsov, I.
—; Rashkov, I. B.; Panayotov, I. M.: Anionic Polymerization of Lactones Initiated by Alkali Graphitides. V. Initiation Mechanism and Nature of the Active Centers, 2115C
Goddard, P. See Artursson, P., 2651C
Goldberg, E. P. See Tannenbaum, R., 2421P
Gong, B. M. See Chien, J. C. W., 1999C
Gonzalez, J. M.
—; Muñoz, M. E.; Cortazar, M.; Santamaría, A.; Peña, J. J.: Rheological and Thermal Properties of a Commercial Liquid-Crystalline Polyesteramide, 1533P
Gorda, K. R.
—; Peiffer, D. G.; Denney, D. B.: The Preparation, Characterization, and Selected Charge Transfer Properties of Some Anthracene Functionalized Polyesters, 3513C
Gottlieb, H. E. See Warshawsky, A., 2885C
Goulet, L.
—; Prud'Homme, R. E.: Crystallization Kinetics and Melting of Caprolactone Random Copolymers, 2329P
Gradwell, A. J.
—; Guthrie, J. T.; Kazlauciunas, A.: Aspects of the Thermal Properties of Poly(2-Vinyl Anthraquinone), 3165C
Grady, B. P.
—; Cooper, S. L.: Review of *The Vibrational Spectroscopy of Polymers*, 386L
Graham, J. C.
—; Xu, X.; Jones, L.; Orticochea, M.: Bis(ethyl-3-Oxo-Butanolato-O^1,O^3)-Bis(2-Propanolato)titanium (Tyzor) DC^R) as a Reactant and Catalyst in the Polymerization of 2-Isocyanatoethyl Methacrylate (IEM), 1179C
Green, D. I.
—; Orchard, G. A. J.; Davies, G. R.; Ward, I. M.: Thermal Expansion of Oriented Liquid Crystal Copolyesters, 2225P
Grigoras, M. See Simionescu, C. I., 39L
Grinsted, R. A.
—; Koenig, J. L.: Solid-state ^{13}C-NMR Studies of the Aging of Poly(vinylidene fluoride)/Poly(methyl methacrylate) Blends, 177P
Grubb, D. T.
—; Kearney, F. R.: Zone Drawing and Mechanical Relaxation of Poly(vinylidene Fluoride), 2071P
—; See Prasad, K., 2199P
Guhaniyogi, S. C. See Bhattacharyya, J., 2249C
Guillaume, J. L.
—; Pichot, C.; Guillot, J.: Emulsifier-Free Emulsion Copolymerization of Styrene

and Butyl Acrylate. I. Kinetic Studies in the Absence of Surfactant, 119C
—; Pichot, C.; Guillot, J.: Emulsifier-Free Emulsion Copolymerization of Styrene and Butyl Acrylate. III. Kinetic Studies in the Presence of a Surface Active Comonomer, the Sodium Acrylamido Undecanoate, 137C
Guillet, J. E. See Holdcroft, S., 1495C, 1823C
Guillot, J. See Guillaume, J. L., 119C, 137C
Guistina, R. A. See Evans, S. B., 1073C
Gupta, A. M.
—; Macosko, C. W.: Modeling Strategy for Systems with Both Stepwise and Chainwise Chemistry: Amine-Epoxy Networks with Etherification, 2585P
Gupta, G. N.
—; Mandal, B. M.: Solution Polymerization of Methyl Methacrylate Using Trioctylmethylammonium Persulfate Initiator: Kinetics of Polymerization and Activation Parameters for the Primary Decomposition of the Initiator, 2729C
Gupta, M. See Packirisamy, S., 935C
Guthrie, J. T. See Gradwell, A. J., 3165C
Guyot, A. See Planche, J. P., 1377C; Poledníck, C., 261C
Guzman, G. M. See Fernandez, M. J., 2275C, 2293C
Guzmán, J. See Diaz-Calleja, R., 1551P

Hadjichristidis, N. See Mays, J. W., 1881P
Hado, H. See Kondo, S., 2229C
Hagiwara, T.
—; Shimizu, T.; Hamana, H.; Narita, T.: Anionic Polymerization of *N*-Substituted Maleimide. VI. Effects of Counter Cation on the Anionic Polymerization of *N*-Phenylmaleimide with Alkali Metal *tert*-Butoxides, 2437C
—; Shimizu, T.; Uda, T.; Hamana, H.; Narita, T.: Anionic Polymerization of *N*-Substituted Maleimide. V. A Study on the Kinetic Features of Anionic Polymerization of *N*-Phenylmaleimide, 185C
—; See Nagai, A., 373L
Hall, H. K., Jr. See Evans, S. B., 1073C; Li, T., 1735C; Mori, S., 551C; Okada, M., 3251C; Schaedeli, U., 1781C
Hallgren, J. E. See Eddy, V. J., 2417C
Hamana, H. See Hagiwara, T., 185C, 2437C; Nagai, A., 373L
Hamřík, O. See Salajka, Z., 1651C
Han, C. D.
—; Kim, J.; Baek, D. M.; Chu, S. G.: Viscoelastic Behavior, Order-Disorder Transition, and Phase Equilibria in Mixtures of a Block Copolymer and an Endblock-associating Resin, 315P
—; See Han, J. H., 711P, 743P
Han, J. H.
—; Han, C. D.: Bubble Nucleation in Polymeric Liquids. I. Bubble Nucleation in Concentrated Polymer Solutions, 711P
—; Han, C. D.: Bubble Nucleation in Polymeric Liquids. II. Theoretical Considerations, 743P
Han, J. L. See Hsieh, K. H., 623P, 783P
Han, M. J.
—; Kim, K. H.; Cho, T. J.; Choi, K. B.: Synthesis and Characterization of Poly[(3,4-Dihydro-2H-Pyran)-alt-(Maleic Anhydride)] and Its Derivatives: Biologically Active Polymers, 2719C
Hanabusa, K.
—; Yanagisawa, K.; Higashi, J.-I.; Shirai, H.; Hayakawa, T.; Hojo, N.: Thermotropic Liquid Crystalline Poly(L-Glutamate) Esters with Long Alkyl Chain Containing Aromatic Segment at Terminal Position, 825C
Haratani, T. See Nishio, Y., 355P
Harbison, G. S. See Chu, B., 227L
Hardee, J. R.
—; Tunney, S. E.; Frye, J.; Stille, J. K.: Synthesis and Incorporation of 4-Triethoxysilyl-1,2-Bis(diphenylphosphino)benzene into Silica Gel and Solgel Polymers: Preparation and Utilization of Recyclable Catalysts for Alkene Hydroformylation and Methanol Homologation, 3669C
Harris, F. W. See Cheng, S. Z. D., 655P
Harris, J. M. See Dust, J. M., 1875C; McManus, S. P., 3337C
Harruna, I. I.
—; Polk, M. B.: Thermotropic Homopolyester. I. Synthesis and Characterization of Homopolyesters Containing the Mesogenic Unit, Bicyclo[2.2.2]oct-2-ene, 285C
Harvey, G. D. See Maurer, J. J., 1443P
Hasegawa, K.
—; Fukuda, A.; Uede, K.: Synthesis of New Epoxy Compounds Having a Hydroxymethyl Group, 1L
Hasegawa, T. See Kondo, S., 2877C
Hashimoto, T.
—; Takeuchi, E.; Sawamoto, M.; Higashimura, T.: End-Functionalized Polymers by Living Cationic Polymerization. IV. Poly(vinyl Ethers) with Acidic or Basic Terminal Groups by Functional Initiator Method, 1137C
Hatada, K.
—; Ute, K.; Oka, K.-I.; Pappas, S. P.:

Unambiguous ^{13}C-NMR Assignments for Isocyanate Carbons of Isophorone Diisocyanate and Reactivity of Isocyanate Groups in *Z*- and *E*-Stereoisomers, 3019C
Hauptman, Z. V. See Ancelin, H., 1611P
Havens, S. J.
—; Hergenrother, P. M.: Polyamideimides Containing Carbonyl and Ether Connecting Groups, 2427C
Havriliak, S., Jr.
Dynamic Parameters for Some Poly(*n*-alkyl methacrylates), 1251P
—; Shortridge, T. J.: Effect of a Methylmethacrylate-Butadiene-Styrene Modifier on the Dynamics of the Viscoelastic Beta Process in Poly (vinyl Chloride), 1987P
Hay, A. S. See Jian, X., 285L
Hayakawa, T. See Hanabusa, K., 825C
Hayashi, K. See Teramoto, M., 253L
Hayashi, R. See Yokozawa, T., 3739C
Heater, K. J. See Hill, A. J., 387P
Heberer, D. P. See Cheng, S. Z. D., 655P
Hedrick, J. L.
—; Hilborn, J.; Palmer, T. D.; Labadie, J. W.; Volksen, W.: Imide–Aryl Ether Benzoxazole Block Copolymers, 2255C
—; See Labadie, J. W., 3467C
Hellmann, G. P. See Kohl, P. R., 1309P; Kuhn, K. J., 2165P; Meurer, E., 893P
Henriques, E. H. See Patsis, A. V., 2681P
Henry, J. L.
—; Garton, A.: Oxidation of Polyethylene in Water and Aqueous Salts, 945C
Hergenrother, P. M. See Havens, S. J., 2427C
Hernández-Sánchez, F.
—; Vázquez-Torres, H.: Activation Energy for Urethane-Linkage Formation. An Improved Calculation from the Differential Scanning Calorimetry Data, 1579C
Herzog, H. M. See Chien, J. C. W., 2907C
Hess, W.
—; Nägele, G.; Akcasu, A. Z.: Theoretical Foundations of Interdiffusion, 2233P
Heymans, N.
Intrinsic Crazing and Anisotropy of Maximum Recoverable Extension in Oriented Glassy Polycarbonate, 951P
Higashi, J.-I. See Hanabusa, K., 825C
Higashimura, T. See Choi, W. O., 2923C, 2937C; Hashimoto, T., 1137C; Kanaoka, S., 1127C; Kojima, K., 3007C; Tang, B.-Z., 281P
Higuchi, A.
—; Nakagawa, T.: Diffusion of Gases in Inhomogeneous Polymeric Membranes, 2247P
Hilborn, J. See Allmér, K., 173C; Hedrick, J. L., 2255C
Hill, A. J.
—; Heater, K. J.; Agrawal, C. M.: The Effects of Physical Aging in Polycarbonate, 387P
Hill, M. J. See Pan, S. J., 1105P
Hiller, W. See Schneider, H., 1001P
Hiltner, A. See Pan, S. J., 1105P
Hindeleh, A. M.
—; Hosemann, R.; Hinrichsen, G.; Springer, H.: Lateral Growth of Microparacrystals in Kevlar 49 Fibers Irradiated by Co^{60}, 267P
Hinrichsen, G. See Hindeleh, A. M., 267P
Hiraguri, Y.
—; Endo, T.: Synthesis and Radical Polymerization of 2-Methylene-1,4-Dioxaspiro-6,7-8,9-Dibenzo[4.4]nona-6,8-Diene, 2881C
Hirai, A.
—; Horii, F.; Kitamaru, R.; Tsuji, W.: CP/MAS ^{13}C NMR Study of Never-Dried Cotton Fibers, 357L
Hiramatsu, M.
—; Muraki, H.; Ito, T.: A New Method to Characterize Film Inhomogeneities: Permeation of Matter Followed by a Combination of Chemiluminescence with Photodetectors, 133L
Hird, B.
—; Eisenberg, A.: Phase Dominance, Multiple Glass Transitions, and Apparent Activation Energies in some Poly(Styrene-co-Alkali Methacrylate) Ionomers, 1665P
Hirose, T. See Kamiya, Y., 1297P; Suwandi, M. S., 407P
Ho, S. Y. See Chang, B. C., 1539C
Hocking, M. B.
—; Syme, D. T.; Axelson, D. E.; Michaelian, K. H.: Water-Soluble Imide-Amide Copolymers. I. Preparation and Characterization of Poly[acrylamide-co-Sodium *N*-(4-Sulfophenyl) maleimide], 2949C
—; Syme, D. T.; Axelson, D. E.; Michaelian, K. H.: Water-Soluble Imide-Amide Copolymers. II. Preparation and Characterization of Poly(acrylamide-co-*p*-Maleimidobenzoic Acid), 2969C
—; Syme, D. T.; Axelson, D. E.; Michaelian, K. H.: Water-Soluble Imide-Amide Copolymers. III. Preparation and Characterization of Poly(acrylamide-co-*N,N*-Diallylaniline) and Poly(acrylamide-co-Sodium *N,N*-Diallylsulfanilate), 2983C
Hoffman, A. S. See Yang, H. J., 219C
Hogen-Esch, T. E. See Zhang, Y.-X., 213L
Hojo, N. See Hanabusa, K., 825C

Holdcroft, S.
—; Guillet, J. E.: Microemulsion Polymerization of Styrene: A Study Using Pulsed Laser Initiation, 1823C
—; Yuen, K. H.; Guillet, J. E.: Studies of the Photolysis of Aromatic Esters in Solution and in Polymer Films, 1495C
Horas, J. A.
—; Reyes, E. R.; Magnin, J. E.: Effect of Microheterogeneities on the Diffusion of Gases Through Glassy Polymers, 1153P
Horii, F. See Hirai, A., 357L; Zhu, Q., 2741C
Horrion, J.
—; Jérôme, R.; Teyssié, Ph.: Erratum to "Halato-Telechelic Polymers. XV. Ionic Cross-Interactions of Immiscible Telechelic Polymers: A Reversible Pathway to Block Copolymer-Type Materials", 1649C
—; Jérôme, R.; Teyssié, Ph.: Halato-Telechelic Polymers. XV. Ionic Cross-Interactions of Immiscible Telechelic Polymers: A Reversible Pathway to Block Copolymer-Type Materials, 153C
Hosemann, R. See Hindeleh, A. M., 267P
Hovatter, T. W. See McManus, S. P., 3337C
Hoyt, A. E.
—; Benicewicz, B. C.: Rigid Rod Molecules as Liquid Crystal Thermosets. I. Rigid Rod Amides, 3403C
—; Benicewicz, B. C.: Rigid Rod Molecules as Liquid Crystal Thermosets. II. Rigid Rod Esters, 3417C
Hrdlovič, P. See Lukáč, I., 595C
Hristov, H. A.
—; Schultz, J. M.: Thermal Response and Structure of PET Fibers, 1647P
Hsiao, B. S.
—; Shaw, M. T.; Samulski, E. T.: Study of a Thermotropic Liquid-Crystalline Polyester at Elevated Pressures, 189P
—; Stein, R. S.; Deutscher, K.; Winter, H. H.: Optical Anisotropy of a Thermotropic Liquid-Crystalline Polymer in Transient Shear, 1571P
Hsiao, S.-H.
—; Yang, C.-P.: Preparation of Poly(amide-Imide)s by Direct Polycondensation with Triphenyl Phosphite. IV. Aliphatic-Aromatic Poly(amide-Imide)s Based on *N,N'*-Bis(ω-Carboxyalkyl)pyromellitimides, 2169C
—; Yang, C.-P.: Preparation of Polyamide-Imides via the Phosphorylation Reaction. II. Synthesis of Wholly Aromatic Polyamide-imides from *N*-[*p*-(or *m*-)Carboxyphenyl]trimellitimides and Various Aromatic Diamines, 1149C
—; Yang, C.-P.: Synthesis of Sulfone-Containing Polyamides by Direct Polycondensation with Triphenyl Phosphite, 2501C
—; See Yang, C.-P., 871C
Hsieh, C.-J.
—; Hsu, C.-S.; Hsiue, G.-H.; Percec, V.: Synthesis and Characterization of Side-Chain Liquid Crystalline Polysiloxanes Containing Oligooxyethylene Spacers and Benzyl Ether Based Mesogenic Groups, 425C
Hsieh, K. H.
—; Han, J. L.: Graft Interpenetrating Polymer Networks of Polyurethane and Epoxy. I. Mechanical Behavior, 623P
—; Han, J. L.: Graft Interpenetrating Polymer Networks of Polyurethane and Epoxy. II. Toughening Mechanism, 783P
Hsiue, G.-H.
—; Yang, J.-M.: Epoxidation of Styrene-Butadiene-Styrene Block Copolymer and Use for Gas Permeation, 3761C
—; Yang, J.-M.; Lee, P.-S.; Liaw, C.-Y.: Membrane of Epoxidized Styrene-Butadiene-Styrene Block Copolymer Complexing with (*N,N'*-Disalicylideneethylenediamine) Cobalt(II) and Use for Oxygen Permeation, 3363C
—; See Hsieh, C.-J., 425C
Hsu, C.-S. See Hsieh, C.-J., 425C
Hu, C.-M.
—; Chiang, W.-Y.: Studies of Reactions with Polymers. V. The Reaction Mechanism and Resultant Structure of PVA with PAN in DMSO without Any Catalyst, 353C
—; See Chiang, W.-Y., 1623C
Hu, J.
—; Painter, P. C.; Coleman, M. M.; Krizan, T. D.: Toward a Prediction of the Phase Behavior of Polyamide Blends, 149P
Hu, Y. See Chien, J. C. W., 273C
Hua, Y. See Huang, W., 1807C
Huang, B. See Wang, L., 937P; Wu, Z., 2565P
Huang, W.
—; Frisch, H. L.; Hua, Y.; Semlyen, J. A.: A Study of the Properties and Topological Trapping of Cyclic Poly(dimethylsiloxane) in Poly(2,6-Dimethyl-1,4-Phenylene Oxide) Networks, 1807C
Huang, W. J. See Frick, T. S., 2629P
Huang, Y.-L.
—; Brown, N.: The Dependence of Butyl Branch Density on Slow Crack Growth in Polyethylene: Kinetics, 2007P
Huckerby, T. N. See Bevington, J. C., 3271C
Hult, A. See Allmér, K., 173C
Hunter, D. H. See Foerch, R., 193C, 803C

Hutchinson, J. M.
—; Ruddy, M.: Thermal Cycling of Glasses. III. Upper Peaks, 2127P
Hyson, M. T. See Colvin, M., 2085C

Ichikawa, T.
—; Yoshida, H.: Mechanism of Radiation-Induced Degradation of Poly(methyl Methacrylate) as Studied by ESR and Electron Spin Echo Methods, 1185C
Ichino, T.
—; Sasaki, S.; Matsuura, T.; Nishi, S.: Synthesis and Properties of New Polyimides Containing Fluorinated Alkoxy Side Chains, 323C
Iijima, T.
—; Kakiuchi, H.: The Polymerization of Oxiranes with the α-Chlorobenzyl Methyl Sulfide–Antimony Pentachloride Initiator System, 609C
—; See Yonetake, K., 303P
Iizawa, T. See Nishikubo, T., 105C
Iizuka, T. See Kochi, M., 2463P
Ijadi-Maghsoodi, S.
—; Pang, Y.; Barton, T. J.: Efficient, "One-Pot" Synthesis of Silylene–Acetylene and Disilylene–Acetylene Preceramic Polymers from Trichloroethylene, 955C
Ikada, Y. See Uchida, E., 2837C
Illers, K.-H. See Stutz, H., 1483P
Illuzzi, F. See d'Agostino, R., 3387C
Im, J. See Pan, S. J., 1105P
Imai, Y. See Jeong, H.-J., 3293C; Manami, H., 465C; Oishi, Y., 1763C; Padmanaban, M., 1569C, 2997C, 3261C; Yang, C.-P., 1353C
Inglefield, P. T. See Cain, E. J., 1737P
Inoue, H. See Matsukawa, K., 2107C, 13L
Ishida, H. See Khoo, C. G. L., 213P; Sellitti, C., 1121P
Ishihara, K. See Nagase, Y., 377P
Ishikawa, K.
—; Endo, T.: Functional Polypeptide: First Synthesis of Polyglutamine with High Molecular Weight, 3525C
Ishitani, A. See Nakayama, Y., 1813C
Ishizu, K.
Synthesis of Novel Primary Amino-Terminated Polymer and Application for Macromonomer, 1887C
—; Minematsu, S.; Fukutomi, T.: Structure Changes on Polymer Blends by Means of Phase Growth on Microheterophase Surface, 1091C
—; See Saito, R., 1793C
Israeli, O. See Domb, A. J., 973C
Ito, H. See Ueda, M., 2597C

Ito, O.
—; Matsuda, M.: A New Dual-Parameter for Reactivities of Vinyl Monomers toward Free-Radicals, 1947C
Ito, T. See Hiramatsu, M., 133L
Iván, B.
—; Kennedy, J. P.: Living Carbocationic Polymerization. XXX. One-Pot Synthesis of Allyl-Terminated Linear and Tri-Arm Star Polyisobutylenes, and Epoxy- and Hydroxy-Telechelics Therefrom, 89C
Iwai, H. See Takeoka, S., 717C
Iwata, H. See Uchida, E., 2837C

Jackson, R. S.
—; Bower, D. I.; Maddams, W. F.: A Study of Wet PVC Gels by Raman Spectroscopy, 837P
—; See Bower, D. I., 1589P
Jagannathan, N. R. See Viswanathan, T., 95L
Jain, S. K.
—; Johari, G. P.: Conductance and Relaxations in the Glassy and Rubber States of Aqueous Poly(vinyl pyrrolidone): A Cryofixation Medium, 763P
James, W. J. See Yeh, Y.-S., 545P
Jang, C. H. See Kim, H. D., 1273C
Jang, G.-W. See Wei, Y., 81L, 219L
Jantas, R.
Synthesis and Polymerization of a Multimethacrylate, 1973C
Jayabalan, M. See Nair, P. D., 3775C
Jean, Y. C. See Wang, Y. Y., 1431P
Jelling, M.
Review of *Alpha Olefins Applications Handbook*, 181L
Jennejahn, R. See DeRosa, T. F., 2445C
Jeong, H.-J.
—; Oishi, Y.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of Novel Aromatic Polyamides from 3,4-Bis(4-Aminophenyl)-2,5-Diphenylfuran and Aromatic Diacid Chlorides, 3293C
Jeřábek, K.
—; Setínek, K.: Strong Acidic Ion Exchangers Structure by Inverse Steric Exclusion Chromatography, 1387C
Jérôme, R. See Forte, R., 2233C; Horrion, J., 153C, 1649C
Jian, X.
—; Hay, A. S.: Epoxidation of Unsaturated Polymers with Hydrogen Peroxide, 285L
Jiang, J. See Kobayashi, E., 2641C
Jin, J.-I.
—; Choi, H.-S.; Choi, E-J.; Yoon, C.-J.: Main Chain Thermotropic Polyesters Having

Flexible Spacers—Influence of Ester Group Linking Order Between Mesogenic Unit and Flexible Spacer, 531P
—; See Reddy, C. R., 2269C
Jo, W. H. See Baik, D. H., 595P
Johari, G. P. See Jain, S. K., 763P; Mangion, M. B. M., 71P, 1621P; Pathmanathan, K., 675P; Varlet, J., 2691P
John, E.
—; Ree, T.: Crystallization of Poly(ethylene Oxide) in Binary Polymer Blends: Influence of Tacticity of Poly(methyl Methacrylate), 385C
Jones, A. A. See Cain, E. J., 1737P
Jones, L. See Graham, J. C., 1179C
Jones, R. F. D. See Bevington, J. C., 3271C
Jordan, S. M.
—; Fleming, G. K.; Koros, W. J.: Permeability of Carbon Dioxide at Elevated Pressures in Substituted Polycarbonates, 2305P
—; Koros, W. J.: Permeability of Pure and Mixed Gases in Silicone Rubber at Elevated Pressures, 795P
Joseph, K. T. See Mohan, D., 307L
Jost, R. D. See Cain, E. J., 1737P
Jue, P. K. See Patterson, G. D., 481P
Jung, B. See Gal, Y.-S., 259L
Jung, J. C. See Choi, K.-Y., 3179C
Jurado, M. J.
—; Gaztelumendi, M.; Nazabal, J.; Mondragon, I.: Influence of Migration of Plasticizer during Melt Mixing on the Transitions and Properties of PC/CAB Blends, 1015P

Kaeriyama, K. See Masuda, H., 1831C
Kahana, N.
—; Arad-Yellin, R.; Deshe, A.; Warshawsky, A.: Functional Macrocyclic Polysulfones via Aminomethylpolysulfone, 3303C
—; See Warshawsky, A., 2885C
Kakimoto, M.-A. See Jeong, H.-J., 3293C; Manami, H., 465C; Oishi, Y., 1763C; Padmanaban, M., 1569C, 2997C, 3261C; Yang, C.-P., 1353C
Kakiuchi, H. See Iijima, T., 609C
Kakuchi, T. See Mori, S., 551C
Kameyama, A. See Endo, T., 2509C
Kamiya, Y.
—; Mizoguchi, K.; Naito, Y.: A Dielectric Relaxation Study of Plasticization of Poly(ethyl methacrylate) by Carbon Dioxide, 1955P
—; Naito, Y.; Hirose, T.; Mizoguchi, K.: Sorption and Partial Molar Volume of Gases in Poly (dimethyl siloxane), 1297P
—; See Bourbon, D., 2057P
Kamogawa, H.
—; Minoura, S.; Miyama, S.: Function of Vinyl Copolymers with Pendant Porphyrin or Metalloporphyrin Dimers as Photoredox Catalyst, 1435C
Kanaoka, S.
—; Minoda, M.; Sawamoto, M.; Higashimura, T.: Amphiphilic Block Copolymers of Vinyl Ethers by Living Cationic Polymerization. II. Synthesis and Surface Activity of Macromolecular Amphiphiles with Pendant Amino Groups, 1127C
Kang, Y. S.
—; Meldon, J. H.; Sung, N.: Transport of Hexane Vapor in Polystyrene at 25°C I. Analysis of Integral Sorption Data, 1093P
Kannan, P. See Kishore, K., 3481C
Kaplan, M. L.
—; Wayda, A. L.; Lyons, A. M.: Lanthanide-Imidazole Complexes as Latent Curing Agents for Epoxy Resins, 731C
—; See Rietman, E. A., 187L
Kaputskii, F. N. See Gert, E. V., 163L
Karaman, R. M. See McManus, S. P., 3337C
Karasz, F. E. See Liang, W. B., 2867C; Simpson, J. H., 1859P
Kashi, Y. See Endo, T., 2509C
Kataoka, T. See Terano, M., 2035C
Katime, I. See Quintana, J. R., 1565P
Kawa, H.
—; Partovi, S. N.; Ziegler, B. J.; Lagow, R. J.: A Synthesis for SF_5 Substituted Fluorocarbon Polymers, 297L
Kawai, A. See Saegusa, Y., 3327C
Kazda, A. See Sulajka, Z., 1651C
Kazlauciunas, A. See Gradwell, A. J., 3165C
Kearney, F. R. See Grubb, D. T., 2071P
Keii, T. See Terano, M., 2035C
Keller, A. See Organ, S. J., 2365P; Pan, S. J., 1105P; Waddon, A. J., 1063P
Kennedy, J. P.
Review of *The Chemistry of Functional Groups. Supplement A: The Chemistry of Double-Bonded Functional Groups, Volume 2, Parts 1 and 2*, 265L
—; Kurian, J.: Living Carbocationic Polymerization of *p*-Halostyrenes. III. Syntheses and Characterization of Novel Thermoplastic Elastomers of Isobutylene and *p*-Chlorostyrene, 3725C
—; See Iván, B., 89C
Khan, Z. H. See Pasch, H., 2063C
Khoo, C. G. L.
—; Lando, J. B.; Ishida, H.: Surface Modification of Contact-Lens Materials by Silanization: An FTIR-ATR Study, 213P
Khor, E. See Munro, H. S., 923C

Kim, C. S.
—; Smith, T. L.: An Improved Method for Measuring the Thermal Coefficient of Linear Expansion of Flexible Polymer Films, 2119P
Kim, G. See Zou, D., 1909C
Kim, H. D.
—; Jang, C. H.; Ree, T.: Conformal Transition of Form II to Form I in Poly(L-Proline) and the Aggregation of Form I. I. Acetic Acid–Propanol Solvent System, 1273C
Kim, J. See Han, C. D., 315P
Kim, K. H. See Han, M. J., 2719C
Kim, S. H.
—; Ramsay, D. J.; Patterson, G. D.; Selser, J. C.: Static and Dynamic Light Scattering of Poly-(α-Methyl Styrene) in Toluene in the Dilute Region, 2023P
Kim, S. W. See Bae, Y. H., 923P; Vulić, I., 1693C
Kim, S.-K. See Cho, I., 417L
Kim, W. N.
—; Burns, C. M.: Compatibility Studies of Blends of Polycarbonate and Poly(ethylene terephthalate), 1409P
King, J. A., Jr.
Novel End-Capping Reagents for Phenolic Monomers and Resins, 447C
Kinoshita, T. See Tsujita, Y., 1341C
Kishore, K.
—; Kannan, P.: Synthesis, Spectral, Thermal, and Flammability Studies of Phenolphthalein Polyphosphate Esters, 3481C
—; See Bhanu, V. A., 3617C
Kita, H. See Uosaki, K., 399C
Kitagawa, M.
—; Takagi, H.: Nonlinear Constitutive Equation for Polyethylene Under Combined Tension and Torsion, 1943P
Kitamaru, R. See Hirai, A., 357L; Zhu, Q., 2741C
Kitamura, N.
—; Nambu, Y.; Endo, T.: Redox Behavior of Pyridinium Salts and Their Polymers Having Radical Stabilizing Groups, 3137C
—; Nambu, Y.; Endo, T.: Synthesis and Radical Copolymerization of a New Type Pyridinium Monomer and Redox Behavior of Its Polymers, 345C
Kiyotsukuri, T.
—; Tsutsumi, N.; Chen, Y.-H.: Novel Regular Network Polyester Films from Benezenetricarboxylic Acids and Glycols, 1197C
—; Tsutsumi, N.; Sandan, T.; Nagata, M.: Effect of Fluorine Substituents on the Properties of Nylon Copolymers, 315C
Knight, G. W. See Wilfong, D. L., 861P
Kobayashi, E.
—; Jiang, J.; Ohta, H.; Furukawa, J.: Novel Conjugated Polymer Containing Anthracene Backbone: Addition Polymer of 9,10-Diethynylanthracene with 9,10-Anthracenedithiol and Its Properties, 2641C
Kobayashi, M. See Tashiro, K., 2527P
Koch, T.
—; Strobl, G. R.: Concentration Dependence of the Flory–Huggins Interaction Parameter of a Polymer Blend as Determined by Small-angle X-ray Scattering Experiments, 343P
Kochi, M.
—; Yokota, R.; Iizuka, T.; Mita, I.: Improving Tensile Mechanical Properties of Aromatic Polyimides by Thermal Imidization after Cold Drawing of Poly(amic acids), 2463P
Koenczoel, L. See Galeski, A., 1171P
Koenig, J. L. See Grinsted, R. A., 177P; Sellitti, C., 1121P
Kogure, A. See Tsubokawa, N., 1923C
Kohl, P. R.
—; Seifert, A. M.; Hellmann, G. P.: Miscibility of Poly(styrene-co-methylmethacrylate)s Differing in Composition, 1309P
Koizumi, J. See Sato, T., 2223C
Kojima, K.
—; Sawamoto, M.; Higashimura, T.: Living Cationic Polymerization of *p*-Methylstyrene by Hydrogen Iodide/Zinc Halide Initiating Systems, 3007C
Kojima, O. See Ochiai, H., 233P
Kojima, T.
—; Urata, Y.; Yonekura, H.: Synthesis of Polymer with Fe(III) Porphyrin Rings, 129L
—; See Shigetomi, Y., 3317C
Komoto, T. See Akiyama, S., 587P
Kondo, S.
—; Hasegawa, T.; Tsuda, K.: Synthesis of Insoluble Polystyrenes Containing Triphenylsulfonium Salt Moieties as Phase Transfer Catalysts, 2877C
—; Nakashima, N.; Hado, H.; Tsuoa, K.: Poly(*N,N*-Dimethylacrylamide-co-Styrene)s as Highly Efficient Catalysts for Two-Phase Reactions, 2229C
Koopmans, R. J. See Dickie, B. D., 193L
Kops, J. See Patil, D. R., 443C; Skovby, M. H. B., 75C
Koros, W. J. See Fleming, G. K., 1137P; Jordan, S. M., 795P, 2305P
Koruga-Lazarević, B. See Sendijarević, A., 3603C

Koseki, K. See Omote, T., 59L; Yamaoka, T., 2517C
Kosky, P. G.
—; Boden, E. P.: The Interfacial Polycarbonate Reaction: Modeling the Kinetics of Carbamate Side Reactions, 1507C
Kosugi, N. See Nakayama, Y., 1813C
Kothandaraman, H. See Tamareselvy, K., 2679C
Kotliar, A. M.
—; Kumar, R.; Back, R. A.: Rheology of Polymers That Are Initially in the Disentangled State, 1033P
Kratochvíla, J. See Salajka, Z., 1651C
Krawiec, W. See Florjańczyk, Z., 795C
Kreuz, J. A.
Hydrolyses of Polyamic-Acid Solutions, 3787C
Kricheldorf, H. R.
—; Engelhardt, J.: New Polymer Syntheses. XLII. Thermotropic Polyesters of Hydroquinone and Various Aryloxyterephthalic Acids, 2335C
Krieger, I. M. See Litt, M. H., 2777C
Krimm, S.
Review of *Progress in Molecular Spectroscopy*, 208L
—; See Song, K., 35P, 51P, 63P
Krishnamurthy, V. N. See Nair, P. D., 3775C
Kriz, D. See Zou, D., 1909C
Krizan, T. D. See Hu, J., 149P
Krüger, H. See Velichkova, R. S., 3145C
Küçükyavuz, S. See Al-Ghezawi, N., 111L
Küçükyavuz, Z. See Al-Ghezawi, N., 111L
Kuhn, K. J.
—; Hellmann, G. P.: Fragmentation of Polycarbonate Macroinitiators in Solution and in the Bulk State, 2165P
—; See Meurer, E., 893P
Kumaki, J.
Accumulation of Monomolecular Polystyrene Particles from a Water Surface onto a Substrate, 105P
Kumar, R. See Kotliar, A. M., 1033P
Kumazawa, H. See Sada, E., 113P
Kunou, M. See Cho, C.-S., 89L
Kunzler, J.
—; Percec, V.: Living Polymerization of Aryl Substituted Acetylenes by $MoCl_5$ and WCl_6 Based Initiators: The Ortho Phenyl Substituent Effect, 1221C
—; Percec, V.: The Polymerization of 3-Chloro-1-Propyne and 3-Bromo-1-Propyne with $MoCl_5$ and WCl_6 Based Initiators and the Structure of the Resulting Polymers, 1043C
Kuo, K.-T. See Liao, M. S., 2349C
Kuramoto, N. See Nagai, K., 2195C, 2845C
Kurian, J. See Kennedy, J. P., 3725C
Kuriki, M. See Saegusa, Y., 3327C
Kuroda, H. See Nakayama, Y., 1813C
Kuwahara, M. See Shirai, M., 2563C
Kwei, T. K. See Park, H., 1079C; Wang, L. F., 317L
Kwiatkowski, G. T. See Colon, I., 367C
Kyu, T.
—; Saldanha, J. M.: Scaling Tests of Late Stages of Spinodal Decomposition in PC/PMMA Blends, 97P
—; See Young, P., 1791P

Labadie, J. W.
—; Hedrick, J. L.: Phenylquinoxaline-Aryl Ester Block Copolymers, 3467C
—; See Hedrick, J. L., 2255C
Lagow, R. J. See Kawa, H., 297L
Laivins, G.
—; Worsfold, D. J.: The Preparation and γ-Ray Sensitivity of Comb Block Copolymers, 1413C
Lando, J. B. See Khoo, C. G. L., 213P
Langer, R. See Domb, A. J., 973C
Lapienis, G.
—; Penczek, S.: Poly(alkylene Phosphate)s Bearing Tetrahydrofuran Rings (1,4-Anhydroerythritol) in the Main Chain, 1743C
—; Penczek, S.: Synthesis of Poly(alkylene Phosphate)s with *N*-Containing Bases in the Side Chains. III. N^1-Oxoethyleneuracil on the Poly(trimethylene Phosphate) Chain, 1519C
Larsson, P. H. See Allmér, K., 173C
Laupretre, F. See Attias, A. J., 1661C, 3445C
Laurencin, C. T. See Domb, A. J., 973C
Laus, M. See Chiellini, E., 3541C
Leblond, J. See Pezron, I., 1823P
Lee, B. W. See Choi, K.-Y., 3179C
Lee, D.-C.
—; Chung, T. C.: Synthesis of Difunctional Initiator via the Peterson Reaction, 505C
Lee, J. A. See Lodge, T. P., 2607P
Lee, J. K.
—; Pae, K. D.: Effects of Hydrostatic Pressure on Isothermal Curing of an Epoxy Resin-Amine System, 323L
Lee, J. L. See Crivello, J. V., 479C
Lee, L.-T. See Yang, C.-P., 1861C
Lee, P.-S. See Hsiue, G.-H., 3363C
Lee, S.
—; Thames, S. F.; Mathias, L. J.: *In Situ* Formation of New Crosslinking Agents from Acrylate Derivatives and Bisepoxides, 525C

Lee, T.-M. See Yang, C.-P., 887C
Lee, W.-C. See Gal, Y.-S., 259L
Lee, Y. D. See Gandhi, K., 2707P; Zou, D., 1909C; Su, C.-Y., 3347C
Leemans, L.
—; Fayt, R.; Teyssié, Ph.: Synthesis of New Amphiphilic Block Copolymers. Block Copolymer of Sulfonated Glycidyl Methacrylate and Alkyl Methacrylate, 1255C
—; Fayt, R.; Teyssié, Ph.; Uytterhoeven, H.; De Winter, W.: Controlled "Living" Anionic Polymerization of Glycidyl Methacrylate, 2187C
Leibler, L. See Pezron, E., 2445P
Lenz, R. W. See Liang, W. B., 2867C; Reddy, C. R., 2269C; Sun, T., 1677P
Lertola, J. G.
The Effect of Direct Interchange Reactions on the MWD of Condensation Polymers, 2793C
Lessél, R. See Skovby, M. H. B., 75C
Leung, W. P. See Choy, C. L., 1965P
Li, C. X. See Gandhi, K., 2707P
Li, C.-H.
—; Chang, T.-C.: Studies on the Thermotropic Liquid Crystalline Polymer. I. Synthesis and Properties of Polyamide-Azomethine-Ether, 3625C
Li, T.
—; Luo, B.; Chu, G.; Hall, H. K., Jr.: Photo-Induced "Charge Transfer" Copolymerizations of Donor Monomers with Acceptor Monomers by Irradiating Their CT Complexes, 1735C
Li, Y. See Chu, B., 227L
Liang, W. B.
—; Lenz, R. W.; Karasz, F. E.: Poly(2-Methoxyphenylene Vinylene): Synthesis, Electrical Conductivity, and Control of Electronic Properties, 2867C
Liao, I-W.
—; Eichinger, B. E.: Synthesis of the Acetylacetone Telechelate of Polydimethylsiloxane and Its Gelation with Cr(III) and Fe(III), 559C
Liao, M. S.
—; Kuo, K.-T.: Phthalocyanine Polymers. I. Synthesis and Characterization of Fused Copper Phthalocyanine Polymers, 2349C
Liaw, C.-Y. See Hsiue, G.-H., 3363C
Lien, H.-S. See Cheng, S. Z. D., 655P
Lin, C. S. See Litt, M. H., 2777C
Lin, C.-H.
—; Matyjaszewski, K.: Trimethylsilyl Trifluoromethanesulfonate as "Initiator" of the Cationic Polymerization of Styrenes, 1771C
Lin, J. S. See Young, P., 1791P
Lin, S. See Sun, L., 1237C; Zhou, X., 2609C
Lindner, J. S. See Mays, J. W., 1881P
Lindsay, G. A. See Talukder, M. A. H., 2393C
Liška, F.
Review of *Organotin Chemistry*, 295L
Review of *Synthetic Organic Electrochemistry*, 315L
Lissi, E. A. See Encinas, M. V., 2465C
Litt, M. H.
—; Lin, C. S.; Krieger, I. M.: Inverse Emulsions in a Molten Salt/Hydroxy-Terminated Polybutadiene System Using Block Copolymers as Emulsifiers, 2777C
Liu, A.-M. See Yang, S.-Y., 125L
Liu, C.-K.
—; Cuculo, J. A.; Smith, B.: Diffusion Competition Between Solvent and Nonsolvent During the Coagulation Process of Cellulose/Ammonia/Ammonium Thiocynate Fiber Spinning System, 449P
Liu, H.-C. See Fried, J. R., 7L
Liu, R.-Q. See Viswanathan, T., 95L
Liu, X. See Cain, E. J., 1737P
Lodge, T. P.
—; Lee, J. A.; Frick, T. S.: Probe Diffusion in Poly(Vinyl Acetate)/Toluene Solutions, 2607P
—; See Frick, T. S., 2629P; Ngai, K. L., 1367P
Lokhande, H. T.
—; Thakare, A. M.; Chidambareswaran, P. K.; Warrier, J. K. S.: Formation of Ethylenediamine–Cellulose Complexes by Vapor-Phase Treatment, 21L
Loman, A. J. B. See Vulić, I., 1693C
Lonikar, S. V.
—; Rungsimuntakul, N.; Gilbert, R. D.; Fornes, R. E.: The Effect of Masked Isocyanates on the Moisture Absorption of MY 720/DDS Epoxy Resin, 759C
—; See Sankar, S. S., 293P
Lovinger, A. J. See Tanaka, H., 2183P
Lowen, S. V.
—; Van Dyke, J. D.: Mechanistic Studies of the Electrochemical Polymerization of Pyrrole: Deuterium Isotope Effects and Radical Trapping Studies, 451C
Lu, C. X.
—; Lu, D.: Synthesis of Diols Containing 5-Benzyluracil Base and Their Polymers, 1329C
Lu, D. See Lu, C. X., 1329C
Lucotte, G. See Delfort, B., 2451C
Lukáč, I.
—; Evans, C. H.; Scaiano, J. C.; Hrdlovič, P.: Preparation and Photochemical Properties of Poly[2-(4-Benzoylphenyl)-

2-(4-Propenoylphenyl)-Propane] and Its Copolymer with Styrene, 595C
Luo, B. See Li, T., 1735C
Luo, C.
—; Bresee, R. R.: Computer Simulation of Laser Backscattering from Fiber Surfaces, 1755P
—; Bresee, R. R.: Experimental Studies of Fiber Surface Roughness Characterization by Laser Backscattering, 1771P
Lutz, T. J. See Belfiore, L. A., 1261P
Lyons, A. M.
—; Pearce, E. M.; Mujsce, A. M.: Thermal Decomposition of Poly(2-vinylpyridine): Effect of Complexation with Copper Chloride, 245C
—; See Kaplan, M. L., 731C

Macosko, C. W. See Bidstrup, S. A., 691P; Gupta, A. M., 2585P
Maddams, W. F. See Jackson, R. S., 837P
Madruga, E. L. See Catalina, F., 967C
Maeda, H.
—; Ebihara, S.: Effect of Bound Water on Electromechanical Properties of Modified PMLG Films, 2385P
Magnin, J. E. See Horas, J. A., 1153P
Mahabadi, H.-K.
—; Alexandru, L.: Thermotropic Liquid Crystalline Polymers with Low Thermal Transitions. I. Low Melting Thermotropic Liquid Crystalline Homo- and Co-polycarbonates, 231C
Majmud, C. See Encinas, M. V., 2465C
Maljanović, M. See Sendijarević, A., 119L
Mambu, Y. See Endo, T., 2509C
Mamo, A.
—; Finocchiaro, P.; Bottino, F.; Pappalardo, S.: Synthesis and Characterization of Polyamides and Polyureas with Acyclic and Cyclic Bipyridinediyl Diamino Structures in the Polymer Backbone, 2237C
Manami, H.
—; Nakazawa, M.; Oishi, Y.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic Polyamides and Aromatic Polyesters Derived from 4,4′-Sulfonyldibenzoic Acid, 465C
Manaresi, P. See Pilati, F., 3047C
Mandal, B. M. See Gupta, G. N., 2729C
Mandelkern, L. See Chiu, G., 1207P; Peacock, A. J., 1917P
Manevich, L. I. See Mitlin, V. S., 1P
Mangion, M. B. M.
—; Johari, G. P.: Relaxations of Thermosets. III. Sub-T_g Dielectric Relaxations of Bisphenol-A–based Epoxide Cured with Different Cross-linking Agents, 71P
—; Johari, G. P.: Relaxations of Thermosets. IV. A Dielectric Study of Crosslinking of Diglycidyl Ether of Bisphenol-A by Two Curing Agents, 1621P
Mann, J. See Davis, F. J., 1455C
Mansour, A. A.
—; Shinouda, H. G.; Rizk, H. A.: Dielectric Investigation of the Effect of Ethylamine on Viscose Rayon, 2127C
Marcinko, J. J.
—; Parker, A. A.; Shieh, Y. T.; Ritchey, W. M.: Variable Temperature Spin-Lattice Relaxation in the Study of the Local Chain Dynamics of Polyurethane Elastomers, 301L
Mark, J. E. See Al-Diab, S. S. S., 299C
Martin, D. C. See Piner, R., 399L
Marumo, K. See Akashi, M., 3487C
Maruyama, H. See Chatani, Y., 393L
Maruyama, Y. See Yamaoka, T., 2517C
Masse, M. A. See Simpson, J. H., 1859P
Masuda, H.
—; Tanaka, S.; Kaeriyama, K.: Electrochemical Polymerization of 3-Octylpyrrole, 1831C
Masuda, T. See Tang, B.-Z., 281P
Masui, K. See Nagai, K., 2195C
Matějka, L. See Vazquez, A., 2305C
Mateo, J. L.
—; Bosch, P.; Catalina, F.; Sastre, R.: 4-*N,N*-Dimethylamino-4′-Isopropylbenzophenone as Polymerization Photoinitiator. Effect of Solvent and Photoinitiator Concentration on Its Photoreactivity and on the Polymerization Process, 1445C
—; See Catalina, F., 967C; Diaz, F. R., 3499C; Sastre, R., 3661C
Mates, T. E.
—; Ober, C. K.: New Thermotropic Polyesters from Distyrylbenzene Bisphenols, 331L
Matheson, R. R., Jr. See Avakian, P., 243L
Mathias, L. J.
—; Dickerson, C. W.: Oligoether-ester Crosslinking Agents via α-Substitution of Bisacrylates, 175L
—; See Lee, S., 525C; Warren, S. C., 1637C
Mathot, V. B. F.
—; Fabrie, Ch. C. M.: Chain Structure of Homogeneous Ethylene-Propylene Copolymers Showing Inversion, Described on the Basis of ^{13}C-NMR Data. I. Theory, 2487P
—; Fabrie, Ch. C. M.; Tiemersma-Thoone, G. P. J. M.; Van Der Velden, G. P. M.: Chain Structure of Homogeneous

Ethylene-Propylene Copolymers Showing Inversion, Described on the Basis of ^{13}C-NMR Data. II. Application, 2509P

Matsuda, H.

—; Takechi, S.: Syntheses and Properties of Polyureas from Divalent Metal Salts of *p*-Aminobenzoic Acid, Diamine, and Diisocyanate, 1895C

Matsuda, M. See Ito, O., 1947C

Matsui, K. See Nagase, Y., 377P

Matsukawa, K.

—; Inoue, H.: Synthesis of Aromatic Polyester-Siloxanes using 1,3-Bis(*p*-hydroxyphenyl) disiloxanes as Diol Components, 13L

—; Ueda, A.; Inoue, H.; Nagai, S.: Direct Polycondensation of 4,4′-Azobis-4-Cyanopentanoic Acid with Diols and Diamines Using 1-Methyl-2-Chloropyridinium Iodide, 2107C

Matsuura, T. See Ichino, T., 323C

Mattsson, G. See Wesslén, B., 1033C

Matyjaszewski, K. See Lin, C.-H., 1771C

Maurer, J. J.

—; Harvey, G. D.; Agarwal, P. K.: Influence of Polymer Composition on the Thermal Characteristics of Sulfonated EPDM Ionomers, 1443P

Mavunganidze, T. See Zaranyika, M. F., 3565C

Mays, J. W.

—; Hadjichristidis, N.; Lindner, J. S.: Synthesis and Unperturbed Dimensions of Poly(diphenylmethyl Methacrylate), 1881P

McCullough, R. L. See Sanford, W. M., 973P

McDaniel, M. P. See Smith, P. D., 3587C

McGee, W. W. See Thompson, C. M., 333C

McHugh, A. J. See Tsay, C. S., 1327P

McIntyre, N. S. See Foerch, R., 193C, 803C

McKenna, G. B. See Crissman, J. M., 1463P

McManus, S. P.

—; Karaman, R. M.; Sedaghat-Herati, M. R.; Shannon, T. G.; Hovatter, T. W.; Harris, J. M.: Chain-Cleavage and Hydrolysis of Activated Polyethylene Glycol Derivatives: Evidence for Competitive Processes, 3337C

McNulty, J. See Paine, A. J., 2569C

McNulty, T. F. See Chu, B., 227L

Meldon, J. H. See Kang, Y. S., 1093P

Mertes, J. See Stutz, H., 1483P

Metanomski, W. V.

Structure-Based Polymer Nomenclature, 173L

Meurer, E.

—; Kuhn, K. J.; Hellmann, G. P.; Rennie, A. R.: Diffusion after Chain Fragmentation in the Glassy State: A SANS Study, 893P

Mi, Y. See Yamamoto, H., 2291P

Michaelian, K. H. See Hocking, M. B., 2949C, 2969C, 2983C

Mikroyannidis, J. A.

Crosslinkable Aromatic Polyketones with Maleimide Pendent Groups, 669C

Thermostable Laminating Resins Based on Aromatic Diketone Bis- and Tetramaleimides, 679C

Miller, D. C. See Cho, K., 1699P; Diaz, A., 75L

Miller, R. D.

—; Fickes, G. N.: Block Interrupt Polysilane Derivatives, 1397C

—; Fickes, G. N.: Block Interrupt Polysilane Derivatives, 2665C

Minematsu, S. See Ishizu, K., 1091C

Minoda, M. See Kanaoka, S., 1127C

Minoura, S. See Kamogawa, H., 1435C

Mita, I. See Kochi, M., 2463P

Mitchell, G. R.

—; Proctor, A. D.; Gilbert, A.: The Local Structure of Random Copolymers Based upon Methylmethacrylate and Styrene, 423L

—; See Davis, F. J., 1455C

Mitlin, V. S.

—; Manevich, L. I.: Kinetically Stable Structures in the Nonlinear Theory of Spinodal Decomposition, 1P

Mitra, P.

—; Biswas, M.: Synthesis and Evaluation of a Polyimide Containing Carbazole and Naphthalene Moiety, 3795C

Miyama, S. See Kamogawa, H., 1435C

Miyata, M. See Tsutsumi, H., 1527C

Miyauchi, N. See Akashi, M., 3487C

Mizogami, S. See Murakami, M., 1483C

Mizoguchi, K. See Bourbon, D., 2057P; Kamiya, Y., 1297P, 1955P

Mizuya, J.

—; Yokozawa, T.; Endo, T.: A New Type of Functional Polymer: Preparation and Crosslinking of Poly(allenyl Glycidyl Ether), 2765C

Mohan, D.

—; Radhakrishnan, G.; Rajadural, S.; Joseph, K. T.: Evaluation of Reactivity Ratio of Acrylate Copolymers by ^{13}C-NMR, 307L

Moliton, A.

—; Duroux, J. L.; Ratier, B.; Froyer, G.: Coefficient Seebeck et Mécanismes de Conduction dans les Polymères (PPP) Electroactifs Dopés par Implantation Ionique, 17P

Mondragon, I. See Jurado, M. J., 1015P

Monji, N. See Yang, H. J., 219C

Moore, J. A.
Charles Gilbert Overberger: A Personal and Professional Appreciation, 439L
Morawetz, H.
Review of *Dr. Otto Röhm, Chemiker und Unternehmer*, 447L
Mores, M.
—; Cassidy, P. E.: Polyimidines. XI. Polyimidines from 3,3',4,4'-Benzophenonetetracarboxylic Dianhydride and 4,4'-(Hexafluoroisopropylidene)diphthalic Anhydride, 811C
Mori, H. See Okada, M., 3251C; Ueda, M., 2597C
Mori, S.
—; Kakuchi, T.; Padias, A. B.; Hall, H. K., Jr.: New Gem-Dicyanocyclobutane-Containing Hydroxyesters, 551C
Morioka, T. See Dekmezian, A. H., 1903P
Morosawa, S. See Tsukube, H., 437C
Moses, P. See Zaranyika, M. F., 3565C
Motori, A. See Sandrolini, F., 1615C
Moussa, K. See Decker, C., 3429C
Moustafa, A. B. See Badran, A. S., 411C
Mu, X. See Chien, J. C. W., 1999C
Mujsce, A. M. See Lyons, A. M., 245C
Mukhopadhyay, S.
—; Chaki, T. K.; De, S. K.: Self-vulcanizable Rubber Blend System Based on Epoxidized Natural Rubber and Hypalon, 25L
Mukoh, A. See Nagai, A., 373L
Mulvaney, J. E. See Evans, S. B., 1073C
Muñoz, M. E. See Gonzalez, J. M., 1533P
Munro, H. S.
—; Ward, R. J.; Khor, E.: The Synthesis and XPS Characterization of Iodine Containing Plasma Polymers, 923C
Munukutla, S.
Review of *Fibre Failure and Wear of Materials*, 266L
Murakami, I. See Ochiai, H., 233P
Murakami, M.
—; Yumoto, Y.; Mizogami, S.; Yasujima, H.; Naitoh, S.; Yoshimura, S.: Thermal Decomposition and Carbonization Mechanism of Poly-*para*-Phenyleneoxadiazole, 1483C
Muraki, H. See Hiramatsu, M., 133L
Murthy, M. R.
—; Rao, B. S.: Computer-simulated ESR Spectra of Irradiated Poly(olefin oxides) —Effect of Glass Transition Temperature on the ESR Spectra, 133P
Muthukumar, M. See Rao, D. V. G. L. N., 247L
Nagai, A.
—; Nishimura, S.; Takahashi, A.; Mukoh, A.; Narita, T.; Hagiwara, T.; Hamana, H.: Thermal Properties of Poly(hexafluoro-1,3-butadiene), 373L
—; See Yamamoto, H., 67C
Nagai, K.
—; Asada, K.; Kuramoto, N.: Silyl Enol Ethers as Monomer. III. Radical Polymerization and Copolymerizations of 2-Trimethylsilyloxy-1,3-Butadiene and Desilylation of the Resulting Polymers, 2845C
—; Chiba, K.; Asada, K.; Masui, K.; Kuramoto, N.: Silyl Enol Ethers as Monomer. II. Radical Copolymerizations of α-Trimethylsilyloxystyrene with Electron-Accepting Monomers and Acid-Catalyzed Desilylation of the Resulting Copolymers, 2195C
Nagai, S. See Matsukawa, K., 2107C
Nagase, Y.
—; Ishihara, K.; Matsui, K.: Chemical Modification of Poly(substituted-acetylene): II. Pervaporation of Ethanol/Water Mixture through Poly(1-trimethylsilyl-1-propyne)/Poly(dimethylsiloxane) Graft Copolymer Membrane, 377P
Nagata, M. See Kiyotsukuri, T., 315C
Nagata, R. See Cho, C.-S., 89L
Nagaya, S. See Torikai, A., 3639C
Nägele, G. See Hess, W., 2233P
Nair, P. D.
—; Jayabalan, M.; Krishnamurthy, V. N.: Polyurethane-Polyacrylamide IPNs. I. Synthesis and Characterization, 3775C
Naito, Y. See Kamiya, Y., 1297P, 1955P
Naitoh, S. See Murakami, M., 1483C
Nakafuku, C. See Choy, C. L., 1965P
Nakagawa, T. See Higuchi, A., 2247P
Nakajima, N. See Yamaoka, T., 2517C
Nakamura, J. See Ueno, A., 1161C
Nakamura, S.
—; Saegusa, Y.; Watanabe, K.: Novel Method for Preparing Highly Branched Cellulose by Anionic Method Using Sodium Naphthalenide, 53L
—; See Saegusa, Y., 3327C, 3647C
Nakamura, T. See Chujo, Y., 59C
Nakanishi, H. See Wang, Y. Y., 1431P
Nakashima, N. See Kondo, S., 2229C
Nakayama, Y.
—; Takahagi, T.; Soeda, F.; Ishitani, A.; Kosugi, N.; Kuroda, H.: A Study of XPS O1s Spectrum of Poly(ethylene Terephthalate), 1813C
Nakazawa, A. See Uno, H., 693C
Nakazawa, M. See Manami, H., 465C

Nalepa, C. J. See Davis, R. L., 3701C
Nambu, Y. See Kitamura, N., 345C, 3137C
Napolitano, R.
—; Pirozzi, B.; Varriale, V.: Temperature Dependence of the Thermodynamic Stability of the Two Crystalline α Forms of Isotactic Polypropylene, 139P
Narita, T. See Hagiwara, T., 185C, 2437C; Nagai, A., 373L
Nauman, E. B. See Ariyapadi, M. V., 2395P
Navarro, F. See Barberá, J., 703C
Nazabal, J. See Jurado, M. J., 1015P
Negulescu, I. I.
Review of *Polymeric Building Materials*, 385L
Newman, B. A. See Takase, Y., 1599P
Ngai, K. L.
—; Rajagopal, A. K.; Lodge, T. P.: Star Polymer Diffusion in Concentrated Solutions: Dependence on Functionality Via the Coupling Model, 1367P
Nishi, S. See Ichino, T., 323C
Nishida, A. See Yamamoto, H., 67C
Nishikubo, T.
—; Iizawa, T.; Takahashi, A.; Shimokawa, T.: Study of Photopolymers. XXXIV. Etherification and Esterification Reactions of Polymers with (*o*, *m*, or *p*)-Bromomethylnitrobenzene Using the DBU Method and the Photochemical Properties of the Resulting Polymers, 105C
Nishimura, S. See Nagai, A., 373L
Nishio, Y.
—; Haratani, T.; Takahashi, T.: Miscibility and Orientation Behavior of Poly(vinyl alcohol)/Poly(vinyl pyrrolidone) Blends, 355P
Noguchi, K. See Chatani, Y., 393L
Nose, T. See Saito, R., 1793C
Nye, S. A.
Polyimides Synthesized from 4,4′-(1,2-Ethynediyl)bis(phthalic Anhydride), 2633C
Nyström, B.
—; Roots, J.: On the Universality of Sedimentation of Flexible Polymers in Dilute and Semidilute Solutions, 521P
—; Roots, J.: Universal Diffusion Properties of Solutions of Flexible Polymers, 101L

Ober, C. K.
—; Delvin, A.; Bluhm, T. L.: Dynamic X-Ray Diffraction Studies of Liquid-Crystalline Polyesters, 1047P
—; See Mates, T. E., 331L
Obrador, C. See Alamo, R. G., 907P
Ochiai, H.
—; Anabuki, Y.; Kojima, O.; Tominaga, K.; Murakami, I.: Dissociation of Poly(allylammonium) Cations in Salt Solutions, 233P
O'Driscoll, K. F. See Piton, M. C., 2097C
Ogata, N. See Ueda, T., 3221C
Ohno, H. See Takeoka, S., 717C
Ohno, Y. See Sato, T., 2223C
Ohta, H. See Kobayashi, E., 2641C
Oishi, Y.
—; Takado, H.; Yoneyama, M.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of New Aromatic Polyamides from 4,4′-Diaminotriphenylamine and Aromatic Dicarboxylic Acids, 1763C
—; See Jeong, H.-J., 3293C; Manami, H., 465C; Yang, C.-P., 1353C
Ojika, R. See Tsujita, Y., 1341C
Oka, K.-I. See Hatada, K., 3019C
Okada, M.
—; Sumitomo, H.; Mori, H.; Hall, H. K., Jr.; Chan, J. H.; Bruck, M.: Synthesis and Ring-Opening Polymerization of Novel Bicyclic Oxalactams: 2-Oxa-5-azabicyclo[2.2.2]octan-6-one, 3251C
Okanishi, K. See Tsutsumi, H., 1527C
Okano, T. See Bae, Y. H., 923P; Vulić, I., 1693C
Okawara, M. See Endo, T., 2509C
Okazaki, K. See Uosaki, K., 399C
Omote, T.
—; Koseki, K.; Yamaoka, T.: Fluorine-Containing Photoreactive Polyimide 5: A Novel Positive-Type Polyimide Based on Photoinduced Acidolysis, 59L
Onaran, K. See Ozkul, M. H., 1781P
Ono, N. See Shigetomi, Y., 3317C
Orchard, G. A. J.
—; Spiby, P.; Ward, I. M.: Oxygen and Water-vapor Diffusion through Biaxially Oriented Poly(ethylene terephthalate), 603P
—; See Green, D. I., 2225P
Organ, S. J.
—; Ungar, G.; Keller, A.: Isothermal Refolding in Crystals of Long Alkanes in Solution II. Morphological Changes Accompanying Thickening, 2365P
—; See Ungar, G., 2353P
Oriol, L. See Barberá, J., 703C
Orticochea, M. See Graham, J. C., 1179C
Osa, T. See Ueno, A., 1161C
Osaki, S.
Frequency Dependence of Dielectric Constant and Dielectric Loss for Poly(vinylidene fluoride) Films at Microwave Frequencies, 147L
Ouhadi, T. See Forte, R., 2233C
Ozkul, M. H.
—; Onaran, K.; Erman, B.: Stress Relaxation

in Stretched Networks Immersed in Solvent, 1781P

Packirisamy, S.
—; Gupta, M.: Addition Polyamide-Imides Based on Itaconic Anhydride, 935C
—; See Ramarao, M., 2153C
Padias, A. B. See Mori, S., 551C; Schaedeli, U., 1781C
Padmanaban, M.
—; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Disilane-Containing Photodegradable Aromatic Polyamides from Bis(*p*-Aminophenyl)tetramethyldisilane and Aromatic Diacid Chlorides, 1569C
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of New Photosensitive Poly(oxyaryleneoxydisilane)s from 1,2-Bis(diethylamino)tetramethyldisilane and Various Bisphenols, 2997C
—; Toriumi, M.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of New Photosensitive Polyimides from Bis(4-Aminophenyl)tetramethyldisilane and Various Aromatic Tetracarboxylic Dianhydrides, 3261C
Pae, K. D. See Lee, J. K., 323L
Paine, A. J.
Dispersion Polymerization of Styrene in Polar Solvents. IV. Solvency Control of Particle Size from Hydroxypropyl Cellulose Stabilized Polymerizations, 2485C
—; McNulty, J.: A Comment on the Paper "Uniform Polymer Particles by Dispersion Polymerization in Alcohol," by C. M. Tseng, Y. Y. Lu, M. S. El-Aasser, and J. W. Vanderhoff, 2569C
Painter, P. C. See Hu, J., 149P
Pal, P. K.
—; Chaudhuri, A. K.: Polymerization of Methyl Methacrylate with Cupric Laurate-*N,N*-Dimethyl Formamide as Initiator System, 3123C
Paleos, C. M. See Tsiourvas, D., 1263C
Palmer, T. D. See Hedrick, J. L., 2255C
Pan, S. J.
—; Im, J.; Hill, M. J.; Keller, A.; Hiltner, A.; Baer, E.: Structure of Ultrathin Polyethylene Layers in Multilayer Films, 1105P
Panayotov, I. M. See Gitsov, I., 2115C
Pang, Y. See Ijadi-Maghsoodi, S., 955C
Pappalardo, S. See Mamo, A., 2237C
Pappas, S. P. See Hatada, K., 3019C
Parikh, D.
—; Phillips, P. J.: Epitaxial Crystallization of Polyethylene on Single Crystals of Acridine, 167L
Park, H.
—; Pearce, E. M.; Starnes, W. H., Jr.; Kwei, T. K.: Thermal Oxidation of Blends of Poly(vinyl Methyl Ether) and Modified Polystyrenes, 1079C
Park, M. See Gandhi, K., 2707P; Zou, D., 1909C
Parker, A. A. See Marcinko, J. J., 301L
Parker, D. G. See Corfield, G. C., 2821C
Partovi, S. N. See Kawa, H., 297L
Pascault, J. P.
—; Williams, R. J. J.: Glass Transition Temperature Versus Conversion Relationships For Thermosetting Polymers, 85P
Pasch, H.
—; Dairanieh, I. S.; Al-Tahou, B.: Investigations of the Chemical Structure of Sulfonated Amino-Formaldehyde Resins. I. ^{13}C-NMR Analysis of Sulfonated Urea-Formaldehyde Resins, 2049C
—; Dairanieh, I. S.; Khan, Z. H.: Investigations of the Chemical Structure of Sulfonated Amino-Formaldehyde Resins. II. Size Exclusion Chromatography of Sulfonated Urea-Formaldehyde Resins, 2063C
Pathmanathan, K.
—; Johari, G. P.: Dielectric and Conductivity Relaxations in Poly(hema) and of Water in Its Hydrogel, 675P
Patil, D. R.
—; Kops, J.: Synthesis and Properties of Polyamine-Imides from Bismethylolimides and Diamines, 443C
—; Smith, D. J.: Radical Initiated Homo- and Copolymerization of *N,N,N′,N′*-Tetra(2-Hydroxypropyl)ethylene Diamine Methacrylate, 949C
Patsis, A. V.
—; Henriques, E. H.; Frisch, H. L.: Interdiffusion in Complex Polymer Systems Used in the Formation of Microporous Coatings, 2681P
Patterson, G. D.
—; Jue, P. K.; Stevens, J. R.: Rayleigh-Brillouin Spectroscopy of Syndiotactic Poly(*n*-butyl methacrylate) Near the Glass Transition, 481P
—; See Kim, S. H., 2023P
Paul, D. R. See Brannock, G. R., 871P; Raymond, P. C., 2079P, 2103P, 2213P
Pawlak, A.
—; Galeski, A.: Stability of Spherulite Growth Rate, 1813P

Peacock, A. J.
—; Mandelkern, L.: The Mechanical Properties of Random Copolymers of Ethylene: Force-Elongation Relations, 1917P
Pearce, E. M.
Review of *Engineering Polymer Sourcebook*, 263L
Review of *Properties of Polymers—Their Estimation and Correlation with Chemical Structure*, 32L
—; Tirrell, D.: Editorial, iiiC
—; See Lyons, A. M., 245C; Park, H., 1079C; Wang, L. F., 317L
Peiffer, D. G.
Polymerizable Viscoelastic Fluids, 619C
—; See Gorda, K. R., 3513C
Peinado, C. See Catalina, F., 967C
Peña, J. J. See Gonzalez, J. M., 1533P
Penczek, S. See Lapienis, G., 1519C, 1743C
Peppas, N. A. See Scranton, A. B., 39C
Percec, V.
—; Wang, J. H.: The Influence of Total Monomers Concentration and Polymerization Solvent on the "Reactivity" of ω-(*p*-Vinylbenzyl Ether) Macromonomers of Poly(2,6-Dimethyl-1,4-Phenylene Oxide), 1059C
—; See Cramer, E., 3029C; Hsieh, C.-J., 425C; Kunzler, J., 1043C, 1221C; Pugh, C., 1101C; Rodenhouse, R., 345L
Perez, J. See Alberola, N., 569P; Varlet, J., 2691P
Perumal, A. See Balakrishnan, T., 1421C
Petrak, K. See Artursson, P., 2651C
Pézolet, M. See Chabot, P., 1283P
Pezron, E.
—; Ricard, A.; Leibler, L.: Rheology of Galactomannan-Borax Gels, 2445P
Pezron, I.
—; Djabourov, M.; Leblond, J.; Bosio, L.: X-Ray Diffraction of Gelatin Fibers in the Dry and Swollen States, 1823P
Phillips, J. C. See Chu, B., 227L
Phillips, P. J. See Parikh, D., 167L
Pichot, C. See Guillaume, J. L., 119C, 137C
Pickup, S.
—; Blum, F. D.; Ford, W. T.: Self-Diffusion Coefficients of Boc-Amino Acid Anhydrides under Conditions of Solid Phase Peptide Synthesis, 931C
Pilati, F.
—; Manaresi, P.; Toselli, M.: Synthesis of Poly(Ethylene Terephthalate) in the Presence of Perfluoropolyethers. II. Effect of Various Catalysts, 3047C
Pillai, V. N. R. See George, B. K., 2585C
Piner, R.
—; Reifenberger, R.; Martin, D. C.; Thomas, E. L.; Apkarian, R. P.: A Scanning Tunneling Microscope Study of Single Crystal Polyethylene, 399L
Ping, Z. H. See Xiao, H., 585C
Piñol, M. See Barberá, J., 703C
Piorkowska, E. See Galeski, A., 1171P
Pirozzi, B. See Napolitano, R., 139P
Piton, M. C.
—; Winnik, M. A.; Davis, T. P.; O'Driscoll, K. F.: Copolymerization Kinetics of 4-Methoxystyrene with Methyl Methacrylate and 4-Methoxystyrene with Styrene: A Test of the Penultimate Model, 2097C
Pitt, C. G. See Bao, Y. T., 741C
Planche, J. P.
—; Revillon, A.; Guyot, A.: Chemical Modification of Polynorbornene. II. Extended Sulfonation Processes, 1377C
Plazek, D. J.
—; Frund, Z. N., Jr.: Epoxy Resins (DGEBA): The Curing and Physical Aging Process, 431P
Poehlein, G. W. See Chern, C.-S., 3055C, 3073C; Song, Z., 2359C
Point, J. J.
—; Colet, M. C.; Dosiere, M.: Test of the Validity of the Classical Kinetic Theory of Polymer Crystallization, 1275P
Polednick, C.
—; Widdecke, H.; Bodrero, S.; Revillon, A.; Guyot, A.: New Pellicular Ion Exchangers by Grafting onto Polypropylene Beads. I. Synthesis and Characterization, 261C
Polk, M. B. See Harruna, I. I., 285C
Porter, R. S. See Ghanem, A. M., 1891P; Sun, T., 1677P; Wang, L. H., 2441P
Prasad, K.
—; Grubb, D. T.: X-Ray Modulus and Strain Distribution in Single Fibers of Polyethylene, 2199P
Price, C. See Quintana, J. R., 1565P
Proctor, A. D. See Mitchell, G. R., 423L
Prud'homme, R. E. See Chabot, P., 1283P; Goulet, L., 2329P; Riedl, B., 2411P
Pugh, C.
—; Percec, V.: Phase Transfer Pd(O) Catalyzed Polymerization Reactions. I. Synthesis of 1,2-(4,4'-Dialkoxyaryl)acetylene Monomers and 1,4-Bis[2-(4',4''-Dialkoxyphenyl)ethynyl]benzene Derivatives by Phase Transfer Pd(O)/Cu(I) Catalyzed Coupling Reactions, 1101C

Qian, B. See Wu, Z., 2565P
Quintana, J. R.
—; Stubersfield, R.; Price, C.; Katime, I.:

PMMA Stereocomplex: Study of the Aggregation Process by Electron Microscopy, 1565P

Radhakrishnan, G. See Mohan, D., 307L
Ragab, Y. A.
The Structure of the Copolymers of Maleic Anhydride with Some Methyl Thiophenes, 289L
Rajadural, S. See Mohan, D., 307L
Rajagopal, A. K. See Ngai, K. L., 1367P
Rakiewicz-Nemeth, D. M. See Chapman, T. M., 1473C
Ramarao, M.
—; Packirisamy, S.; Ravindran, P. V.: ^{29}Si-NMR Studies of Dimethyl and Vinylmethyl Containing Oligodiorganyl Cyclosiloxanes and Linear Copolymers, 2153C
Ramsay, D. J. See Kim, S. H., 2023P
Rånby, B. See Allmér, K., 173C; Chen, Y. L., 1847C
Ranganathan, P.
—; Fife, W. K.; Zeldin, M.: Thermal Properties of *N*-Substituted 4-Vinylpyridinium Ions and Their Polymers, 2711C
Ranganathan, S.
—; Advani, S. G.: Characterization of Orientation Clustering in Short-Fiber Composites, 2651P
Rao, B. S. See Murthy, M. R., 133P
Rao, D. V. G. L. N.
—; Bickford, J. H.; Shere, A. J.; Muthukumar, M.: Self-Focusing in Polymers, 247L
Rao, K. K. See Reddy, C. R., 2269C
Rao, K. R. See Shashidhar, G. V. S., 157L
Rashid, H. U.
—; Usman, U.: Investigation of Conformational Transition in (Styrene-*n*-Butyl Methacrylate) Copolymer in Dilute Solutions, 65L
Rashkov, I. B. See Gitsov, I., 2115C
Rasmussen, P. G. See Allan, D. S., 2475C
Raspor, O. C. See Chau, C. C., 631P
Rathi, R. S. See Dwivedi, P. C., 3279C
Ratier, B. See Moliton, A., 17P
Ravindran, P. V. See Ramarao, M., 2153C
Raymond, P. C.
—; Paul, D. R.: Kinetics of CO_2 Conditioning of Copolymers and Blends Containing MMA Units, 2213P
—; Paul, D. R.: Sorption and Transport of Pure CO_2 and CH_4 in Miscible Bisphenol Chloral Polycarbonate/Poly(methyl Methacrylate) Blends, 2103P
—; Paul, D. R.: Sorption and Transport of Pure Gases in Random Styrene/Methyl Methacrylate Copolymers, 2079P
Reddy, C. R.
—; Rao, K. K.; Jin, J.-I.; Lenz, R. W.: Liquid Crystalline Properties of the Copolyesters Prepared from *n*-Octylhydroquinone, Resorcinol, and 1,4-Bis(4-Carboxyphenoxy)butane, 2269C
Ree, T. See John, E., 385C; Kim, H. D., 1273C
Reifenberger, R. See Piner, R., 399L
Reinhardt, B. A. See Unroe, M. R., 2207C
Reiser, A.
Review of *Optical Techniques to Characterize Polymer Systems*, 242L
Remy, D. E. See Thibeault, B., 1361C
Rennie, A. R. See Meurer, E., 893P
Renzulli, A. See De Candia, F., 203P
Revillon, A. See Planche, J. P., 1377C; Polednick, C., 261C
Reyes, E. R. See Horas, J. A., 1153P
Rhim, W. K. See Colvin, M., 2085C
Riande, E. See Diaz-Calleja, R., 1551P
Ricard, A. See Pezron, E., 2445P
Ricco, T.
—; Smith, T. L.: Rate of Physical Aging of Polycarbonate at a Constant Tensile Strain, 513P
Rice, D. M. See Simpson, J. H., 1859P
Richardson, J. N. See Young, P. R., 3107C
Riedl, B.
—; Prud'Homme, R. E.: Temperature Dependence of the Interaction Between *n*-Heptane, Carbon Tetrachloride, and Benzene and Poly(vinyl Methyl Ether) Between 120 and 180°C, 2411P
Rieger, B. See Chien, J. C. W., 2907C
Rietman, E. A.
—; Kaplan, M. L.: Single-Ion Conductivity in Comblike Polymers, 187L
Ríos, H. E.
—; Sepúlveda, L. N.; Gamboa, C. I.: Electrical Conductivity of Cationic Polyelectrolytes in Aqueous Solution, 505P
Risen, W. M., Jr. See Yang, S., 1685P
Ritchey, W. M. See Marcinko, J. J., 301L
Rizk, H. A. See Mansour, A. A., 2127C
Robello, D. R.
Linear Polymers for Nonlinear Optics. I. Polyacrylates Bearing Aminonitro-Stilbene and -Azobenzene Dyes, 1C
Roche, E. J. See Chu, B., 227L
Rodenhouse, R.
—; Percec, V.; Feiring, A. E.: Liquid Crystal Polymers Containing Macroheterocyclic Ligands. 4. Synthesis of Mesomorphic Polymers Containing Crown Ethers by Cationic Cyclocopolymerization of 1,2-Bis(2-ethenyloxyethoxy) benzene with Mesogenic Vinyl Ethers, 345L

Roots, J. See Nyström, B., 521P, 101L
Rosen, S. L. See Veeravalli, M. S., 775P
Roth, M.
Solubility Parameter of Poly(dimethyl Siloxane) as a Function of Temperature and Chain Length, 2715P
Roviello, A. See De Candia, F., 203P
Rübner, J. See Velichkova, R. S., 3145C
Ruddy, M. See Hutchinson, J. M., 2127P
Rudin, A. See Teh, J. W., 363L
Rungsimuntakul, N. See Lonikar, S. V., 759C
Russo, R. See De Candia, F., 47L

Saccani, A. See Sandrolini, F., 1615C
Sada, E.
—; Kumazawa, H.; Xu, P.; Wang, S.-T.: Permeation of Pure Carbon Dioxide and Methane and Binary Mixtures Through Cellulose Acetate Membranes, 113P
Saegusa, Y.
—; Kuriki, M.; Kawai, A.; Nakamura, S.: Preparation and Characterization of Fluorine-Containing Aromatic Condensation Polymers. I. Preparation and Characterization of Fluorine-Containing Polycarbonate and Copolycarbonates by Two-Phase Phase-Transfer-Catalyzed Polycondensation of 2,2-Bis(4-Hydroxyphenyl)-1,1,1,3,3,3-Hexafluoropropane and/or 2,2-Bis(4-Hydroxyphenyl)propane with Trichloromethyl Chloroformate, 3327C
—; Sekiba, K.; Nakamura, S.: Synthesis and Characterization of Novel 1,3,4-Oxadiazole- or 1,3,4-Thiadiazole-Containing Wholly Conjugated Polyazomethines, 3647C
—; See Nakamura, S., 53L
Saha, S. K. See Bhattacharyya, J., 2249C
Saito, R.
—; Ishizu, K.; Nose, T.; Fukutomi, T.: Aggregation of Poly(vinyl Acetate) or *n*-Decyl Group Grafted Poly(allylamine) and Crosslinking of Trunk Sequence in Selective Solvents, 1793C
Salajka, Z.
—; Kratochvíla, J.; Hamřík, O.; Kazda, A.; Gheorghiu, M.: One-Phase Supported Titanium-Based Catalysts for Polymerization of Ethylene and Its Copolymerization with 1-Alkenes. I. Preparation and Properties of Catalysts, 1651C
Salazar-Rojas, E. M. See Urban, M. W., 1593C
Saldanha, J. M. See Kyu, T., 97P
Salovey, R. See Gandhi, K., 2707P; Yang, M., 245P; Zou, D., 1909C
Samulski, E. T. See Hsiao, B. S., 189P
Sandan, T. See Kiyotsukuri, T., 315C
Sandreczki, T. C. See Wang, Y. Y., 1431P
Sandrolini, F.
—; Motori, A.; Saccani, A.: Electrical Properties of Poly-*trans*-2,5-Dimethylpiperazine-Fumaramide. II. Conduction and Relaxation Processes, 1615C
Sanford, W. M.
—; McCullough, R. L.: A Free-volume-based Approach to Modeling Thermoset Cure Behavior, 973P
Sankar, S. S.
—; Lonikar, S. V.; Gilbert, R. D.; Fornes, R. E.; Stejskal, E. O.: Solid-State CPMAS ^{13}C-NMR Studies of the Reaction of an Epoxy Resin with Masked Isocyanates, 293P
Santamaría, A. See Gonzalez, J. M., 1533P
Santa-Maria, M. D. See Sastre, R., 3661C
Sanui, K. See Ueda, T., 3221C
Sasaki, S. See Ichino, T., 323C
Sastre, R.
—; Catalina, F.; Mateo, J. L.; Claramunt, R.; Santa-Maria, M. D.; Catalán, J.: Mechanism of Photostabilization of Polystyrene Film by Dihydroxyphenyl-Pirazoles, 3661C
—; See Catalina, F., 967C; Diaz, F. R., 3499C; Mateo, J. L., 1445C
Sato, H. See Akiyama, S., 587P
Sato, M. See Yokozawa, T., 1841C
Sato, T.
—; Koizumi, J.; Ohno, Y.; Endo, T.: An Improved Procedure for the Preparation of Chlorinated Cellulose with Methanesulfonyl Chloride in a Dimethylformamide-Chloral-Pyridine Mixture, 2223C
Sato, Y.
Epitaxial Crystallization of Polyoxymethylene on NaCl Single Crystal in Dilute Solution, 1163P
Satyanarayana, N. See Shashidhar, G. V. S., 157L
Sawamoto, M. See Choi, W. O., 2923C, 2937C; Hashimoto, T., 1137C; Kanaoka, S., 1127C; Kojima, K., 3007C
Scaiano, J. C. See Lukáč, I., 595C
Schaedeli, U.
—; Padias, A. B.; Brois, S. J.; Thaler, W. A.; Hall, H. K., Jr.: Esters of α-Sulfomaleic Anhydride as Powerful Electrophiles for Polyolefin Functionalization, 1781C
Scheinbeim, J. I. See Takase, Y., 1599P
Schimpf, M. E.
—; Giddings, J. C.: Characterization of Thermal Diffusion of Copolymers in

Solution by Thermal Field-Flow Fractionation, 2673P
Schnable, W. See Acar, M. H., 203L
Schneider, H.
—; Hiller, W.: On the Theory of the Effective Nuclear Magnetic Relaxation Time T_{2e} and Its Application to Polymer Melts, 1001P
Schultz, J. M. See Hristov, H. A., 1647P
Schurz, J.
Empirical Scaling Laws in Polymer Solution Rheology, 141L
Scranton, A. B.
—; Peppas, N. A.: A Statistical Model of Free-Radical Copolymerization/Crosslinking Reactions, 39C
Sedaghat-Herati, M. R. See McManus, S. P., 3337C
Sedgwick, R. D.
Review of *Handbook of Static Secondary Ion Mass*, 183L
Šehović, H. See Sendijarević, A., 119L
Seibles, L.
Infrared Analysis of Metal Chloride-Doped Poly(vinylchloride) Films, 2179C
Seifert, A. M. See Kohl, P. R., 1309P
Sekiba, K. See Saegusa, Y., 3647C
Sellitti, C.
—; Koenig, J. L.; Ishida, H.: Influence of the Surface Treatment of Graphitized Carbon Fibers on the Curing of an Amine-Catalyzed Epoxy-Anhydride System, 1121P
Selser, J. C. See Kim, S. H., 2023P
Semlyen, J. A. See Huang, W., 1807C
Sendijarehvić, V. See Sendijarević, A., 119L
Sendijarević, A.
—; Sendijarehvić, V.; Frisch, K. C.; Maljanović, M.; Šehović, H.: Synthesis and Characterization of Bis-2-Oxazolidones from Aliphatic Isocyanates and Epoxides, 119L
—; Sendijarević, V.; Frisch, K. C.; Koruga-Lazarević, B.; Torlic, E.: Synthesis and Properties of Urethane-Modified Polyimides, 3603C
—; Sendijarević, V.; Frisch, K. C.; Vlajić, M.: Low-Temperature Synthesis of 3-Phenyl-5-Methyloxazolidone-2 from Phenyl Isocyanate and Propylene Oxide, 199L
Sendijarević, V. See Sendijarević, A., 199L, 3603C
Seo, T. See Yonetake, K., 303P
Sepúlveda, L. N. See Ríos, H. E., 505P
Serrano, J. L. See Barberá, J., 703C
Setínek, K. See Jeřábek, K., 1387C
Shannon, T. G. See McManus, S. P., 3337C
Shashidhar, G. V. S.
—; Rao, K. R.; Satyanarayana, N.; Sundaram, E. V.: Spectroscopic Methods for the Determination of Composition in Styrene-Methacrylate Copolymers, 157L
Shaw, M. T. See Hsiao, B. S., 189P
Shen, Z.
—; Wu, J.; Wang, G.: Use of Rare Earth Coordination Catalyst for Ethylene Oxide and Propylene Oxide Copolymerization, 1965C
—; See Wu, J., 1995C; Yang, M., 3231C
Shendy, S. M. M. See Badran, A. S., 411C
Shere, A. J. See Rao, D. V. G. L. N., 247L
Sheu, H. R.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Phase Separation in Polystyrene Latex Interpenetrating Polymer Networks, 629C
—; El-Aasser, M. S.; Vanderhoff, J. W.: Uniform Nonspherical Latex Particles as Model Interpenetrating Polymer Networks, 653C
Shieh, Y. T. See Marcinko, J. J., 301L
Shigetomi, Y.
—; Kojima, T.; Ono, N.: Allylic Polymers. I. Copolymerization of Allyl Esters with Vinyl Acetate, 3317C
Shimizu, T. See Hagiwara, T., 185C, 2437C
Shimokawa, T. See Nishikubo, T., 105C
Shinouda, H. G. See Mansour, A. A., 2127C
Shiomura, T. See Chatani, Y., 393L
Shirai, H. See Hanabusa, K., 825C
Shirai, M.
—; Kuwahara, M.; Tanaka, M.: Photocrosslinked Poly(cinnamoyl Crown Ether) as a Stationary Phase in Ion Chromatography, 2563C
Shiraishi, K. See Sugiyama, K., 1983C
Shishonok, M. V. See Gert, E. V., 163L
Shortridge, T. J. See Havriliak, S., Jr., 1987P
Sikes, A. M.
—; Brady, R. F., Jr.: Controlled Shrinkage Polymers: Characterization of Epoxy Resins Cured with Spirobislactones, 2533C
Silebi, C. A. See Delgado, J., 777C
Simionescu, C. I.
—; Grigoras, M.: Synthesis and Polymerization of *N*-(1-Anthryl) Maleimide, 39L
Simpson, J. H.
—; Egger, N.; Masse, M. A.; Rice, D. M.; Karasz, F. E.: Solid-State ^{13}C NMR Characterization of Annealed Poly(*p*-phenylene vinylene) PPV Films, 1859P
Singh, A. See Ebi, G. C., 3533C
Siove, A. See Cansell, F., 647P
Sirigu, A. See De Candia, F., 203P
Skovby, M. H. B.
—; Lessél, R.; Kops, J.: Thermal Properties

of Some Fully Aromatic Thermotropic Liquid Crystal Polyesters, 75C
Smith, B. See Liu, C.-K., 449P
Smith, D. J. See Patil, D. R., 949C
Smith, P. D.
—; McDaniel, M. P.: Ethylene Polymerization Catalysts from Supported Organotransition Metal Complexes. II. Chromium Alkyls, 3587C
Smith, T. L. See Kim, C. S., 2119P; Ricco, T., 513P
Soeda, F. See Nakayama, Y., 1813C
Sone, Y. See Tsubokawa, N., 1923C
Song, K.
—; Krimm, S.: Elastic Modulus of Poly(ethylene oxide) Determined from the Raman Longitudinal Acoustic Mode, 63P
—; Krimm, S.: Raman Longitudinal Acoustic Mode (LAM) Studies of Folded-Chain Morphology in Poly(ethylene oxide) (PEO). I. Normal Mode Analysis of LAM of a Helical-Chain Oligomer of PEO, 35P
—; Krimm, S.: Raman Longitudinal Acoustic Mode (LAM) Studies of Folded-Chain Morphology in Poly(ethylene oxide) (PEO). II. Normal Mode Analysis of Folded-Chain Structures of PEO, 51P
Song, Z.
—; Poehlein, G. W.: Kinetics of Emulsifier-Free Emulsion Polymerization of Styrene, 2359C
Špaček, P. See Vazquez, A., 2305C
Sperling, L. H.
Review of *Polymer Alloys and Blends Thermodynamics and Rheology*, 387L
Spiby, P. See Orchard, G. A. J., 603P
Spiess, H. W.
Review of *Nuclear Magnetic Resonance Spectroscopy, 2nd Edition*, 31L
Spontak, R. J.
Effect of Molecular Weight on Crystalline Structure in Thermotropic Random Copolymers, 271L
—; Williams, M. C.: Prediction of Microstructures for Polydisperse Block Copolymers, Using Continuous Thermodynamics, 1379P
Springer, H. See Hindeleh, A. M., 267P
Srivastava, A. See Dwivedi, P. C., 3279C
Srivastava, A. K. See Vasishtha, R., 1297C
St. Clair, A. K. See Yamamoto, H., 2291P
Starnes, W. H., Jr. See Park, H., 1079C
Stein, R. S. See Hsiao, B. S., 1571P; Young, P., 1791P
Stejskal, E. O. See Sankar, S. S., 293P
Stern, S. A. See Suwandi, M. S., 407P; Yamamoto, H., 2291P
Stevens, J. R. See Patterson, G. D., 481P
Stickles, E. M. See Thibeault, B., 1361C
Stille, J. K. See Hardee, J. R., 3669C
Strobl, G. R. See Koch, T., 343P
Stubersfield, R. See Quintana, J. R., 1565P
Stuk, L. G. F.
Segmental Mobility Model for Diffusion of Gases in Polymers, 127P
Stutz, H.
—; Illers, K.-H.; Mertes, J.: A Generalized Theory for the Glass Transition Temperature of Crosslinked and Uncrosslinked Polymers, 1483P
Su, C.-Y.
—; Lee, Y.-D.: Synthesis and Characterization of Polyimides Based on Novel Tricyclo[6,2,2,$0^{2,7}$]dianhydride, 3347C
Such, K. See Florjańczyk, Z., 795C
Sugita, S. See Akashi, M., 3487C
Sugiyama, J.-I. See Endo, T., 3529C
Sugiyama, K.
—; Shiraishi, K.: Liquid-Crystalline Polymers Prepared by Polyaddition of Dithiols to Mesogenic Bisacrylates or Bismethacrylates, 1983C
Suh, H.-K. See Al-Diab, S. S. S., 299C
Sumitomo, H. See Okada, M., 3251C
Sun, K. See Yang, S., 1685P
Sun, L.
—; Lin, S.: Terpolymerization of Ethylene, Propylene, and Butene-1 with Highly Active Supported Titanium Catalyst, 1237C
—; See Gandhi, K., 2707P; Zou, D., 1909C
Sun, T.
—; Bhattacharya, S. K.; Lenz, R. W.; Porter, R. S.: An Optical Study of Phase Transitions of Poly(ethylene Terephthalate-co-*p*-Hydroxybenzoic Acid) Liquid Crystal, 1677P
Sun, Y. See Wei, Y., 81L
Sundaram, E. V. See Shashidhar, G. V. S., 157L
Sung, N. See Kang, Y. S., 1093P
Sutherlin, D. See Wade, B., 1233P
Suwandi, M. S.
—; Hirose, T.; Stern, S. A.: Permeation, Diffusion, and Solution of Cyclopropane in Silicone Rubber, 407P
Swestock, J. See Chapman, T. M., 1473C
Syme, D. T. See Hocking, M. B., 2949C, 2969C, 2983C
Szafko, J. See Turzyński, Z., 467P; Woliński, L., 811P

Tagle, L. H. See Diaz, F. R., 3499C
Takado, H. See Oishi, Y., 1763C
Takagi, H. See Kitagawa, M., 1943P
Takagi, J. See Yokozawa, T., 279L

Takahagi, T. See Nakayama, Y., 1813C
Takahashi, A. See Nagai, A., 373L; Nishikubo, T., 105C
Takahashi, S. See Cho, C.-S., 89L
Takahashi, T. See Nishio, Y., 355P
Takase, Y.
—; Scheinbeim, J. I.; Newman, B. A.: Effects of Annealing on the Polarization Switching of Phase I Poly(Vinylidene Fluoride), 1599P
Takata, T. See Chikaoka, S., 3101C; Uno, H., 693C
Takayama, Y. See Takeichi, T., 1989C, 3377C
Takechi, S. See Matsuda, H., 1895C
Takeichi, T.
—; Date, H.; Takayama, Y.: Blend of Polyimide Having Internal Acetylene Units and Oligoimide End-Capped with Biphenylenes, 3377C
—; Date, H.; Takayama, Y.: Polyimides Having Internal Acetylene Groups in the Backbone: Preparation, Curing, and Thermal Properties, 1989C
Takemoto, K. See Tsutsumi, H., 1527C
Takeoka, S.
—; Ohno, H.; Iwai, H.; Tsuchida, E.: Liposome Formation of Selectively-Polymerized Diene-Containing Phospholipids and Their Postpolymerization, 717C
Takeuchi, E. See Hashimoto, T., 1137C
Takimoto, T. See Yamamoto, H., 67C
Takizawa, A. See Tsujita, Y., 1341C
Talukder, M. A. H.
—; Lindsay, G. A.: Synthesis and the Preliminary Analysis of Block Copolymers of 3,3′-Bis(azidomethyl)-oxetane and 3-Nitratomethyl-3′-Methyloxetane, 2393C
Tamareselvy, K.
—; Venkatarao, K.; Kothandaraman, H.: Synthesis and Characterization of Some Halogen-Containing Poly(esterurethane)s, 2679C
Tanaka, H.
—; Lovinger, A. J.; Davis, D. D.: Miscibility and Isomorphic Cocrystallization in Blends of Ferroelectric Copolymers of Vinylidene Fluoride and Trifluoroethylene, 2183P
Tanaka, M. See Shirai, M., 2563C
Tanaka, S. See Masuda, H., 1831C
Tang, B.-Z.
—; Masuda, T.; Higashimura, T.; Yamaoka, H.: Radiation Effects on Poly(1-chloro-1-alkynes), 281P
Tang, X. See Wei, Y., 81L
Tannenbaum, R.
—; Flenniken, C. L.; Goldberg, E. P.: Magnetic Metal-Polymer Composites: Thermal and Oxidative Decomposition of $Fe(CO)_5$ and $Co_2(CO)_8$ in a Poly(vinylidene fluoride) Matrix, 2421P
Tarshiani, Y.
—; Dreyfuss, M. P.: Head-to-Head Vinyl Chloride–Vinyl Acetate Copolymer, 205C
Tashiro, K.
—; Wu, G.; Kobayashi, M.: Quasiharmonic Treatment of Infrared and Raman Vibrational Frequency Shifts Induced by Tensile Deformation of Polymer Chains, 2527P
Taylor, S. G. See Thompson, C. M., 333C
Teh, J. W.
—; Rudin, A.: Mechanism of Adhesion of Resole Phenolics to Cellulosic Materials, 363L
Teramoto, M.
—; Yamamoto, Y.; Hayashi, K.: Effect of Triphenylmethane on Radiation-Induced Cationic Polymerization by Diphenyliodonium Hexafluorophosphate in Dichloromethane, 253L
Terano, M.
—; Kataoka, T.; Keii, T.: Analytical and Kinetic Approaches for the Basic Type of $MgCl_2$-Supported High Yield Catalysts, 2035C
Tesoro, G.
Review of *Aromatic High-Strength Fibers*, 264L
Review of *High Technology Fibers, Part B*, 71L
Teyssié, Ph. See Forte, R., 2233C; Horrion, J., 153C, 1649C; Leemans, L., 1255C, 2187C
Thakare, A. M. See Lokhande, H. T., 21L
Thaler, W. A. See Schaedeli, U., 1781C
Thames, S. F. See Lee, S., 525C
Thibeault, B.
—; Stickles, E. M.; Weininger, S. J.; Remy, D. E.: Unsaturated Polyoxalates: Synthesis and Mass Spectral Study of Their Thermal Behavior, 1361C
Thill, B. P. See Warakomski, J. M., 3551C
Thomas, E. L. See Piner, R., 399L
Thompson, C. M.
—; Taylor, S. G.; McGee, W. W.: Gel Permeation Chromatographic Analysis of Polyurethane Prepolymer Synthesis Kinetics. I. The Effect of Catalyst, 333C
Thurber, E. L. See Allan, D. S., 2475C
Tiemersma-Thoone, G. P. J. M. See Mathot, V. B. F., 2509P
Ting, R. Y. See Burns, J., 1187P
Tirrell, D. See Pearce, E. M., iiiC
Tirrell, D. A. See Wicks, D. A., 573C; You, H., 3155C
Tirrell, M. See Chakraborty, A. K., 3185C; Frick, T. S., 2629P

Toland, A. See Viswanathan, T., 95L
Tominaga, K. See Ochiai, H., 233P
Torgashov, V. I. See Gert, E. V., 163L
Torikai, A.
—; Geetha, R.; Nagaya, S.; Fueki, K.: Radiation-Induced Degradation of Polyethylene: Polymer Structure and Stability, 3639C
Toriumi, M. See Padmanaban, M., 3261C
Torlic, E. See Sendijarević, A., 3603C
Toselli, M. See Pilati, F., 3047C
Toshima, N. See Asanuma, H., 907C
Troitskaya, L. S. See Troitskii, B. B., 2695C
Troitskii, B. B.
—; Troitskaya, L. S.: Mathematical Models of the Initial Stage of the Thermal Degradation of Poly(vinyl Chloride). I. The Thermal Degradation of the Low Molecular Weight Models of Macromolecules of Poly(vinyl Chloride) Having No Abnormal Fragments, 2695C
Tsay, C. S.
—; McHugh, A. J.: Mass Transfer Modeling of Asymmetric Membrane Formation by Phase Inversion, 1327P
Tsiourvas, D.
—; Paleos, C. M.; Dais, P.: Further Studies on Homopolymers and Copolymers Resulting from the Reaction of Polymaleic Anhydride with Alcohols and Amines, 1263C
Tsubokawa, N.
—; Kogure, A.; Sone, Y.: Grafting of Polyesters from Ultrafine Inorganic Particles: Copolymerization of Epoxides with Cyclic Acid Anhydrides Initiated by COOK Groups Introduced onto the Surface, 1923C
Tsuchida, E. See Takeoka, S., 717C
Tsuda, K. See Kondo, S., 2877C
Tsuji, W. See Hirai, A., 357L
Tsujita, Y.
—; Ojika, R.; Takizawa, A.; Kinoshita, T.: Thermal and Transport Properties of Copoly(γ-Stearyl L-Glutamate-γ-Methyl L-Glutamate), 1341C
Tsukube, H.
—; Adachi, H.; Morosawa, S.: Amide-Functionalized Oligoethylenimines as New Efficient Carriers for Li^+ Cation, 437C
Tsuoa, K. See Kondo, S., 2229C
Tsutsumi, H.
—; Okanishi, K.; Miyata, M.; Takemoto, K.: Inclusion Polymerization of 1-Chlorobutadiene in a Deoxycholic Acid Canal, 1527C
Tsutsumi, N. See Kiyotsukuri, T., 315C, 1197C
Tunca, U.
—; Yagci, Y.: Synthesis, Decomposition, and Initiator Properties of Macroazonitriles for the Preparation of Polymers with Crown Ether Units, 1721C
Tunney, S. E. See Hardee, J. R., 3669C
Turzyński, Z.
—; Witkowski, K.; Woliński, L.; Szafko, J.: Simultaneous Scission and Crosslinking of Polystyrene Chains on Irradiation by Ultraviolet Light in CCl_4 and $CHCl_3$ Solutions, 467P
—; See Woliński, L., 811P

Uchida, E.
—; Uyama, Y.; Iwata, H.; Ikada, Y.: XPS Analysis of the Poly(ethylene Terephthalate) Film Grafted with Acrylamide, 2837C
Uda, T. See Hagiwara, T., 185C
Ueda, A. See Matsukawa, K., 2107C
Ueda, M.
—; Mori, H.; Ito, H.: Radical Polymerization of *N*-Phenyl-α-Methylene-β-Lactam, 2597C
Ueda, T.
—; Yokoyama, S.; Watanabe, M.; Sanui, K.; Ogata, N.: Synthesis of Ultra-Thin Films of Aromatic Polymers at Air/Water Interface, 3221C
Uede, K. See Hasegawa, K., 1L
Ueno, A.
—; Adachi, K.; Nakamura, J.; Osa, T.: Photoinduced Conformational Changes of Azoaromatic Polyaspartates Containing Octadecyl Side Chains, 1161C
Umbreit, G. R.
Review of *Principles and Practice of Chromatography*, 72L
Ungar, G.
—; Organ, S. J.: Isothermal Refolding in Crystals of Long Alkanes in Solution. I. Effect of Surface 'Self-Poisoning', 2353P
—; See Organ, S. J., 2365P
Uno, H.
—; Nakazawa, A.; Takata, T.; Endo, T.: Model Reactions of Functionalization of Polycarbonate. Reactions of Phenyl Chloroformate with Nucleophiles and Cationic Polymerization Behavior of Bicyclo Orthoesters Containing Carbonate Group, 693C
Unroe, M. R.
—; Reinhardt, B. A.: Thermoset Resins Containing Sterically Hindered Alkyne Groups for Reduced Crosslink Density, 2207C
Uosaki, K.
—; Okazaki, K.; Kita, H.: Preparation and Characterization of Wet Poly(vinyl

Chloride)–Polypyrolle Composite Film, 399C
Urata, Y. See Kojima, T., 129L
Urban, M. W.
—; Salazar-Rojas, E. M.: Probing Organic–Inorganic Interactions and Curing Processes in Coatings by Photoacoustic Fourier Transform Infrared Spectroscopy, 1593C
Uryu, T. See Ando, M., 2575C
Urzay, R. See de la Cal, J. C., 1011C
Usanmaz, A. See Yilmaz, O., 341L
Usman, U. See Rashid, H. U., 65L
Ute, K. See Hatada, K., 3019C
Uyama, Y. See Uchida, E., 2837C
Uytterhoeven, H. See Leemans, L., 2187C

Vallance, M. A. See Chao, H. S.-I., 1209C
Van Der Velden, G. P. M. See Mathot, V. B. F., 2509P
Van Dyke, J. D. See Lowen, S. V., 451C
Vanderhoff, J. W. See Delgado, J., 777C; Sheu, H. R., 629C, 653C
Varlet, J.
—; Cavaille, J. Y.; Perez, J.; Johari, G. P.: Dynamic Mechanical Spectrometry of Nylon-12, 2691P
Varriale, V. See Napolitano, R., 139P
Vasishtha, R.
—; Srivastava, A. K.: Pyridinium Dicyanomethylide-Initiated Radical Polymerization of Acrylamide, 1297C
Vazquez, A.
—; Matějka, L.; Špaček, P.; Dušek, K.: Polymerization of Epoxides in the Presence of Tertiary Amino Alcohols, 2305C
Vázquez-Torres, H. See Hernández-Sánchez, F., 1579C
Veeravalli, M. S.
—; Rosen, S. L.: Free-radical Addition Polymerization: Effects of Chain Length, Viscosity, and Solvent Power on Diffusion-controlled Termination at Low Conversion, 775P
Velichkova, R. S.
—; Gancheva, V. B.; Krüger, H.; Rübner, J.: Polymerization of Cyclic Acetals. II. Synthesis of Amphiphilic Block Copolymers, 3145C
Venkatarao, K. See Tamareselvy, K., 2679C
Verlhac, C.
—; Dedier, J.; Chanzy, H.: Availability of Surface Hydroxyl Groups in *Valonia* and Bacterial Cellulose, 1171C
Vernekar, S. P. See Avadhani, C. V., 1681C
Viswanathan, T.
—; Toland, A.; Liu, R.-Q.; Jagannathan, N. R.: Sugar Polyether Polyols for Rigid Polyurethanes—Propoxylation of Disaccharides Under Alkaline Condition, 95L
Vittoria, V. See De Candia, F., 47L, 203P
Vizzini, J. See Chien, J. C. W., 2321C
Vizzini, J. C. See Chien, J. C. W., 273C
Vlajić, M. See Sendijarević, A., 199L
Vlček, P.
Anionic Polymerization of Acrylates. I. Polymerization of 2-Ethylhexylacrylate in Nonpolar Solvents, 2917C
Volksen, W. See Hedrick, J. L., 2255C
Vonk, C. G.
The Initial Stages of Crystallization of Polyethylene from the Melt, 1871P
Vrentas, C. M. See Vrentas, J. S., 379L, 241P
Vrentas, J. S.
—; Vrentas, C. M.: Influence of Solvent Size on the Diffusion Process for Polymer-Solvent Systems, 379L
—; Vrentas, C. M.: Predictions of Volumetric Behavior for Glassy Polymer-Penetrant Systems, 241P
Vulić, I.
—; Loman, A. J. B.; Feijen, J.; Okano, T.; Kim, S. W.: Improved Synthesis of Polystyrene–Poly(ethylene Oxide)–Heparin Block Copolymers, 1693C

Waddon, A. J.
—; Keller, A.: A Temperature Window of Extrudability and Reduced Flow Resistance in High-Molecular Weight Polyethylene; Interpretation in Terms of Flow-Induced Mobile Hexagonal Phase, 1063P
Wade, B.
—; Abhiraman, A. S.; Wharry, S.; Sutherlin, D.: High-Temperature, High-Resolution Nuclear Magnetic Resonance of Poly (*p*-phenylene sulfide), 1233P
Wadgaonkar, P. P. See Avadhani, C. V., 1681C
Walasek, J.
Local Order and Elasticity of Polymer Networks with Nematiclike Interactions, 2473P
Local Order in a Globally Deformed Polymer Network with Nematiclike Interactions, 1075P
Wang, B.-P. See Chien, J. C. W., 15C
Wang, C. H. See Xia, J. L., 963P
Wang, G. See Shen, Z., 1965C
Wang, H.-H.
—; Chen, W.-L.: The Block Copolymers and Polymer Blends of Nylon 6 with Poly(4,4′-Diphenylsulfone Terephthalamide). II. Morphologies and Mechanical Properties, 2403C

Wang, J. H. See Percec, V., 1059C
Wang, L.
—; Huang, B.: Structure and Properties of Propylene-Ethylene Block Copolymers and the Corresponding Blends, 937P
Wang, L. F.
—; Pearce, E. M.; Kwei, T. K.: Polymer Association in Styrene-Acrylic Acid Copolymers, 317L
Wang, L. H.
—; Porter, R. S.: A New Approach for Processing Ultrahigh-Molecular Weight Polyethylene Powder: Solid-State Rolling Followed by Hot Stretch (Roll-Draw), 2441P
Wang, S.-T. See Sada, E., 113P
Wang, Y. Y.
—; Nakanishi, H.; Jean, Y. C.; Sandreczki, T. C.: Positron Annihilation in Amine-cured Epoxy Polymers—Pressure Dependence, 1431P
Warakomski, J. M.
—; Thill, B. P.: Evidence for Long Chain Branching in Polyethyloxazoline, 3551C
Ward, I. M. See Green, D. I., 2225P; Orchard, G. A. J., 603P
Ward, R. J. See Munro, H. S., 923C
Warren, S. C.
—; Mathias, L. J.: Synthesis and Polymerization of Ethyl α-Chloromethylacrylate and Related Derivatives, 1637C
Warrier, J. K. S. See Lokhande, H. T., 21L
Warshawsky, A.
—; Kahana, N.; Deshe, A.; Gottlieb, H. E.; Arad-Yellin, R.: Halomethylated Polysulfone: Reactive Intermediates to Neutral and Ionic Film-Forming Polymers, 2885C
—; See Bar-Sela, G., 1303C; Kahana, N., 3303C
Watanabe, K. See Nakamura, S., 53L
Watanabe, M. See Ueda, T., 3221C
Wayda, A. L. See Kaplan, M. L., 731C
Wei, Y.
—; Jang, G.-W.; Chan, C.-C.: A New Method for Preparation of Electrically Conductive Polythiophenes, 219L
—; Sun, Y.; Jang, G.-W.; Tang, X.: Effects of *p*-Aminodiphenylamine on Electrochemical Polymerization of Aniline, 81L
Wei-Berk, C.
—; Berry, G. C.: Studies on Dilute Solutions of Phenyl Ether Ketone Copolymers, 1873P
Weininger, S. J. See Thibeault, B., 1361C
Weir, N. A.
—; Whiting, K.; Arct, J.: Studies of Poly(*ortho*-Acylstyrene)s. II. Photoreactions of Poly(*o*-Acetylstyrene), 1935C
Weiss, R. A. See Fitzgerald, J. J., 1719P
Wen, W.-Y. See Cain, E. J., 1737P
Wesslén, B.
—; Mattsson, G.: *N,N,N′,N′*-Tetramethylethylene Diamine as a Co-Catalyst in the Anionic Polylymerization of Methyl Methacrylate, 1033C
Wharry, S. See Wade, B., 1233P
Wheatley, G. W. See Corfield, G. C., 2821C
Whiting, K. See Weir, N. A., 1935C
Wicks, D. A.
—; Tirrell, D. A.: Preparation and Polymerization of the Two Isomeric (Chloromethyl)oxetanes, 573C
Widdecke, H. See Polednick, C., 261C
Wilbur, J. M., Jr.
—; Bonner, B. A.: Synthesis of Hydrogen-Terminated Aliphatic Bis(ethynyl Ketone)s and Aliphatic Poly(enamine-Ketone)s and Poly(enonesulfide)s, 3747C
Wilfong, D. L.
—; Knight, G. W.: Crystallization Mechanisms for LLDPE and Its Fractions, 861P
Williams, C. E. See Wollmann, D., 1979P
Williams, M. C. See Spontak, R. J., 1379P
Williams, R. J. J. See Pascault, J. P., 85P
Willis, J. M. See Favis, B. D., 2259P
Winnik, M. A. See Borg, R., 2075C; Piton, M. C., 2097C
Winter, H. H. See Hsiao, B. S., 1571P
Witkowski, K. See Turzyński, Z., 467P; Woliński, L., 811P
Woliński, L.
—; Witkowski, K.; Turzyński, Z.; Szafko, J.: Experimental Verification of Renormalization Group Theoretical Results for Dilute Macromolecular Solutions. I. Light Scattering Data for Polystyrene in Solvents Differing in Thermodynamic Quality, 811P
—; See Turzyński, Z., 467P
Wollmann, D.
—; Williams, C. E.; Eisenberg, A.: Small-Angle X-Ray Scattering in "Bottlebrush" Ionomers, 1979P
—; See Diaz, A., 75L
Wonchoba, E. R. See Feiring, A. E., 2809C
Worsfold, D. J. See Laivins, G., 1413C
Wu, C. See Chu, B., 227L
Wu, G. See Tashiro, K., 2527P
Wu, J.
—; Shen, Z.: New Catalyst Systems of Rare Earth Acetylacetonate/$AlEt_3$–$\frac{1}{2}H_2O$ for Polymerization of Propylene Oxide, 1995C
—; See Shen, Z., 1965C

Wu, J.-Y.
—; Yang, C.-X.: Polymerization of Acrylonitrile Initiated by Vanadium (V)–Thiourea Reaction, 1289C
Wu, K.-W. See Chen, S.-A., 2857C
Wu, Z.
—; Zhang, A.; Cheng, S. Z. D.; Huang, B.; Qian, B.: Changes in Crystal Structure Parameters and Thermal Mechanical Properties of Poly(*p*-Phenylene Terephthalamide) Fibers Under Different Annealing Conditions, 2565P
Wunderlich, B.
Review of *Atlas of Polymer Morphology*, 155L
—; See Xenopoulos, A., 2271P

Xenopoulos, A.
—; Wunderlich, B.: Thermodynamic Properties of Liquid and Semicrystalline Linear Aliphatic Polyamides, 2271P
Xia, J. L.
—; Wang, C. H.: Mass Diffusion of Camphorquinone in Poly(methyl methacrylate) Hosts with Different Molecular Weights, 963P
Xiao, H.
—; Ping, Z. H.; Xie, J. W.; Yu, T. Y.: The Synthesis and Morphology of Semi-Interpenetrating Polymer Networks Based on Polyurethane–Polydimethylsiloxane System, 585C
Xie, J. W. See Xiao, H., 585C
Xiong, C. D. See Deng, X. M., 411L
Xu, J. See Yang, M., 3231C
Xu, P. See Sada, E., 113P
Xu, R. P. See Deng, X. M., 411L
Xu, X. See Graham, J. C., 1179C

Yagawa, A. See Cho, C.-S., 89L
Yagci, Y. See Acar, M. H., 203L; Tunca, U., 1721C
Yamamoto, H.
—; Mi, Y.; Stern, S. A.; St. Clair, A. K.: Structure/Permeability Relationships of Polyimide Membranes. II, 2291P
—; Nishida, A.; Takimoto, T.; Nagai, A.: Photoresponsive Peptide and Polypeptide Systems. VIII. Synthesis and Reversible Photochromism of Azo Aromatic Poly(L-ornithine), 67C
Yamamoto, Y. See Teramoto, M., 253L
Yamaoka, H. See Tang, B.-Z., 281P; Zhu, Q., 2741C
Yamaoka, T.
—; Nakajima, N.; Koseki, K.; Maruyama, Y.: A Study of Novel Heat-Resistant Polymers: Preparation of Photosensitive Fluorinated Polybenzoxazole Precursors and Physical Properties of Polybenzoxazoles Derived from the Precursors, 2517C
—; See Omote, T., 59L
Yamashita, T. See Akashi, M., 3487C
Yamashita, Y. See Chujo, Y., 59C
Yanagisawa, K. See Hanabusa, K., 825C
Yang, C.-P.
—; Hsiao, S.-H.: Preparation and Properties of Brominated Poly(arylcarbcxylate)s via Interfacial Polycondensation, 871C
—; Lee, L.-T.: Synthesis and Properties of Polyamine Resins from Epoxy Resins, 1861C
—; Lee, T.-M.: Syntheses of Flame-Retarding 4-Phosphonatomethyl-2,6-Dibromophenyl Trimellitate Anhydrides and Their Reactivities toward Epoxy Resin, 887C
—; Oishi, Y.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Polyarylates from 5-*t*-Butylisophthaloyl Chloride and Various Bisphenols, 1353C
—; See Hsiao, S.-H., 1149C, 2169C, 2501C
Yang, C.-X. See Wu, J.-Y., 1289C
Yang, H. J.
—; Cole, C.-A.; Monji, N.; Hoffman, A. S.: Preparation of a Thermally Phase-Separating Copolymer, Poly(*N*-Isopropylacrylamide-co-*N*-Acryloxysuccinimide), with a Controlled Number of Active Esters per Polymer Chain, 219C
Yang, J.-M. See Hsiue, G.-H., 3363C, 3761C
Yang, M.
—; Salovey, R.; Allen, S. D.: Directional Crystallization of Polyethylene Oxide by Laser Irradiation, 245P
—; Xu, J.; Shen, Z.: Homogeneous Rare Earth Coordination Catalysts for Copolymerization of Styrene with Acrylonitrile, 3231C
Yang, S.
—; Sun, K.; Risen, W. M., Jr.: Preparation and Thermal Characterization of the Glass Transition Temperatures of Sulfonated Polystyrene-Metal Ionomers, 1685P
Yang, S.-Y.
—; Liu, A.-M.: Side Chain Isolation of Grafted Cellulose, 125L
Yang, Y. See Chien, J. C. W., 1999C
Yang, Z.-X. See Corriu, R. J. P., 431L
Yarwood, J. See Ancelin, H., 1611P
Yashima, E. See Akashi, M., 3487C
Yasuda, H. See Yeh, Y.-S., 545P
Yasujima, H. See Murakami, M., 1483C
Yeh, Y.-S.
—; James, W. J.; Yasuda, H.: Polymerization of *Para*-xylylene Derivatives. VI. Morphology of Parylene N and Parylene

C Films Investigated by Gas Transport Characteristics, 545P
Yehia, A. A. See Badran, A. S., 411C
Yi, M. H. See Choi, K.-Y., 3179C
Yilmaz, O.
—; Usanmaz, A.; Alyürük, K.: Polymerization of *n*-Butyl Isocyanate by Pruitt-Baggett Adduct, 341L
Yokota, R. See Kochi, M., 2463P
Yokoyama, S. See Ueda, T., 3221C
Yokozawa, T.
—; Hayashi, R.; Endo, T.: Preparation and Radical Ring-Opening Polymerization of *exo*-Methylene Substituted Cyclic Ketene Acetals, 3739C
—; Sato, M.; Endo, T.: Preparation and Polymerization of Spiroorthoester Bearing the Perfluoroalkyl Group, 1841C
—; Takagi, J.; Endo, T.: A Novel Polymerization Process. Spontaneous Block Copolymerization of 2-Methylene-4-Phenyl-1,3-Dioxolane with β-Propiolactone through Zwitterionic Mechanism, 279L
—; See Endo, T., 3529C; Mizuya, J., 2765C
Yonekura, H. See Kojima, T., 129L
Yonetake, K.
—; Seo, T.; Iijima, T.: Ion Transport and States of Water in Charged Poly(allylamine) Membranes, 303P
Yoneyama, M. See Oishi, Y., 1763C
Yoon, C.-J. See Jin, J.-I., 531P
Yoshida, H. See Ichikawa, T., 1185C
Yoshimura, S. See Murakami, M., 1483C
You, H.
—; Tirrell, D. A.: Radical Copolymerization of 2-Ethylacrylic Acid and Methacrylic Acid, 3155C
Young, P.
—; Stein, R. S.; Kyu, T.; Lin, J. S.: Static Small-Angle X-Ray Scattering Study of Polymer Deformation, 1791P
Young, P. R.
—; Davis, J. R. J.; Chang, A. C.; Richardson, J. N.: Characterization of a Thermally Imidized Soluble Polyimide Film, 3107C
Yu, B. See Friberg, S. E., 3575C
Yu, T. Y. See Xiao, H., 585C
Yu, Z.
—; Zhu, W.-X.; Cabasso, I.: Synthesis and Polymerization of Vinylbenzylphosphonate Diethyl Ester, 227C
Yuen, K. H. See Holdcroft, S., 1495C
Yumoto, Y. See Murakami, M., 1483C

Zachariades, A. E. See Ghanem, A. M., 1891P
Zaikov, G. E.
A. S. Kuzminskii (1910–1990), 269L
Zamora, A. See de la Cal, J. C., 1011C
Zaranyika, M. F.
—; Moses, P.; Mavunganidze, T.: Salt Catalyzed Heterogeneous Dilute Acid Hydrolysis of the Difficulty Accessible Portion of Cellulose: Effect of Nature of Metal Co-Ion, 3565C
Zeldin, M.
Review of *Silicon Chemistry*, 263L
—; See Ranganathan, P., 2711C
Zelenka, R.
Review of *Injection Mould Design*, 266L
Zhang, A. See Cheng, S. Z. D., 233L; Wu, Z., 2565P
Zhang, C. See Fried, J. R., 7L
Zhang, W. P.
—; Dorset, D. L.: Phase Transformation and Structure of n-$C_{50}H_{102}$/n-$C_{60}H_{122}$ Solid Solutions Formed from the Vapor Phase, 1223P
Zhang, X.
—; Eisenberg, A.: NMR and Dynamic Mechanical Studies of Miscibility Enhancement via Ionic Interactions in Polystyrene/poly(ethyl Acrylate) Blends, 1841P
Zhang, Y.-X.
—; Da, A.-H.; Hogen-Esch, T. E.; Butler, G. B.: A Fluorocarbon-Containing Hydrophobically Associating Polymer, 213L
Zhou, X.
—; Lin, S.; Chien, J. C. W.: Magnesium Chloride Supported High Mileage Catalysts for Olefin Polymerization. XXI. Isospecific and Regiospecific Vanadium Catalyst for Propylene Polymerization, 2609C
Zhu, Q.
—; Horii, F.; Kitamaru, R.; Yamaoka, H.: ^{13}C-NMR Study of Crosslinking and Long-Chain Branching in Linear Polyethylene Induced by ^{60}Co Gamma Ray Irradiation at Different Temperatures, 2741C
Zhu, W.-X. See Yu, Z., 227C
Ziegler, B. J. See Kawa, H., 297L
Zimmer, H. See Al-Diab, S. S. S., 299C
Zlatkevich, L.
Chemiluminescence in Evaluating Thermal Oxidative Stability, 425P
Zou, D.
—; Derlich, V.; Gandhi, K.; Park, M.; Sun, L.; Kriz, D.; Lee, Y. D.; Kim, G.; Aklonis, J. J.; Salovey, R.: Model Filled Polymers. I. Synthesis of Crosslinked Monodisperse Polystyrene Beads, 1909C
—; See Gandhi, K., 2707P

Subject Index to Volume 28

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 28, 1990. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Acetylene monomer, 2633C
Acetylene units, 3377C
Acrylamide, 2585C, 2837C
Acrylate copolymers, 307L
Acrylates, 2917C
Acrylic polymers, interactions with aluminum, 3185C
Acrylonitrile, 3231C
Additives, transition metal complexes as, 3617C
Adhesion, 363L
Adhesion of PA/PMMA block copolymer in joining PS and PMMA surfaces, 1699P
Aerospace composite materials, 431P
Aggregation, 1273C
Aging, 177P, 513P
—, physical and chemical, in PMMA, 1463P
Air–water interface, 89L
Aliphatic disiloxane dianhydride, 2417C
Aliphatic isocyanates, 119L
Aliphatic primary amines, 3279C
Aliphatic-aromatic poly(amide-imide)s, 2169C
Alkali, 2233C
Alkali graphitides, 2115C
Alkali metal *tert*-butoxides, 2437C
Alkane, $C_{198}H_{398}$, isothermal thickening of crystals in solutions of, 2353P, 2365P
Alkene hydroformylation, 3669C
Alkoxy diamines, 323C
Alkoxyallene, 2765C
Alkyl-boron compounds, 3029C
Alkyl halides, 1421C
Alkyl side chains, 1341C
2-Alkyl-2-oxazolines, 3551C
Alkyne groups, 2207C
Allenyl glycidyl ether, 2765C
Allyl ethers, 3317C
Allylic polymers, 3317C
Alternate current (ac) behavior, 1615C
Alternating copolymers, 515C
Alternation, 515C
Aluminum, interactions with acrylic polymers, 3185C
Aluminium (III) acetylacetonate, 3101C
Amidation, of esters, 2445C
Amines, 741C, 1623C
Amino pendant groups, 1127C
Aminomethylpolysulfone, 3303C
Amphiphilic block copolymers, 1127C, 1255C, 3145C
Anhydride-cured epoxy, 2417C
Anionic polymerization, 185C, 1033C
—, of lactones, 2115C
Anisotactic polypropylene, 2907C
Anisotropy, 951P
Annealed thermotropic copolyesters of terephthalic acid and hydroquinones, melting of, 1891P
Annealing, 603P
Anthracene backbone, in novel conjugated polymers, 2641C
9,10-anthracenedithiol, 2641C
Anthracene functionalized polyesters, 3513C
Anthraquinone, 2465C
Antioxidants, 1079C
Aqueous ethanol solution, permeation, 377P
Aqueous polymers, 213L
Aramids, 1569C, 1763C
Arbuzov reaction, 227C
Aromatic amines, 1661C, 3445C
Aromatic diacid chlorides, 3293C
Aromatic diamines, 1149C
Aromatic esters, 1495C
Aromatic groups, in the backbone of poly(alkynylsilanes), 431L
Aromatic halides, 3029C
Aromatic polyamides, 1569C
Aromatic polyamides (aramids), 465C
Aromatic polyester-siloxanes, 13L
Aromatic polyimides, 443C, 1763C
Aromatic polyketones, 669C
Aromatic polymers, 367C
—, ultra-thin films of, 3221C
Aromatic solvents, 1539C
Aromatic substrates, 167L
Aromatic tetracarboxylic dianhydrides, 3261C
Aryloxyterephthalic acids, 2335C
Associating-type functionalities, 619C
AUNa concentration, 137C
4,4′-azobis-4-cyanopentanoic acid, 2107C

Backbiting, 1221C
Backbone, 1989C
Benzoyloxy radical, 3271C
Bicyclic oxalactams, novel, 3251C
Binary polymer mixtures, 1P
Biodegradability, 973C
BIPC-based polyacrylates, 1353C
Biphenylenes, 3377C
Bipyridines, polymer bound, 2237C
3,3′-bis(azidomethyl)-oxetane copolymer, 2393C
1,4-bis(4-carboxyphenoxy)butane, 2269C

1,2-bis(diethylamino)tetramethyldisiline, 2997C
Bis(ethynl ketone)s, aliphatic hydrogen-terminated, 3747C
Bisphenols, 2997C
Bisphenol—A, diglycidyl ether, dielectric study of crosslinking of, 1621P
Blend, solid state phase behavior and mixing phenomena of, 1261P
Blend microstructures, prediction of, 1379P
Blends, immiscible, phase size and composition in, 2259P
—, polystyrene—poly(ethyl acrylate), miscibility enhancement via ionic interactions in, 1841P
—, theory for interdiffusion coefficient in, 2233P
Blends of PMMA and polycarbonate conditioned by CO_2, 2213P
Blends of polycarbonate and plasticized cellulose acetolntyratem, miscibility and mechanical properties of, 1015P
Blends of polycarbonate with PMMA, permeation of CO_2 and CH_4 in, 2103P
Blends of PVC with MBS, viscoelasticity of, 1987P
Block copolymers, 153C, 315P, 937P, 1255C, 1693C
Block interrupt polysilane derivatives, 1397C, 2665C
Blood, 129L
Bone cement composites, bioerodible, 973C
Branching, long chain, 3551C
Bubble nucleation, 711P, 743P

^{13}C CP/MAS NMR spectroscopy, 587P
^{13}C nuclear magnetic resonance, 2049C
^{13}C-NMR, 307L
^{13}C-NMR assignments, 3019C
^{13}C-NMR spectroscopy, 293P, 1965C, 1995C
^{13}C-NMR study, of crosslinking and long-chain branching, 2741C
Camphorquinone (CQ), mass diffusion, 963P
Carbamates, 1507C
Carbazole moiety, 3795C
Carbon chain polymers, 1743C
Carbon fibers as epoxy fillers, surface treatment of, 1121P
Carbon tetrachloride, 3279C
Catalyst, 333C, 353C
Catalyst systems, 3587C
Catalysts, recyclable, 3669C
Catalytic hydrogenation, 1303C
Cationic cyclocopolymerization, 345L
Cationic polyelectrolytes, 505P
Cationic polymerization, 1771C, 2923C, 2937C
—, of epoxy monomers, 3429C
Cationic ring-opening polymerization, 1841C
Cationogen/$EtAlCl_2$ system, 2937C
Cellulose, 53L, 163L, 357L, 1171C, 2275C, 2293C
—, grafted, 125L
—, hydrolysis of, 3565C
Cellulose acetate membranes, 113P
Cellulosic fiber formation, 449P
Cellulosic materials, 363L
Ceramic oxide superconductors, 1999C
Chain branching and crack growth in polyethylene, 2007P
Chain fragment diffusion (CFD), 893P
Chain fragmentation, 893P
Chain modulus, 63P
Chain packing in binary solid solutions of C-50 and C-60 *n*-paraffins, 1223P
Chain segment orientation in globally deformed networks, 1075P
Chain structure of ethylene—propylene copolymers, 2487P, 2509P
Characterization, 1681C, 1831C
Charging, 75L
Chelate resin–iron (II) complex, 907C
Chemical microstructural analysis (CMA), 1171C
Chemiluminescence, 133L, 257P, 425P
Chiroptical properties, 3541C
Chlorinated cellulose, 2223C
Chromium alkyls, 3587C
Clay surfaces, 2249C
^{60}Co Gamma ray irradiation, 2741C
Coatings, 1593C
Cobalt, 3363C
Cobalt complexes, coordinately unsaturated, 3617C
Cocrystallization in ferroelectric copolymer blends, 2183P
Comb block copolymers, 1413C
Comblike polymers, 187L
Compatibility in polymer blend, NMR study of, 1261P
Compatibility of immiscible polymers, phase size and composition dependence of, 2259P
Complex aggregates of isotactic and syndiotactic PMMA, 1565P
Complexation, 245C
Composites, magnetic metal-polymer, thermal decomposition of, 2421P
—, orientation clustering of short fibers in, 2651P
Composition drift of copolymers, GPC determination of, 1903P
Computer simulation of laser back scattering from fibers, 1755P
Computer-simulated ESR spectra, 133P
Condensation polymers, 2793C
Conducting polymers, 399C
Conformation of PVC in gels, 1589P

Conformational changes, photoinduced, 1161C
Conformational transition, 65L, 111L
Constant tensile strain, 513P
Contact electrification, 75L
Conversion, 85P
Copolyamides, structure-property relationship, 595P
Copolyester of PET and p-hydroxybenzoate, phase transitions of, 1677P
Copolyesters, liquid-crystal, thermal expansion of, 2225P
Copolyglutamate, thermal properties, 1341C
—, transport properties, 1341C
Copolymer, PS/PMMA block, effect in adhesion of PS to PMMA, 1699P
Copolymerization, 157L, 203L, 515C, 647P, 949C, 967C, 1059C, 1965C
Copolymerization kinetics, 777C
Copolymers, 1263C
—, Caprolactone random, melting and Crystallization of, 2329P
—, ethylene-propylene, chain structure of, 2487P
—, ethylene—propylene, chain structure of, 2509P
—, molecular weight-dependent composition of, 1903P
—, phenyl-ether—phenyl ketone, dilute solution properties of, 1873P
—, polydisperse blocks, microstructures of, 1379P
—, styrene–ethylene-co-propylene blocks, characterization of, 1283P
—, styrene–methylmethacrylate, miscibility of blends of, 1309P
—, styrene—(methyl methacrylate), conditioned by CO_2, 2213P
Copolymers of ethylene, random, force-elongation relations of, 1917P
Copolymers of terephthalic acid and hydroquinones, liquid crystalline properties of, 1891P
Copolymers of vinylidene fluoride and trifluoroethylene, miscibility and cocrystallization in, 2183P
Copolymers; styrene—(methyl methacrylate), sorption and transport of gases in, 2079P
Cotton fibers, never-dried, 357L
Coupling reactions, 1101C
CP/MAS ^{13}C-NMR spectroscopy, 357L
Crack growth kinetics and branching in polyethylene, 2007P
Crack propagation in PS/PMMA block copolymer layer in welding PS to PMMA, 1699P
Creep and creep rupture with aging of PMMA, 1463P
Cross polarization, 177P
Crosslink density, 2207C
Crosslinkable end-capped amide-imides, 935C
Crosslinked polymers, theory of T_g in, 1483P
Crosslinking, 71P, 175L, 467P, 525C, 559C, 585C, 669C, 691P, 935C, 1197C, 1455C, 1793C, 1807C, 1847C, 1935C, 1989C
Crosslinking agents, 525C
Crosslinking and chain growth in networks, combined kinetic and statistical modeling of, 2585P
Crosslinking of diglycidyl ether of bisphenol —A, 1621P
Crosslinking reactions, 39C
Cross-polarization magic-angle spinning (CPMAS), 301L
Crown ethers, 345L, 1721C
Crown ether-terminated poly(methyl methacrylate) (PMMA), 59C
Cryofixation, 763P
Crystal refolding, isothermal, and morphology, 2365P
—, isothermal, surface self-poisoning, 2353P
Crystal structure, 139P, 595P
Crystal structure of annealed poly(*p*-phenylene terephthalamide), 2565P
Crystal thickening, isothermal, of long alkanes in solution, 2353P, 2365P
Crystallinity and thermal expansivity of PEEK, 1965P
Crystallization, 163L, 167L, 385C, 655P, 861P
—, classical kinetic theory of, 1275P
—, epitaxial, of polyoxymethylene on NaCl, 1163P
Crystallization from polymer melts, ultrasonic emission during, 1171P
Crystallization of polyethylene from melt (comments), 1871P
Crystallization of polypropylene, poly(methylene oxide) and poly(ethylene adipate), 1813P
Crystals, lyotropic liquid, 3575C
CT complexes, 1735C
Cupric laurate–*N,N*-dimethyl formamide, 3123C
Curatives, 3701C
Curing, 1593C, 1661C
Curing agents, 731C
Cyanoimidazole pendant groups, 2475C
Cyclic acetals, 3145C
Cyclic ketene acetals, 3739C
Cycloaddition, 39L
Cycloaddition reactions, 551C
Cyclosiloxanes, 2153C

D,L-lactide poly(ethylene glycol), 411L
DBU method, 105C
Decomposition, 1721C

Deformation of polymer chains, infrared and Raman shifts in, 2527P
Deformation of semi-crystalline polymer lamellae, x-ray study of, 1791P
Degradation, 595C, 3533C
—, radiation-induced, 3639C
Density, 205C
Deoxycholic acid (DCA) canal, 1527C
Desilylation, 2845C
Diamines, 2107C
—, alkylthio-substituted aromatic, 3701C
Diarylbutadienes, 3271C
Dichloromethane, 253L
Dielectric investigation, of the effect of ethylamine on rayon, 2127C
Dielectric properties, 147L
Dielectric relaxation, 675P
Dielectric relaxation of amorphous networks, 1551P
Dielectric relaxation distribution function for poly(n-alkyl methacrylates), 1251P
Dielectric relaxation of poly(ethyl methacrylate) plasticized with CO_2, 1955P
Dielectric relaxations, 71P
Dielectric relaxations of thermoset, crosslinked diglycidyl ether bisphenol—A, 1621P
Diene-containing phospholipids, 717C
9,10-diethynylanthracene, 2641C
Differential scanning calorimetry (DSC), 355P, 703C, 1579C
Differential scanning calorimetry (DSC) of glasses, analysis of upper peaks in thermal cycling of, 2127P
Differential scanning calorimetry (DSC) of liquid crystalline polyesteramide, 1533P
Differential scanning calorimetry (DSC) of styrene–ethylene-co-propylene diblock copolymers, 1283P
Differential scanning calorimetry(DSC) of meltspun PET fibers, 1647P
Diffusion coefficients of constituents of blends, relation of interdiffusion coefficient to, 2233P
Diffusion coefficients of star polymers in concentrated solutions, 1367P
Diffusion competition, 449P
Diffusion process, 379L
Diffusivity of probes in poly(vinyl acetate)/toluene solutions, 2607P
Diffusivity of probes in polystyrene/toluene solutions, 2629P
Difunctional initiators, 505C
Dihydroxyphenyl-pirazoles, 3661C
Diisocyanates, 1681C
Dilute macromolecular solutions, 811P
Dilute solution viscometric behavior of macromolecular chains, 2435P
Dilute solutions, 65L
Dimethyl, 2153C
Dimethylformamide-chloral-pyridine mixture, 2223C
Diols, 1329C, 2107C
1,4-dioxane, 2937C
1,3-dioxolane skeleton, 3529C
Diphenyliodonium hexafluorophosphate, 253L
Direct current (dc) behavior, 1615C
Disaccharides, 95L
Dispersion polymerization, Hydroxypropyl cellulose stabilized polymers, 2485C
—, Styrene, 2485C
Dissociation behaviors, 233P
Distyrylbenzene bisphenols, 331L
3,5-Di-*tert*-butyl-4-hydroxybenzyl thioglycollate, 3533C
Divalent metal salts, 1895C
Divinylphenyl compounds, preparation, 505C
DMF solution, 399C
Donor monomers, 1735C
Drawing and imidization of poly(amic acids) to improve tensile properties, 2463P
Drawing of PVF_2, zone method for, 2071P
Drying, 907C
Dual-parameter, 1947C
Dynamic bulk modulus of various elastomers, 1187P
Dynamic mechanical properties of hydrated poly(-methyl L-glutamate), 2385P
Dynamic mechanical properties of polystyrene—poly(ethyl acrylate) blends, 1841P
Dynamic mechanical relaxation of drawn PVF_2, 2071P
Dynamic mechanical spectometry, of nylon-12, 2691P
Dynamic mechanical thermal analysis of poly(styrene-co-alkali methacrylate) ionomers, 1665P
Dynamic viscosity of liquid crystalline polyesteramide (Vectra B 900), 1533P
Dynamical scaling laws, 97P
Dynamics of star polymer diffusion in concentrated solutions, models for, 1367P

EB-cured polymers, 2575C
Elastic modulus, 63P
Elastomers, 1237C, 1455C, 1473C
—, cast, 3701C
—, dynamic bulk modulus of, 1187P
—, novel thermoplastic, 3725C
Electrical conductivity, 505P
Electrical properties, 1615C
Electrically-conductive polythiophenes, 219L
Electrochemical polymerization, 81L, 1831C

Electron diffraction of binary solid solutions of C-50 and C-60 *n*-paraffins, 1223P
Electron microscopy of stereocomplex aggregates of PMMA, 1565P
Electron spin echo (ESE) method, 1185C
Electron spin resonance (ESR) method, 1185C
Electron transfer catalyst, 2509C
Electron-accepting monomers, 2195C
Electrophiles, 1781C
Emulsifier-free emulsion polymerization, 2547C
—, of styrene, 2359C
Emulsion copolymerization, 119C, 137C
—, Particles, 987C
Emulsion polymerization, 411C, 2857C, 3055C, 3073C
Emulsions, 777C
Endblock-associating resin, 315P
End-capping, 447C
Entanglement and diffusion in concentrated polymer solutions, 1367P
Entanglements, 951P
Entropic gradient in nonuniform binary and ternary polymer-solvent systems, 2395P
Epoxidation, 3761C
—, of unsaturated polymers, 285L
Epoxides, 119L, 199L, 1923C, 2305C
Epoxy composites, surface-treated carbon fibers fillers in, 1121P
Epoxy cure reaction, 731C
Epoxy monomers, cationic polymerization of, 3429C
Epoxy networks, 691P
Epoxy resin, 25L
Epoxy resin-amine curing under pressure, 323L
Epoxy resins, 1L, 293P, 479C, 731C, 759C, 887C, 1861C, 2533C, 3445C
—, curing, 431P
—, physical aging, 431P
—, toughening, 783P
Epoxy-amine resin, kinetics and free-volume model for cure of, 973P
Epoxy-telechelics, 89C
ESR spectra, 133P
Esters, 219C, 273C
Ethyl α-hydroxymethylacryiate (EHMA), synthesis, 1637C
2-Ethylacrylic acid, 3155C
Ethylamine, 2127C
Ethylbenzoate, 2035C
Ethylenediamine–cellulose complexes, 21L
2-ethylhexylacrylate, 2917C
4,4′-(1,2-ethynediyl)bis(phthalic anhydride), 2633C
Ethynyl-terminated polyethers, 2451C
exo-Methylene groups, 3739C
Exo-methylene-*N*-methylpyrrolidone, 2597C
Expoxy polymers, amine-cured, free-volume fraction of, 1431P

Ferroelectric copolymer blends, 2183P
Ferroelectricity of annealed poly(vinylidene fluoride), 1599P
Fiber surface roughness characterized with laser back scattering, 1755P, 1771P
Filled polymer systems, 1909C
Filled polymers, polystyrene beads in polystyrene matrix as model for, 2707P
—, surface-treated carbon fibers in, 1121P
Film in homogeneities, 133L
Film synthesis, 545P
Films, 595P, 603P, 1197C
Flame retardancy, 871C, 887C
Flammability, control of in polymers, 3481C
Flexibility, 3603C
Flexible polymers, 101L, 521P
Flexible spacers, 425C, 531P
Flory–Huggins interaction parameter, 343P
Flow birefringence measurements in liquid crystalline polymer, 1571P
Fluids, 619C
Fluorene moieties, 3241C
Fluorescent dyes, 2075C
Fluorinated monomers, 3387C
Fluorinated poly(ether sulfone)s, 2809C
Fluorinated polyimides, 323C
Fluorine substituents, 315C
Fluorine-containing homopolycarbonate, 3327C
Fluorine-containing photoreactive polyimide 5, 59L
Fluorine-containing polymers, 3047C
Fluorocarbon polymers, 297L
Fluorocarbon-containing hydrophobically associating polymer, 213L
Fluoropolymers, 373L
Folded-chain morphology, 35P, 51P
Fragmentation, 2165P
Free energy of polymer-solvent and polymer-polymer-solvent systems, 2395P
Free radical copolymerization, 299C, 795C
Free radical distribution, 1011C
Free radical homopolymerization, 299C
Free radical polymerization, 1887C
Free volume fraction in amine-cured epoxies, pressure dependence of, 1431P
Free volume theories, application of, 2607P, 2629P
Free volume theory applied to thermoset cure, 973P
Free-radical addition polymerization, 775P
Free-radical copolymerization/cross linking reactions, 39C
Free-radical initiator, 157L
Free-radicals, 1947C

Frictional virial coefficient, 2023P
Friedel–Crafts polymerization, 669C
FTIR-ATR spectroscopy, 213P
Functional initiator method, 1137C
Functionalization, 693C
Fused copper phthalocyanine polymers, 2349C

Galactomannan, rheology of borate gels of, 2445P
Gamma-irradiation, 193L
Gas diffusion, 127P
Gas permeability, 795P, 1237C
Gas permeation, 3761C
Gas transport, 545P, 631P
Gaseous clinical anesthetics, 407P
Gases, 127P, 795P
—, diffusion, 603P
—, permeability, 603P
Gel fractions, 559C
Gel permeation chromatography (GPC), 333C
Gel permeation chromatography (GPC) method for composition drift analysis, 1903P
Gel structure, x-ray diffraction study of, 1823P
Gelatin fibers, dry and swollen, x-ray diffraction of, 1823P
Gelation, 1073C
Gels, 1073C, 1387C
Gels of galactomannan-borax, rheology of, 2445P
Gel-state, 837C
Glass transition in pressure-cured epoxy-amine, 323L
Glass transition T_g and thermal expansion of thin films (method), 2119P
Glass transition T_g in poly(*p*-phenylene sulfide), 2057P
Glass transition temperature, 7L, 655P, 893P, 951P, 963P, 1353C
Glass transition temperature (T_g), 85P, 133P, 387P, 481P, 205C
Glass transitions in poly(styrene-co-alkali methacrylate) ionomers, 1665P
Glass transitions in styrene–ethylene-co-propylene diblock copolymers, 1283P
Glass transitions of sulfonated polystyrene-metal ionomers, 1685P
Glass transitions T_g of crosslinked and uncrosslinked polymers, generalized theory for, 1483P
Glass-state, 837C
Glassy polymer-penetrant systems, 241P
Glassy polymers, 7L, 241P, 387P
—, hysteresis in permeation of CO_2 in, 2305P
—, microhetergeneities and gas transport in, 1153P
—, physical aging, 387P
—, upper peaks in thermal cycling of, 2127P
Glycerol monomethacrylate, 2085C
Glycidyl methacrylate, 2187C
Graft copolymer membrane, 377P
Graft copolymerization, 353C
Graft copolymers, 1793C, 1887C
Graft interpenetrating polymer networks (graft-IPNs), 783P
Graft polymerization, of acrylamide, 2837C
Grafting, 261C, 1923C, 3073C

Halato-telechelic polymers, 153C
Halogen-containing poly(esterurethane)s, 2679C
Halomethylated polysulfone, 2885C
Hard alkali metal cations, 437C
Head-to-tail aggregation, 1273C
Heat capacities of liquid and semicrystalline nylons, 2271P
Heparin, 1693C
α-helix, 1341C
Heterocyclic diamine, 3293C
High density polyethylene, mechanical spectrometry, 569P
High molecular weight aromatic polymers, 367C
High-density polyethylene (HDPE), 631P
Highly branched cellulose, 53L
Homogeneous rare earth coordination catalysts, 3231C
Homopolycarbonate, fluorine-containing, 3327C
Homopolyesters, 285C
Homopolymer systems, 2753C
Homopolymerization, 949C, 1059C, 1297C, 1637C
Homopolymers, 1073C, 1263C
Hydrogels, 675P
Hydrogen iodide/zinc halide initiating systems cationic polymerization, 3007C
Hydrogen iodide/zinc halide systems, 2923C
Hydrogen peroxide, 285L
Hydrogenation, 1303C
Hydrolysis, 741C
—, rate of, 3565C
Hydrolytic properties, 3787C
Hydrolytic stability, 1473C, 3685C
Hydroquinone, 2335C
2-hydroxyethyl methacrylate, 2085C
Hydroxyl groups, 1171C
Hydroxymethyl group, 1L
Hydroxy-telechelics, 89C
Hypalon, Epoxidized natural rubber (ENR), 25L

Imaging technology, 231C
Imidazoles, 731C

Imide-amide copolymers, water soluble, 2949C
Imide-amide copolymers water-soluble, 2969C
Imide–Aryl ether benzoxazole block copolymers, 2255C
Inclusion polymerization, 1527C
Infrared (IR) spectra, 119L
Infrared spectra of magnetic metal-polymer composites, 2421P
Infrared spectra of metal ionomers of sulfonated polystyrene, 1685P
Infrared spectra of poly(thiazyl) during surface hydrolysis, 1611P
Infrared spectra, interpretation of strain-induced frequency shifts in, 2527P
Initiation, 1289C, 1297C
Initiator, 609C
Injection molding of short fiber composites, orientation clustering in, 2651P
Insertion reactions, 1179C
Interaction parameters X_{12} for *n*-heptane, CCL_4, and benzene with poly(vinyl methyl ether), 2411P
Interaction potential in distribution of long chains in pores and bulk solution, 2555P
Inter-core contact, 1793C
Interdiffusion, in complex polymer systems, 2681P
Interdiffusion in binary blends, theory of, 2233P
Interfacial polycondensation, 871C
Interfacial Schotten–Baumen reaction, 1507C
Interfacial tension in phase separated polymer-solvent systems, 2395P
Interlattice inclusion compounds (IC), 163L
Intermolecular aggregation, 1273C
Intermolecular etherification, 1661C
Interpenetrating polymer networks, 3775C
Interpenetrating polymer networks (IPNs), 623P, 629C, 653C
—, dynamic mechanical properties, 623P
—, stress-strain properties, 623P
—, tensile strength, 623P
Intramolecular cyclization reactions, 1221C
Intrinsic crazing, 951P
Intrinsic viscosity, 111L
—, universal relationship for viscometric expansion factor in, 2435P
Intrinsic viscosity of phenyl ether ketone copolymers, 1873P
Intrinsic viscosity of poly(diphenylmethyl methacrylate) in toluene, 1881P
Inverse emulsions, 2777C
Inversion steric exclusion chromatography (ISEC), 1387C
Iodine, 923C
Ion chromatography, 2563C
Ion exchangers, 1387C
Ion implantation, 17P
Ion transport, 303P
Ionic conductivity, 187L
Ionomers, 75L, 1549C
—, cationic polyether polyurethane, phase inversion in, 1515P
—, cationic polyether polyurethane, structure-property relationships in, 1499P
Ionomers "bottlebrush" configuration from block copolymers, morphology of, 1979P
Ionomers of poly(styrene-co-methacrylate), phase dominance in, 1665P
Ionomers of sulfonated EPDM, thermal behavior and composition of, 1443P
Ionomers of sulfonated polystyrene, preparation and T_g of, 1685P
Ionomers of sulfonated polystyrene; effect of diluents on microstructure of, 1719P
Ions, 303P
γ-irradiation, 1413C
Irradiation, 467P
Irradiation-induced thermoluminescence in polyethylene, 1641P
Isobutyl vinyl ether, 2923C, 2937C
Isocyanate carbons, 3019C
Isocyanates, 199L, 759C
2-Isocyanatomethyl methacrylate (IEM), polymerization, 1179C
Isomeric polyethers, 573C
Isophorone diisocyanate, 3019C

Kevlar 49 fibers, 267P
Kinetic deuterium isotope effect, 451C
Kinetic parameters, 1579C
Kinetics, 573C, 777C, 987C, 1297C, 1421C, 1445C, 1507C
Kinetics of crystallization, theory of, 1275P
Kinetics of crystallization of caprolactone random copolymers, 2329P

Lactic acid, 411L
Lactones, 2115C
Lamellar crystal, 233L
Laser beams, self-focusing in, 247L
Laser flash photolysis experiments, 203L
Laser irradiation, 245P
Laser light scattering, 711P
Latex particle morphology, 1011C
Latex particles, 119C, 137C, 3055C
—, nonuniform, 3073C
Latexes, 629C, 653C
LB technique, 3221C
Li^+ cation, 437C
Ligands, 219C
Light scattering, static and dynamic, of dilute toluene solutions of poly(α-methyl styrene), 2023P

Light scattering (SALS) study of spherulites in polyethylene, 1207P
Light scattering by forced Rayleigh technique in study of probe diffusion in polymer solutions, 2607P, 2629P
Light scattering from fiber surfaces, 1755P, 1771P
Lights scattering from dilute solution of phenyl ether ketone copolymers, 1873P
Linear copolymers, 2153C
Linear low density polyethylene (LLDPE), crystallization, 861P
Linear low-density polyethylene (LLDPE) resin, 193L
Linear polymers, 1C
Linking, 531P
Lipid polymers, 717C
Liposomes, formation, 717C
Liquid crystal phase, 1455C
Liquid crystal polyesters, 703C
Liquid crystal polymers, 3403C
Liquid crystal thermosets, 3417C
Liquid crystalline copolyester, optical study of phase transitions of, 1677P
Liquid crystalline copolyesters of terephthalic acid and hydroquinones, 1891P
Liquid crystalline polyestermide, rheological and thermal properties of, 1533P
Liquid crystalline polyesters, dynamic X-ray diffraction studies of, 1047P
Liquid crystalline polymer in transient shear, optical anisotropy of, 1571P
Liquid crystallinity, 189P, 3625C
Liquid membranes, 437C
Liquid-crystalline copolyesters, thermal expansion of, 2225P
Liquid-crystalline polymers, 1983C
Living anionic polymerization, of glycidyl methacrylate, 2187C
Living carbocationic polymerization, 89C
Living cationic polymerization, 1127C, 1137C
Long-chain branching (LCB), 193L
Longitudinal acoustic mode (LAM), 35P, 51P, 63P
Low-molecular-weight analogs, 871P
Lyotropic systems, nonaqueous, 3575C

Macroazonitriles, 1721C
Macrocyclic polysulfones, 3303C
Macroheterocyclic ligands, 345L
Macroinitiators, 2165P
Macromolecular mobility, 467P
Macromolecule–metal complex (MMC), 907C
Macromonomers, 1059C, 1887C
Magnesium chloride, 2321C, 2609C
Main chain thermotropic polyesters, 531P
Maleic anhydride, 289L
Maleimide resins, 679C
Maleimides, 795C
Masked isocyanates, 293P, 759C
Mass transfer in membrane formation by precipitation, 1327P
Mechanical properties of aromatic polyimides, treatment for improvement of, 2463P
Mechanical properties of polycarbonate and plasticized cellulose acetobutyrate blends, 1015P
Mechanical properties of random copolymers of ethylene, 1917P
Mechanical relaxations, 569P
Melt condensation, 811C
Melt flow of polyethylene, singularity in, 1063P
Melt transition temperature, 231C
Melting, 285C
Melting behavior of caprolactone random copolymers, 2329P
Melting point, 75C
Melts, NMR relaxation time T_{2e} in, 1001P
Membrane formation by phase inversion, mass transfer model for, 1327P
Membranes, 1623C
Mesomorphic polymers, 345L
Metal carbonyls in PVF_2 matrix, thermal decomposition of, 2421P
Metal chloride dopants, 2179C
Metal co-ion, effect of nature of, 3565C
Metal complexes, supported organotransition, 3587C
Metal-containing polymers, 245C
Metal-containing polyureas, 1895C
Metallocene-methyl aluminoxane catalysts, 2907C
Metallocene–methylaluminoxane catalysts, 15C
(Meth)acrylate esters, 1073C
Methacrylic acid, 3155C
Methanesulfonyl chloride, 2223C
Methanol homologation, 3669C
4-methoxystyrene, 2097C
Methyl methacrylate, 2097C, 2233C, 2249C, 2465C, 2729C, 3279C
—, polymerization of, 3123C
Methyl methacrylate (MMA), anionic polymerization, 1033C
Methyl thiophenes, 289L
1-methyl-2-chloropyridinium iodide, 2107C
2-methylene-1,4-dioxaspiro-6,7-8,9-dibenzo[4.4]nona-6,8-diene, 2881C
2-methylene-4-phenyl-1,3-dioxolane, 279L
Methylmethacrylate, 423L
$MgCl_2$-supported high yield catalysts, 2035C
Micelle concentration, 1255C
Microemulsion polymerization, 1823C
Microparacrystals, lateral growth, 267P

Microphase separation, 1807C
Microporous coatings, 2681P
Microstructure of ionomers, effect of polar and nonpolar additives on, 1719P
Microstructures of polydisperse block copolymers, prediction of, 1379P
Microwave frequency range, 147L
Miniemulsions, 777C
Miscibility, 871P, 1079C
Miscibility in blends of ferroelectric vinylidene fluoride—trifluoroethylene copolymers, 2183P
Miscibility of copolymers of styrene and methyl-methacrylate differing in composition, 1309P
Miscibility enhancement by ionic interactions in blends, 1841P
Model compounds, 1661C
Molar ratio, 1289C
Molecular desorption, 837C
Molecular location, 3575C
Molecular orbital theory calculations, 3185C
Molecular structure, 857C
Molecular weight, 955C, 963P
Molten salt/hydroxy-terminated polybutadiene system, 2777C
Monodisperse polystyrene beads, 1909C
Monomers, 967C, 1033C, 1101C, 1637C
Monomolecular polystyrene particles, 105P
Morphology of ultrathin PE layers in multilayer films, 1105P
Multicyano olefins, 551C
Multimethacrylate, 1973C
MWD, of condensation polymers, 2793C

n-(1-anthryl) maleimide, polymerization, 39L
—, synthesis, 39L
N,N'-bis(ω-carboxyalkyl)pyromellitimides, 2169C
N,N-diglycidylaniline-type resins, 3445C
N-alkylated polyurethanes, 3685C
Nanoparticles, sterically stabilized, 2651C
Naphthalene moiety, 3795C
Natural rubber, photostabilization of, 3533C
n-butyl isocyanate, 341L
Nematic ordered phases in networks, interactions of, 2473P
Networks, amine-epoxy, with stepwise and chainwise chemistry, 2585P
—, deformed, local order in, 1075P
—, galactomannan-borate, rheology of, 2445P
Networks of poly(diethylene glycol isophthalate), orientation and dielectric relaxation of, 1551P
Networks of polybutadiene, solvent diffusion and stress relaxation in, 1781P
Networks with nematiclike interactions, local order and elasticity of, 2473P
Nickel coupling, 367C
3-nitratomethyl-3'-methyloxetane copolymer, 2393C
4-nitro-1-naphthyl-carbamoyl, 3499C
n-octylhydroquinone, 2269C
Nomenclature, structure-based, 173L
Noncrystalline component, 587P
Nonlinear optics, 1C
Non-nucleophilic solvents, 1043C
Non-polar solvents, 2917C
Norrish Type II reaction, 595C
Novel bicyclic oxalactams, 3251C
Novel heat-resistant polymers, 2517C
Novel regular network polyester films, 1197C
Novolac-type epoxy resins, 1L
N-phenylmaleimide, 2437C
N-phenyl-α-methylene-β-lactam, 2597C
N-substituted maleimide, 185C
N-substituted malimide, 2437C
N-substituted 4-vinylpyridinium ions, 2711C
Nuclear magnetic relaxation time T_{2e} in polymer melts, prediction of, 1001P
Nuclear magnetic resonance (NMR) of ethylene—propylene copolymers, 2487P, 2509P
Nuclear magnetic resonance (NMR) of poly(p-phenylene sulfide), 1233P
Nuclear magnetic resonance (NMR) of poly(p-phenylene vinylene) annealed films, 1859P
Nuclear magnetic resonance (NMR) of polymer blend, 1261P
Nuclear magnetic resonance (NMR) of polystyrene—poly(ethyl acrylate) blends, 1841P
Nuclear magnetic resonance(NMR) of sorbed CO_2 in poly(dimethyl siloxane), 1737P
Nucleophiles, 693C
Nucleophilic aromatic solvents, 1043C
Nucleosides, 1329C
Nylon 6, 2403C
—, ultrasonic emission in crystallization of, 1171P
Nylon copolymers, 315C
Nylon-12, 2691P

O1s spectra, 1813C
Octadecyl side chains, 1161C
Olefin polymerization, 15C, 2321C, 2609C
Oligoimide, 3377C
Oligomers, 175L, 973C
One-phase silica gel-based catalytic system, 1651C
Optical anisotropy of liquid crystalline polymer in transient shear, 1571P
Optical microscopy, 703C
Optical microscopy of spherulite crystallization, 1813P

Order–disorder transition, 315P
Organic–inorganic interactions, 1593C
Organophosphorus esters, 741C
Orientation, 631P
Orientation of lamellae in deformation of semi-crystalline polymer, 1791P
Ortho-substituted phenylacetylenes, 1221C
1,3,4-oxadiazole moiety, 3647C
Oxetanes, polymerization, 573C
Oxidation methods, 193C
Oxiranes, polymerization, 609C
Oxygen absorption, 129L
Oxygen index, 887C
Oxygen plasma etching, 923C
Oxyluminescence (OL), 257P

Para-xylylene derivatives, polymerization, 545P
Particles, 1011C
Partition coefficients of probes in poly(vinyl methyl ether), 2411P
Partitioning of long-chain polymers between pores and bulk solution, 2555P
PC/PMMA blends, 97P
Pd(O) catalyzed polymerization reactions, 3029C
$PdCl_2$ (dppf), 3029C
PEEK resins, 243L
PEKK, 243L
Pellicular ion exchanges, 261C
Peptide systems, 67C
Peptides, 931C
Perfluoropolyethers, 3047C
Permeability, 133L
Permeability of gases in polycarbonate—PMMA blends, 2103P
Permeability of gases in styrene—(methyl methacrylate)random copolymers, 2079P
Permeation, hysteretic, of CO_2 in conditioned polycarbonates, 2305P
Permeation of CO_2 in copolymers and blends containing MMA units, 2213P
Permeation of gases in inhomogeneous polymer membranes (theory), 2247P
Permeation of gases in poly(vinyl acetate), 1153P
Permeation of gases related to structure of polyimides, 2291P
Permeation rates, 113P
Peterson reaction, 505C
p-Halostyrenes, polymerization of, 3725C
Phase behavior, 149P
Phase equilibria, 315P
Phase growth, 1091C
Phase inversion in membrane formation, diffusion model for mass transfer in, 1327P
Phase separation, 175L, 585C, 629C, 653C
Phase transfer reaction, 1101C
Phase transitions in binary solid solutions of C-50 and C-60 *n*-paraffins, 1223P
Phase-separating copolymer, 219C
Phenolphthalein polyphosphate esters, 3481C
Phenylacetylenes, 1221C
Phenylquinoxaline-aryl ester block copolymers, 3467C
Phosphorylation reaction, 1149C
Photoacoustic Fourier transform infrared spectroscopy (PA FTIR), 1593C
Photochemical properties, 595C
Photo-copolymerizations, 1735C
Photocrosslinked poly(cinnamoyl crown ether), 2563C
Photocrosslinking, 1847C
Photodetectors, 133L
Photoenolization, 1935C
Photografting, 173C
Photoinduced acidolysis, 59L
Photoinitiated cationic polymerization, 479C
Photoinitiator, 1445C
Photolysis, 1495C
Photopolymerization, 1539C
—, of epoxy monomers, 3429C
Photopolymers, 105C
Photoredox catalysts, 1435C
Photoresponsive peptides, 67C
Photoresponsive polypeptides, 67C
Photosensitive disilane unit, 3261C
—, in new polymers, 2997C
Photosensitive polyimides, new, 3261C
Photosensitizers, polymer-bound, 3499C
Photostabilization, mechanism of, 3661C
Photo-switches, 1161C
Phthalocyanine polymers, 2349C
Picryl ethers, Electrophilic polymers, 1875C
Piezoelectric materials, 551C
Plasma polymers, 923C
Plasma treatment, 803C
Plasticization of poly(ethyl methacrylate) by CO_2, 1955P
Plasticizer migration in blends of polycarbonate with plasticized cellulose acetobutyrate, 1015P
p-methylstyrene, 3007C
POCPY films, 1831C
POD, carbonization mechanisms, 1483C
—, thermal degradation, 1483C
Polar properties, 967C
Polarization switching in annealed poly(vinylidene fluoride), 1599P
Polarized light microscopy of spherulites in polyethylene, 1207P
Poly (*p*-phenylene terephthalamide) filaments, 227L
Poly(1,6-heptadiyre) homologue, 259L
Poly(4,4′-diphenylsulfone terephthalamide), 2403C

Poly(*p*-phenylene sulfide), sorption of CO_2 in, 2057P
Poly(*p*-phenylene terephthalamide) properties of annealed fibers of, 2565P
Poly(L-proline) (PLP), 1273C
Poly(acrylamide-co-*N,N*-*N*-diallylaniline), 2983C
Poly(acrylamide-co-*p*-maleimidobenzoic acid), 2969C
Poly(acrylamide-co-sodium *N*-*N*-diallylsulfanilate), 2983C
Poly(alkynylsilanes), 431L
Poly(allenyl glycidyl ether), 2765C
Poly(amic) acids, 3107C
Poly(amide-imide)s, 2169C
Poly(diethylene glycol isophthalate) networks orientation and dielectric relaxation of, 1551P
Poly(dimethyl siloxane), relaxation dynamics of sorbed CO_2 in, 1737P
—, solubility parameter of, 2715P
—, sorption and partial molar volumes of gases in, 1297P
Poly(diphenylmethyl methacrylate), synthesis and characterization of, 1881P
Poly(dipropargyl sulfone), 259L
Poly(enamine-ketone)s, aliphatic, 3747C
Poly(enonesulfide)s, 3747C
Poly(ester β-sulfide)s, 3541C
Poly(ether-ether-ketone) (PEEK), thermal expansion of, 1965P
Poly(ethyl methacrylate) plasticized by CO_2, dielectric relaxation of, 1955P
Poly(ethylene oxide), 233L
Poly(ethylene oxide) (PEO), crystallization, 385C
Poly(ethylene terephthalate), 1409P, 3047C
Poly(ethylene terephthalate) (PET), XPS O1s spectrum, 1813C
Poly(ethylene terephthalate) film, 2837C
Poly(ethylene terephthlate) structure and thermal response of fibers of, 1647P
Poly(hexafluoro-1,3-butadiene), 373L
Poly(2-methoxyphenylene vinylene), 2867C
Poly(-methyl L-gluta mate), hydrated, prezoelectric, dielectric and mechanical properties of, 2385P
Poly(methyl methacrylate), aging and creep behavior in, 1463P
—, isotactic—syndiotactic complex aggregates of, 1565P
Poly(methylene oxide), ultrasonic emission in crystallization of, 1171P
Poly(*N,N*-dimethylacrylamide-co-styrene)s, 2229C
Poly(n-alkyl methacrylates), dielectric relaxation of, 1251P
Poly(*O*-acetylstyrene) (POAS) films, 1935C
Poly(oxyaryleneoxydisilane)s, 2997C
Poly(p-phenylene sulfide), high temperature NMR of, 1233P
Poly(p-phenylene vinylene), NMR of annealed films of, 1859P
Poly(styrene) in toluene, diffusivity of probes in, 2629P
Poly(tetrafluoroethylene), thermal expansion of, 2119P
Poly(thiazyl), FTIR study of surface hydrolysis of, 1611P
Poly(vinyl acetate), effect of microheterogeneities on gas diffusion in, 1153P
Poly(vinyl acetate) in toluene, diffusivity of probes in, 2607P
Poly(2-vinyl anthraquinone), 3165C
Poly(vinyl chloride), 2695C
—, MBS modified, viscoelasticity of, 1987P
—, Raman spectra of, 1589P
Poly(vinyl chloride) (PVC) gels, 837P
Poly(vinylchloride) films, 2179C
Poly(vinyl methyl ether), Flory interaction parameters for *n*-heptane, CCL_4, and benzene in, 2411P
Poly(vinyl pyrrolidone) (PVP), dielectric relaxation, 763P
Poly(vinylidene fluoride), zone drawing and mechanical relaxation of, 2071P
Poly(vinylidene fluoride) composites with magnetic metal carbonyls, FTIR study of decomposition of, 2421P
—, polarization switching affected by annealing of, 1599P
Poly(α-methyl styrene) in dilute toluene solutions, static and dynamic light scattering of, 2023P
Polyacetylene, 259L
Polyacetylenes, 1043C
Polyacrylamides, 2075C, 2585C
Polyacrylates, 1C
Polyacrylonitrile (PAN), modification, 1623C
Polyaddition, 1983C
Polyamic-acid solutions, 3787C
Polyamide-azomethine-ethers, 3625C
Polyamide-imides, 935C
—, preparation, 1149C
Polyamideimides, containing carbonyl, 2427C
Polyamides, 1989C, 2237C, 2691P
—, linear aliphatic, thermodynamic properties of liquid and semicrystalline nylons, 2271P
—, novel, aromatic, 3293C
—, sulfone-containing, 2501C
Polyamine resins, 1861C
Polyamine-imides, synthesis, 443C
Polyaniline films, 81L
Polyanions, 2719C
Polyarylates, 1353C
Polyazomethines, wholly conjugated, 3647C

Polybenzoxazole, 2517C
Polybutadiene system, 2777C
Polybutadiene, stress relaxation in swollen networks of, 1781P
Polycarbonate, 1409P
Polycarbonates, 693C, 2165P
—, fluorine-containing, 3327C
—, permeation of CO_2 at high pressures in, 2305P
—, substituted, dilation caused by CO_2 sorption in, 1137P
Polycondensation, 551C
Polyelectrolytes, 505P
Polyester formation, 871C
Polyesteramide (Vectra B900), rheology and thermal behavior of, 1533P
Polyesters, 703C
—, main chain thermotropic, 531P
Polyether polyols, 95L
Polyether structures, 3603C
Polyetheretherketone-polydimethylsiloxane block copolymers, 2821C
Polyethers, ethynyl-terminated, 2451C
Polyethylene, formation of ringed spherulites in, 1207P
—, kinetics of crack growth related to butyl branches in, 2007P
—, kinetics of crystallization from dilute xylene solution of, 1275P
—, linear, 2741C
—, melt crystallization of (comments), 1871P
—, melt flow singularity in, 1063P
—, molecular entanglements and melt rheology of, 1033P
—, nonlinear constitutive equation for combined tension-torsion in, 1943P
—, polymer structure, 3639C
—, radiothermoluminescence in, 1641P
—, single, crystal, 399L
—, solid state drawing of, effect of molecular weight and solution history on, 1475P
—, stability, 3639C
—, ultra-high MW, powder processing of, 2441P
—, x-ray study of modulus in single fibers of, 2199P
Polyethylene (PE), thermal oxidative stability, 1847C
Polyethylene glycol (PEG), picryl ether of, 1875C
Polyethylene glycol derivatives, 3337C
Polyethylene in multilayer films, structure of ultrathin layers of, 1105P
Polyethylene oxide films, 245P
Polyethyloxazoline, 3551C
Polyformal, 907P
Polyglutamine, 3525C
Polyimide, 59L, 3377C
Polyimide copolymers, 1209C
Polyimide film, 3107C
Polyimide membranes, structure-permeability relationships of, 2291P
Polyimide systems, photoimagable, 1209C
Polyimides, 655P, 1681C, 3347C, 3795C
—, photosensitive, new, 3261C
—, properties of, 3603C
—, synthesis of, 3603C
—, urethane-modified, 3603C
Polyimidines, 811C
Polyisobutylene poly(*p*-chlorostyrene) polymers, 3725C
Polymaleic anhydride derivatives, 1263C
Polymer blend systems, 385C
Polymer blends, 149P, 167L, 177P, 343P, 355P, 647P, 871P, 937P, 1079C, 1091C
Polymer composites, 1909C
Polymer drying, 837C, 857C
Polymer films, 1495C
Polymer solutions, 711P, 743P
Polymer surface modification, 173C, 803C
Polymer surfaces, 803C
Polymeric catenanes, 1807C
Polymeric laminates, 193C
Polymeric oxidizing reagents, 2585C
Polymerization, 1289C, 1973C
—, ethylene, 3587C
—, radical ring-opening, 3739C
Polymerization catalysts, 1995C
Polymerization in amine-epoxy networks, modeling strategy for, 2585P
Polymerization solvents, 1059C
Polymerization–functionalization process, 89C
Polymers, liquid-crystalline, 3541C
—, thermotropic liquid crystalline, 3625C
—, wholly conjugated, 3647C
Polymer-solvent systems, 379L
Polymer–solvent interaction parameter, 923P
Polymides, 323C
Polynorbornene, sulfonation, 1377C
Polyolefin functionalization, 1781C
Polyoxalates, unsaturated, 1361C
Polyoxymethylene, epitaxial crystallization on Na Cl of, 1163P
Polypeptide, 3525C
Polypeptide membranes, 1341C
Polypeptide systems, 67C
Polypeptides, 825C
Polyphosphates, 1743C
Polypropylene, oxidation, 257P
—, ultrasonic emission in crystallization of, 1171P
Polypropylene (PP) beads, 261C
Polysaccharide-borate gels, 2445P
Polysaccharides, 53L
Polysilane blocks, 1397C
Polysilane derivatives, 1397C, 2665C
Polystyrene, molecular entanglements and melt rheology of, 1033P

—, transport of hexane vapor in microspheres of, 1093P
Polystyrene (PS) solutions, 811P
Polystyrene beads in polystyrene matrix, stability in processing of, 2707P
Polystyrene chains, 467P
Polystyrene film, photostabilization of, 3661C
Polystyrenes, 2877C
Polysulfones, 2885C, 3179C
Polythiophenes, electrically conductive, 219L
Polyureas, 1895C, 2237C
Polyurethane cationomers, phase inversion and physical properties in, 1515P
—, structure-property relationships in, 1499P
Polyurethane elastomers, 301L, 3685C
Polyurethane prepolymers, 333C
Polyurethanes, 95L, 2679C
Polyurethane–polyacrylamide IPNs, 3775C
Polyvinyl chloride blends, 2681P
Poly[(3,4-dihydro-2H-pyran)-alt-(maleic anhydride)], 2719C
Poly[acrylamide-co-sodium *N*-(4-sulfophenyl) maleimide], 2949C
Porous media, short-range interactions of long chains in, 2555P
Porphyrin ring, 129L
Positron annihilation spectroscopy in amine-cured epoxy polymers, 1431P
Potassium carboxylate (COOK) groups, 1923C
Powder processing of UHMW polyethylene, 2441P
PPFM films, 3387C
p-phenylene vinylene, 2867C
PPO® resin, 447C
PP–PE block copolymers, 937P
Preceramic polymers, 955C
Pressure, 189P
Pressure effect on isothermal curing of epoxy-amine, 323L
Prezoelectric constant of hydrated poly-(-methyl L-glutamate), 2385P
β-propiolactone, 279L
Propylene polymerization, 2609C
Protein films, 89L
Proteins, monolayers, 89L
Pruitt-Baggett adduct, 341L
Pulsed laser initiation, 1823C
PVA/PPP blends, miscibility, 355P
—, orientation, 355P
Pyridinium monomer, 345C
Pyridinium salts, 3137C
Pyrrole, electrochemical polymerization, 451C

Radiation sensitivity, 281P
Radiation-induced cationic polymerization, 253L
Radiation-induced crosslinking, 267P
Radiation-induced degradation, 1185C
Radical chain transfer polymerization, 59C
Radical copolymerization, 1091C, 3155C
Radical polymerization, 949C
Radical stabilizing groups, 3137C
Radical trap, 451C
γ-radiolysis, 281P
Radiothermoluminescence induced by electron beam, 1641P
Raman spectra of poly(vinyl chloride), 1589P
Raman spectra of polymer chains, interpretation of strain-induced frequency shifts in, 2527P
Raman spectroscopy, 837P
Rare earth coordination catalyst systems, 1995C
Rare earth coordination catalysts, 1965C
Rayleigh-Brillouin spectroscopy, 481P
Redox behavior, 345C, 3137C
Redox systems, 411C
Refractive index increment, 111L
Relative reactivity, 795C
Relaxation in polymer melts, theory of T_{2e} for, 1001P
α-relaxations, 569P
Remote plasma discharge, 193C
Renormalization group calculations, 811P
Resins, 679C
Resole phenolics, 363L
Resonance stabilization, 967C
Resorcinol, 2269C
Restricted penultimate model, 515C
Rheology, 141L, 619C
Rheology of initially disentangled polymer melts, 1033P
Rheo-optical apparatus, 1571P
Rigid polypeptides, 825C
Rigid rod amides, 3403C
Rigid rod esters, 3417C
Rigid rod molecules, as liquid crystal thermosets, 3403C, 3417C
Rigid-rod benzobisthiazole polymers, 3241C
Ring-opening polymerization, 417L, 3101C
—, of novel bicyclic oxalactams, 3251C
Rubber, 795P
—, Nigerian natural, 3533C
Rubber blend system, 25L
Rubbery membranes, inhomogeneous, theory of diffusion of gases in, 2247P
Rubbery poly(dimethyl siloxane) with silica filler, gas sorption in, 1297P

Salt solutions, 233P
Salts, 945C
Scaling laws, 141L
Scanning tunneling microscope, 399L
Second virial coefficient, 1873P, 2023P

Sedimentation, universality, 521P
Sedimentation behavior, 521P
Seebeck coefficient, 17P
Segmental mobility processes, 127P
Self-diffusion coefficients, 931C
Self-focusing, in polymers, 247L
Semiconductor, 17P
Semiconductors, 1209C
Semicrystalline polymers, 245P
Semi-interpenetrating polymer networks (semi-IPNs), 585C
Sequential copolymerization, 3145C
SF_5 substituted fluorocarbon polymers, 297L
^{29}Si-NMR studies, 2153C
Side chain isolation, 125L
Side-chain liquid crystalline polysiloxanes, 425C
Side chains, 125L, 1519C
Sidechains, radiation resistant, 1413C
Silanes, 213P
Silanization, 213P
Silicon-containing epoxy resins, 479C
Silicone rubber, 407P, 795P
Silicon–silicon bonds, photodegradability, 1569C
Siloxane-containing polymers, 13L
Silyl enol ethers, 2845C
Silylenol ethers, as monomer, 2195C
Single-ion conductivity, 187L
Size exclusion chromatography, 2063C
Small-angle neutron scattering (SANS), 893P
Small-angle x-ray scattering experiments, 343P
Solid phase peptide synthesis (SPPS), 931C
Solid state drawing of polyethylene, effect of molecular weight and solution history on, 1475P
Solid state NMR, 2321C
Solid-state chemistry, 2165P
Solubility parameter of poly(dimethyl siloxane) as function of temperature and chain length, 2715P
Solution, 907P
Solution and phase equilibria in ionomers, 1719P
Solutions, 811P, 1495C
Solvent size, influence of, 379L
Solvents, 1445C, 1539C, 1793C
Sorbed carbon dioxide, 7L
Sorbed molecules, 857C
Sorption of CO_2 and CH_4 in polycarbonate—PMMA blends, 2103P
Sorption of CO_2 in poly(*p*-phenylene sulfide) at high pressures, 2057P
Sorption of CO_2 in poly(dimethyl siloxane), 1737P
Sorption of CO_2 in substituted polycarbonates, 1137P
Sorption of gases in poly(dimethyl siloxane), 1297P
Sorption of gases in random styrene(methyl methacrylate) copolymers, 2079P
Sorption of hexane vapor in polystyrene microspheres, 1093P
Spherical monosized polymer, particles, production of, 2085C
Spherulite growth in their films, 1813P
Spherulites, ringed, in polyethylene, conditions for formation of, 1207P
Spinodal decomposition, 1P, 97P
Spinodal phase diagrams, 149P
Spirobislactones, 2533C
Spiroorthocarbonate, 3529C
Spiroorthoester, preparation, 1841C
Spiroorthoesters, 3101C
Stability, 3639C
Stabilization, 3533C
Stannous chloride, 411L
Steady-state solutions, 1P
Sterically stabilized nanoparticles, 2651C
Stress relaxation, 513P
Stress relaxation in swollen polybutadiene networks, 1781P
Stress-strain analysis from x-ray diffraction of PE in deformation, 2199P
Stress-strain relations in networks with menaticlike interactions, 2473P
Structural influences in thermal field-flow fractionation of copolymers, 2673P
Styrene, 423L, 1823C, 2097C, 2359C, 3231C
Styrene–butadiene–styrene block copolymers, 3761C
Styrene/Nonionic comonomer (2-hydroxyethyl methacrylate) system, 2547C
Styrene-acrylic acid copolymers, 317L
Styrene-butadiene-styrene block copolymer, 3363C
Styrenes, polymerization, 1771C
Substrate, 105P
Sulfomaleic anhydride (SMA) esters, 1781C
Sulfonated amino-formaldehyde resins, 2049C, 2063C
Sulfonated urea-formaldehyde resins, 2049C, 2063C
Sulfonation, 1377C
Sulfone-containing polymers, 465C
Supported catalysts, 1651C
Supported olefin polymerization catalysts, 273C
Surface modification, 213P
Surfactant, 119C
Swelling, 923P
Swelling of polybutadiene networks, 1781P
Synchrotron x-ray diffraction, 227L

Syndiotactic polypropylene, 393L
Syndiotactic polystyrene (sPS), behavior, 47L
Synthesis, 199L, 955C, 1101C, 1127C, 1329C, 1361C, 1455C, 1519C, 1549C, 1637C, 1681C, 1693C, 1721C, 1763C, 1861C, 1973C
—, interpenetrating polymer network, 3775C

t-butyl substituent, 2753C
Telechelic polymers, 153C, 559C
Temperature dependence, 139P
Tensile properties, 1197C
Teorell–Meyer–Sievers theory, 303P
Terminal groups, 1137C
Termination rate constant, k_t, 775P
Terpolymerization, 1237C
Tertiary amino alcohols, 2305C
Thermal analysis (DSC and TGA) of metal ionomers of sulfonated polystyrene, 1685P
Thermal analysis (DSC and TMA) of sulfonated EPDM ionomers, 1443P
Thermal crosslinking process, 1209C
Thermal cycling of glasses, 2127P
Thermal decomposition, 245C
Thermal degradability, 281P
Thermal degradation, of poly(vinyl chloride), 2695C
Thermal diffusion of copolymers in toluene solution, 2673P
Thermal expansion coefficient of thin films (method), 2119P
Thermal expansion of liquid-crystalline copolyesters, 2225P
Thermal expansivity of semicrystalline PEEK, 1965P
Thermal field-flow fractionation of copolymers in toluene, 2673P
Thermal imidization of poly(amic acids), enhancement of tensile strength by, 2463P
Thermal mechanical properties of annealed poly(*p*-phenylene terephthalamide), 2565P
Thermal oxidation, 945C, 1079C
Thermal oxidative stability, 425P, 1847C
Thermal properties, 373L
Thermal stability, 75C, 669C, 679C, 811C, 1763C, 1989C
Thermal transitions, 907P
Thermodynamic analysis, 653C
Thermodynamic stability, 139P
Thermodynamics functions of liquid and semicrystalline nylon polyamides, 2271P
Thermogravimetric analysis, 1973C
Thermolysis, 281P
Thermomechanical degradation inmixing of polystyrene beads in polystyrene matrix, 2707P
Thermooxidative stability, 1473C, 3685C
Thermoset cure, free-volume theory for, 973P
Thermoset resins, 2207C
Thermosets, 71P, 691P
Thermosetting polymers, 85P
Thermotropic behavior, 3541C
Thermotropic homopolyester, 285C
Thermotropic liquid crystalline polymers, 825C
Thermotropic liquid-crystalline polymers, 2575C
Thermotropic liquid crystalline polymers (TLCP), 231C
Thermotropic liquid crystalline polymers (TLCPs), 1983C
Thermotropic liquid-crystalline polyester, 189P, 203P
Thermotropic polyesters, 75C, 331L
—, of hydroquinone, 2335C
Thermotropic random copolymers, 271L
1,3,4-thiadiazole moiety, 3647C
Thin films of poly(sulfur nitride), FTIR study of hydrolysis of, 1611P
Thiophene, 289L
Thiophene links, 3179C
Thiourea, 2249C
$TiCl_4$, 2035C
Total monomer concentration, 1059C
Transport properties, 203P
Tricyclo[6,2,2,$0^{2,7}$]dianhydride, 3347C
4-Triethoxysilyl-1,2-bis(diphenylphosphino)benzene, 3669C
Triethylamine, 2465C
Trimethylsilylamines, 2445C
2-trimethylsilyloxy-1,3-butadiene, 2845C
α-trimethylsilyloxystyrene, 2195C
Trioctylmethylammonium persulfite initiator, 2729C
Triphase catalysis, 1421C
Triphenyl phosphite, 2169C, 2501C
Triphenylmethane, 253L
Triphenylsulfonium salt moieties, 2877C
Two-phase emulsion polymerization, 3055C

Ultra high-molecular-weight (UHMW) polyethylene, 587P
Ultrafine particles, 1923C
Ultra-thin films, of aromatic polymers, 3221C
Ultraviolet absorbers, 3661C
Universal diffusion properties, 101L
Unsaturated polyoxalates, 1361C
Unseeded emulsion copolymerization, 987C
Urethane-linkage formation, 1579C
UV absorption spectroscopy, 157L

Vapor-phase treatment, 21L
Variable length flexible spacers, 1549C
Vinylacetamide, 3487C
Vinyl acetate, 3317C
Vinyl-acetate–methyl acrylate mixture, 2275C
Vinyl anthraquinone polymers, 3165C
Vinylbenzylphosphonate diethyl ester (VBP), preparation, 227C
Vinyl chloride–vinyl acetate copolymer, 205C
Vinyl copolymers, 1435C
Vinylcyclopropanes, 2881C
Vinylketene cyclic acetal, 417L
Vinylmethyl, 2153C
Vinyl monomers, 299C, 1947C
—, radical polymerization of, 3617C
Vinylpyridinium ions, 2711C
Viologen moiety, 2509C
Viscoelastic fluids, 619C
Viscoelasticity, 315P
—, nonlinear, of polyethylene, constitutive equation for, 1943P
Viscoelasticity and physical and chemical aging of PMMA, 1463P
Viscoelasticity of PVC modified with MBS, 1987P
Viscometric expansion factor related to number of statistical chain segments, 2435P
Viscose rayon, 2127C
Viscosity, 141L
Viscosity of liquid crystalline polyesteramide (Vectra B 900), 1533P
Visible spectroscopy, 609C
Volume dilation on CO_2 sorption in polycarbonates, 1137P
Volumetric behavior, 241P
Water, molecular relaxation, 675P
Water-soluble imide-amide copolymers, 2949C, 2969C, 2983C
Water-soluble polymers, 923P
Wet-spinning, 449P
Wide-angle x-ray diffraction (WAXD), 355P
Wood-polymer composites, 525C

XPS analysis, of PET film, 2837C
X-ray diffraction, dynamic, of liquid crystalline polyesters, 1047P
—, small-angle, of block copolymer-derived "bottlebrush" ionomers, 1979P
X-ray diffraction of dry and swollen gelatin fibers, 1823P
X-ray diffraction of meltspun PET fibers, 1647P
X-ray diffraction of microlayer polyethylene, 1105P
X-ray diffraction of PE, modulus and strain distribution from, 2199P
X-ray photoelectron spectroscopy (XPS), 1813C
X-ray scattering(SAXS) study of polymer deformation, 1791P

$Y_1Ba_2Cu_3O_z$ microstructures, 1999C

Z- and *E*-stereoisomers, 3019C
Zero order region, emulsion polymerization in, 2857C
Zerovalent palladium catalysts, 1303C
Ziegler–Natta catalysts, 273C
Ziegler–Natta methods, 647P
Zwitterionic mechanism, 279L